[redacted]

P-W

U.S. BORAX NAVAJO 1-B, APACHE CO.
SE/SE Sec 36-T17N-R25E 1-27

County Apache

Area

Lease No.

Well Name U. S. BORAX NAVAJO 1-B

Location Se/SE Sec 36 Twp 17N Range 25E Footage

Elev 5600 Gr KB Spud Date Completed Abandon 2/64 Total Depth 1308'

Contractor

Drilled by Rotary

Cable Tool

Casing Size	Depth	Cement

Production Horizon

Initial Production

REMARKS

Elec Logs Radioactivity Log -3

Applic. to Plug Plugging Record Completion Report

Sample Log X

Sample Descript.

Sample Set

Core Analysis

DSTs

Water well accepted by

Bond Co. & No.

Bond Am't $ Cancelled Date Organization Report

Filing Receipt Dated Well Book Plat Book

Loc. Plat Dedication

API NO. 02-001-05346

Permit Number None Date Issued

File no. 1-27



Corral Tanks
Draw
Double Tank
Potter Place
Wash
Potter Well
Milky
Milky Ranch
1-27
'64
1308 Ps
NAVAJO 28 MI.
(SEVEN SPRINGS) 4053 I SE

U.S. Borax - Mineral Tests

WELL	LOCATION	DATE DRILLED	TOTAL DEPTH	GROUND ELEVATION	TOP COCONINO
Holbrook #1	1900 FNL, 450 FWL Sec. 34-16N-24E Apache Co.	December, 1963	1813	5365 Approx.	496
Navajo 1-B	SE-SE Sec 36-17N-25E	February, 1964	1308	5600	762
Navajo #2	2640 FSL, 2626 FEL Sec 22-17N-25E	March, 1964	1430	5710	821

1-27


U.S. BORAX NAVAJO #1
36-17N-25E
Elev. 5600 (Approx.)
4.2 MI.
LEGEND
HALITE (or sylvite a
ANHYDRITE (or poly
DOLOMITE
SILTSTONE or M
SHALE or CLAYS
HALITIC
ANHYDRITIC
THIN ANHYDRITE
CLAYEY
TOP OF SALT
From Mech. log.
1150
GAMMA RAY
NEUTRON
4"
79'
1200
1250
28'
Syl. veins
1300
~50% poly., 50% anhyd.
TD 1309
650 API UNITS
diam. hole