

Sierra Drilling Corp. 3 State
NW/4-SE/4 Sec 30-Twp20N-R26E 22
Apache County

P-W

County Apache

Area _____

Lease No. State 2088

Well

Name Sierra Drilling Corporation #3 State

Location NW SE Sec 30 Twp 20N Range 26E Footage 1880 FSL 1980 FEL

Elev 5616 ~~1036~~ KB Spud 7-15-60 Complete 7-23-60 Total 1036
Date 7-15-60 Abandon 7-23-60 Depth 1036

Contractor: _____ Approx. Cost \$ _____

Drilled by Rotary Cable Tool _____

Casing Size 8 5/8 Depth 100 Cement _____

Production Horizon _____

Initial Production P & A

REMARKS: / Salt Water @ TD.

No DST's or cores.

a No pipe in hole. Corrected number & location.

Elec. _____ Sample Log _____
Logs IE ; Micro Sample Descript _____
Applic Plugging Completion Sample Set _____
to Plub Record Report _____ Cores _____

Water well - accepted by _____

Bond Co. _____
& No. Ohio Farmers Insurance Company 201 150


Bond Am't \$ 10,000 Canceled 8-30-66 Date _____ Organization Report

Filing Receipt 9231 dated 7-7-60 Well Book Plat Book

API # 02-001-05293 Loc. Plat Dedication W/2 SE/4 30-20N-26E

PERMIT NO. 122 Date Issued 7-8-60

ARIZONA
APACHE COUNTY
PINTA DOME (D)



Twp 20n-26e
Section 30
c nw se
1980 n/s 1980 w/e

OPR: Sierra Drilling

WELL #: 1-30 State

ELEV: 5616 Gr.

DSTS. & CORES:

SPUD: 7-16-60

COMPL: 7-20-60

*TOPS: Log ~~book~~
Chinle 750
Shinarump 820
Moenkopi 840
Coconino 980

No cores or tests.

TD: 1036'

PB:

CSG:

PERF:

PROD. ZONE:

INIT. PROD:

D & A

Amerada, Co. 510.

AMERADA PETROLEUM CORPORATION
DURANGO DISTRICT

WEEKLY SCOUT REPORT

REPORT BY **GEORGE E. DEWITT**
REMARKS

WEEK ENDING **4-1-60** **FORM COMPANY CHECK**

LOCATION

CONCLUSIONS

ARIZONA

APACHE COUNTY

Sierra Drilling Corp. #1-30 State Elev. Not available
30-20M-266 Spud. 7-15-60. Schlumberger tops: Conglomerate 741', Shinarump 820',
1960 TEL & 1960 TEL Mochopi 840', Cocomaio 989', TD 1036'.

At TD 10.5'. No tests or cores.

IP: B & A/
Completed 7-23-60.

STATE OF ARIZONA
OIL AND GAS CONSERVATION COMMISSION
PHOENIX, ARIZONA

Form O & G 56

Form Prescribed Under Oil and Gas Conservation Act of 1951
ABANDONMENT AND PLUGGING RECORD

(Within thirty days after the plugging of any well has been accomplished, the owner or operator thereof shall file this form with the Commissioner, setting forth in detail the method used in plugging the well.)

PLUGGING METHODS AND PROCEDURE- - The methods and procedure for plugging a well shall be as follows: (a) The bottom of the hole shall be filled to, or a bridge shall be placed at, the top of each producing formation open to the well bore, and in either event a cement plug not less than fifty (50) feet in length shall be placed immediately above each producing formation open to the well bore whenever possible.

(b) A cement plug not less than fifty (50) feet in length shall be placed at approximately fifty (50) feet below all fresh-water-bearing strata.

(c) A plug shall be placed at or near the surface of the ground in each hole.

(d) The interval between plugs shall be filled with heavy-mud-laden fluid.

(e) An uncased hole shall be plugged with heavy mud up to the base of the surface string, at which point a plug of not less than fifty (50) feet of cement shall be placed.

Operator Sierra Drilling Corp. Field Pinta Dome
Pool _____
County Apache

Address all correspondence concerning this form to: Sierra Drilling Corp.
Street: 4721 E. Montecita City: Phoenix State: Arizona
Lease Name _____ Well No. #3 State #3 Sec. 30 Twp. 20N Rge. 26E
Was the well plugged according to regulations of the Commissioner? yes
Set out method used in plugging well and record of casing pulled: _____

Halliburton Cementing Service Ticket # 362839

100' - 8 5/8 - 24# - J55

(AFFIDAVIT)

STATE OF ARIZONA _____
COUNTY OF MARICOPA

SIERRA DRILLING CORP.

By Sam Day (Operator)

SAM DAY

Before me, the undersigned authority, on this day personally appeared JAMES E. KEARY
President of Sierra Drilling Corp., known to me to be the person whose name is subscribed to the
above instrument, who being by me duly sworn on oath states that he is authorized to make
this report and has knowledge of the facts stated herein and that said report is true and cor-
rect.

Subscribed and sworn to before me this the 26th day of May 19 62

Charles L. Smith
Notary Public

My commission expires: May 24, 1963

STATE LAND DEPARTMENT
STATE OF ARIZONA

Form O&G 55

Form Prescribed Under Oil and Gas Conservation Act 1951
APPLICATION TO ABANDON, PLUG, DEEPEND, SIDETRACK OR PERFORATE

(After Well Has Once Been Completed)

INSTRUCTIONS: - - File in duplicate with Commissioner. One copy will be returned with approval or denial.

FIELD: PINTA DOME
OPERATOR: SIERRA DRILLING CORP. ADDRESS #4721 E. Montecito
LEASE: WELL NO. State #3 COUNTY Apache
SURVEY: SECTION 30 DRILLING PERMIT NO.: 122
LOCATION 1880 FSL, 1980 FEL, T. 20N, R. 26E, Sec. 30 Gila & Salt
River Meridian, elevation 5615.7

TYPE OF WELL dry TOTAL DEPTH 1000'
(Oil, Gas or Dry Hole)

ALLOWABLE (If Assigned)
LAST PRODUCTION TEST: OIL (Bbls.) Water (Bbls.)
GAS (M. C. F.) DATE OF TEST

PRODUCING HORIZON PRODUCING FROM: TO

1. COMPLETE CASING RECORD:
100' - 8 5/8 - 24# - J55

2. FULL DETAILS OF PROPOSED PLAN OF WORK:
40-0 - 40'
290-250 - 40'
990-930 - 50'

If the well is to be deepened to another zone other than that covered by permit, this form shall be accompanied by a certified lease plat as is prescribed on Form No. O & G51.

If well is to be abandoned, does proposed work conform with requirements of Rule 26?
. If not, outline procedure proposed above.

DATE COMMENCING OPERATIONS: July 20, 1960
NAME OF PARTY DOING WORK: HALLIBURTON COMPANY ADDRESS Duncan, Okla.
CORRESPONDENCE SHOULD BE SENT TO: Homer Allen, agent

NAME: James Henry
TITLE: V.P. Sierra Drilling Corp.

APPROVED: 19th DAY OF July 19 60. D.A.J.

DENIED: DAY OF 19 .

By: D.A. Jerome STATE LAND COMMISSIONER

Form Prescribed Under Oil and Gas Conservation Act of 1951

10

NOTICE OF INTENTION TO DRILL NEW WELL

This notice and surety bond must be filed and permit must be granted before drilling begins

State Land Commissioner 7-7- Ariz. 1960

In compliance with Statewide Rule 3, notice is hereby given that it is our intention to commence the work of drilling well No. Sec. 30, Twp. , Rge. 765 B. & M., Field, County.

Legal description of lease SEE PLAT (attach map or plat to scale)

Location of Well: (Give exact footage from section corners or other

legal subdivisions or streets)

Proposed drilling depth 1200 feet. Acres in drilling unit 80

Has surety bond been filed? YES. Is location a regular or exception to spacing rule? RRC.

Elevation of ground above sea level feet.

All depth measurements taken from top of DF (Derrick, floor, Rotary Table or which is 5 feet above the ground. (Kelly Bushing)

PROPOSED CASING PROGRAM

Size of Casing	Weight	Grade & Type	Top	Bottom	Cementing Depths
<u>100' (PROPOSED OF 8 5/8)</u>					

Intended Zone or Zones of completion: Name Perforated Interval

AFFIDAVIT:

I hereby certify under the penalty of perjury, that the information contained and statements herein made are to the best of my knowledge and belief, true, correct and complete.

SAM DAY ETAL D/A
SIERRA DRILLING CORP.
(Applicant)

By [Signature]


Application approved this 8TH day of July 1960

Permit No. 134
3-62 1/10/58

[Signature]
State Land Commissioner

*Drilled
Plugged
&
Abandoned*

Company Sierra Drilling Company 3
Lease _____ Well No. State 5 - 30
Sec. 30, T 20N, R. 26E Gila & Salt River Meridian
Location 1880' S/L; 1980' E/L
Elevation: 5615.7



Scale—4 inches equal 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.


R. J. Stanton

Seal:

Registered Professional
Engineer and Land Surveyor.

Surveyed July 15, 1960

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



August 30, 1966

Ohio Farmers Insurance Group
3500 North Central Avenue
Phoenix, Arizona 85012

Attention: Mr. T.C. Sakowski, Claims Representative

Re: Sierra Drilling #1 State well
SW NE 1-19N-19E, Apache County, Arizona
Permit 120

Sierra Drilling #4 State well
NW NE 16-19N-20E, Apache County, Arizona
Permit 121

Sierra Drilling Corp. #3 State well
NW SE 29-20N-16E, Apache County, Arizona
Permit 122

Sierra Drilling #2 State well
SE SW 11-19N-16E, Apache County, Arizona
Permit 123

Sierra Drilling #1 Campbell Fee well
SW SW 23-26N-3W, Yavapai County, Arizona
Permit 133

Sierra Drilling Corp. #2 Campbell Fee well
SW NE 23-26N-3W, Yavapai County, Arizona
Permit 141

Gentlemen:

By telephone, you have informed this office as to your efforts to secure information to comply with the requirements of this Commission and you have forwarded copies of certain electrical logs.

Ohio Farmers Insurance Group
August 30, 1966
Page 1

This letter, then, constitutes authority from this Commission to terminate your bond 261 156.

Your cooperation has been very much appreciated.

Very truly yours,

John Hunsicker
Executive Secretary
JH

October 25, 1965

Ohio Farmers Insurance Company
Leroy, Ohio

Re: Your bond in the amount of \$10,000
Issued July 7, 1960
Principal, Sierra Drilling Corporation

Sierra Drilling Corp #1 State well
SW/4NE/4 2-19N-25E, Apache County, Arizona
Permit 120

Sierra Drilling Corp #4 State well
SW/4NE/4 16-19N-26E, Apache County, Arizona
Permit 121

Sierra Drilling Corp. #3 State well
NE/4SE/4 30-20N-26E, Apache County, Arizona
Permit 122

Sierra Drilling Corp. #2 State well
NE/4SW/4 12-19N-26E, Apache County, Arizona
Permit 123

Sierra Drilling Corp. #1 Campbell Fee well
SW/4SW/4 23-20N-3W, Yavapai County, Arizona
Permit 133

Sierra Drilling Corp. #2 Campbell Fee well
SW/4NW/4 23-20N-3W, Yavapai County, Arizona
Permit 141

Gentlemen:

On October 15, 1965 we wrote Sierra Drilling Corporation
at the address of record in our files, 4519 N. Scottsdale
Road, Scottsdale, Arizona. Our letter was returned, marked
"Unclaimed."

Captioned wells have all been plugged in accordance with

our Rules and Regulations. However, Well Completion Reports have not been filed with this office in compliance with the Rules and Regulations.

As soon as Well Completion Reports for all wells, and copies of any logs run on the wells drilled under Permits 123, 133, and 141, are received we may then terminate this bond.

It is requested that you take necessary steps to effect the submission of this required data. Your earliest cooperation will be appreciated.

Yours very truly,

John Bannister
Executive Secretary
mr
enc

October 15, 1965

Sierra Drilling Corporation
4519 N. Scottsdale Road
Scottsdale, Arizona

Re: Ohio Excess Insurance Company Bond

Gentlemen:

As you are aware, the captioned bond in the amount of \$10,000 is on file with this Commission to cover bonding requirements of this Commission.

As a result of the public hearing held September 22, 1965 in Phoenix, Arizona, concerning the Rules and Regulations of this Commission, the bonding requirements have been increased to \$5,000 for a single well and to \$25,000 for a state-wide blanket bond.

As required by law, certified copy of the new Rules and Regulations was filed with the Secretary of State on October 1, 1965, and consequently the new Rules became effective on that date.

This letter is to request that at your earliest convenience you take the necessary steps to increase your state-wide bond to \$25,000. Upon receipt of your new bond your old bond of course may be released.

Your earliest cooperation will be appreciated.

Yours very truly,

John Kinnister
Executive Secretary
ar