

Eastern Petro 1 Reese
SW/4-NW/4 Sec 1-19N-R26E 157
Apache, C ounty

M-1

County Apache

Area Pinta

Lease No. Reese Fee

Well Name Eastern Petroleum / Reese

Location SW NW Sec 1 Twp 19N Range 26E Footage 1650 FNL 660 FWL
Spud Complete Total 1077

Elev 5732 Gr KB Date 10-24-61 Abandon 11-7-61 Depth 1075 Coconino

Contractor: 570' Gr from NSG 5 1/2' lined per JNC Approx. Cost \$ _____

Drilled by Rotary
Cable Tool _____

Casing Size	Depth	Cement	Production Horizon
<u>8 5/8</u>	<u>125</u>	<u>435x w/25</u>	_____
_____	_____	_____	Initial Production <u>P & A</u>

REMARKS: No shows:

Coconino 1033'

Elec. Logs <u>Induction</u>	Sample Log _____
Applic <u>Plugging</u>	Sample Descript _____
to Plub <u>x</u> Record <u>x</u> Completion Report <u>x</u>	Sample Set <u>T-1332 P-662</u>
	Cores _____

Water well - accepted by _____

Bond Co. & No. U. S. Fidelity & Guaranty Company 27716-13-3983-65
27716-13-3746

Bond Am't \$ 25,000 Canceled 11-22-65 Date _____ Organization Report x

Filing Receipt 9274 dated 9-28-61 Well Book x Plat Book x


API# 02-001-05127 Loc. Plat x Dedication All 1-19N-26E

Sample 662

PERMIT NO. 157 Date Issued 9-29-61

ARIZONA
APACHE CO.
WILDCAT (W)

157
C



Twp 19n-26e
Section 1
SW NW
1650 s/n 660 e/w

OPR: Eastern Pet.

WELL #: 1 Reese

ELEV: 5732 Gr.
*TOPS: Log ~~5732~~
Coconino 1034

DSTS. & CORES:
No cores.
DST 1038-77, 25 min,
rec 77 salty mud, 90
muddy salt wtr, 60 salt
wtr, no pressures released

SPUD: 10-23-61 COMPL: 11-2-61
TD: 1077 PB:
CSG: 8-5/8" @ 90 w/25

PERF:

PROD. ZONE:

INIT. PROD: D & A

Contr: Myers

WELL COMPLETION OR RECOMPLETION REPORT AND WELL LOG

DESIGNATE TYPE OF COMPLETION:

New Well
 Work-Over
 Deepen
 Plug Back
 Same Reservoir
 Different Reservoir
 Oil
 Gas
 Dry

DESCRIPTION OF WELL AND LEASE

Operator: Eastern Petroleum Company Address: Box 291, Carmi

Federal, State or Indian Lease Number or name of lessor if fee lease: Eastern Reese Fee Well Number: 1 Field & Reservoir: Wildcat

Location: 600' from W. L.; 1650 from NL County: Apache

Sec. TWP-Range or Block & Survey: 1-19N-26E

Date spudded: 10-23-61 Date total depth reached: 11-2-61 Date completed, ready to produce: - Elevation (DF, REB, RT or Gr.): Gr. 5726 Elevation of casing hd. flange: feet

Total depth: 1077 P.B.T.D.: - Single, dual or triple completion?: - If this is a dual or triple completion, furnish separate report for each completion.

Producing interval (s) for this completion: - Rotary tools used (interval): 0-1077 Cable tools used (interval): -0-

Was this well directionally drilled?: No Was directional survey made?: No Was copy of directional survey filed?: No Date filed: -

Type of electrical or other logs run (check logs filed with the commission): Schlumberger induction electric; microlog Date filed: -

CASING RECORD

Casing (report all strings set in well—conductor, surface, intermediate, producing, etc.)

Purpose	Size hole drilled	Size casing set	Weight (lb./ft.)	Depth set	Sacks cement	Amt. pulled
Surface	12 3/4"	8 5/8		125	43	None
	6 3/4" from 125'					

TUBING RECORD

LINER RECORD

Size	Depth set	Packer set at	Size	Top	Bottom	Sacks cement	Screen (ft.)
in.	ft.	ft.	in.	ft.	ft.		

PERFORATION RECORD

ACID, SHOT, FRACTURE, CEMENT SQUEEZE RECORD

Number per ft.	Size & type	Depth Interval	Amt. & kind of material used	Depth Interval

INITIAL PRODUCTION

Date of first production: - Producing method (indicate if flowing, gas lift or pumping—if pumping, show size & type of pump): -

Date of test	Hrs. tested	Choke size	Oil prod. during test	Gas prod. during test	Water prod. during test	Oil gravity
			bbls.	MCF	bbls.	* API (Corr)


Tubing pressure	Casing pressure	Cal'd rate of Pro-duction per 24 hrs.	Oil	Gas	Water	Gas-oil ratio
			bbls.	MCF	bbls.	

Disposition of gas (state whether vented, used for fuel or sold): -

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the Secretary of the Eastern Petroleum Company (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

Date: September 27, 1965

Signature: _____



Permit No. 157

STATE OF ARIZONA
OIL & GAS CONSERVATION COMMISSION
Well Completion or Recompletion Report and Well Log
Form No. 4 File One Copy

DETAIL OF FORMATIONS PENETRATED

Formation	Top	Bottom	Description*
Chinle	140	814	<p align="center"><u>Drill Stem Test 1038-77</u></p> <p>Open 25 minutes; slight blow of air for 6 minutes & died; recovered 77' heavy salted mud, 90' of slightly muddy salty water, 60' of salt water.</p> <p>No shows of gas detected at any time during drilling to TD</p> <p>Coconino water saturated</p>
Shinarump	814	852	
Moenkopi	852	1034	
Coconino	1034	1077	

* Show all important zones of porosity, detail of all cores, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

INSTRUCTIONS:

Attach driller's log or other acceptable log of well.

This Well Completion or Recompletion report and well log shall be filed with the State of Arizona Oil & Gas Conservation Commission not later than thirty days after project completion.

Form No. 4

STATE OF ARIZONA
OIL AND GAS CONSERVATION COMMISSION
PHOENIX, ARIZONA

Form O&G 56

Form Prescribed Under Oil and Gas Conservation Act of 1951
ABANDONMENT AND PLUGGING RECORD

(Within thirty days after the plugging of any well has been accomplished, the owner or operator thereof shall file this form with the Commission, setting forth in detail the method used in plugging the well.)

PLUGGING METHODS AND PROCEDURE -- The methods and procedure for plugging a well shall be as follows: (a) The bottom of the hole shall be filled to, or a bridge shall be placed at, the top of each producing formation open to the well bore, and in either event a cement plug not less than fifty (50) feet in length shall be placed immediately above each producing formation open to the well bore whenever possible.

(b) A cement plug not less than fifty (50) feet in length shall be placed at approximately fifty (50) feet below all fresh-water-bearing strata.

(c) A plug shall be placed at or near the surface of the ground in each hole.

(d) The interval between plugs shall be filled with heavy-mud-laden fluid.

(e) An uncased hole shall be plugged with heavy mud up to the base of the surface string, at which point a plug of not less than fifty (50) feet of cement shall be placed.

Operator Eastern Petroleum Company Field Pinta
Pool _____
County Apache

Address all correspondence concerning this form to: Eastern Petroleum Company

Street: 2520 First Nat'l. Bank Bldg. City Denver 2 State Colorado

Lease Name Reese Well No. 1 Sec. 1 Twp. 19N Rge. 26E

Date well was plugged November 1, 19 61

Was the well plugged according to regulations of the Commission? Yes

Set out method used in plugging well and record of casing pulled: _____

Cement plug from 980' - 1030'

Cement plug from 125' - 175'

Cement plug from 0' - 10'

No casing recovered. Intervening intervals between cement plugs filled

with heavy drilling mud.

(AFFIDAVIT)

EASTERN PETROLEUM COMPANY

STATE OF ~~ARIZONA~~ COLORADO
COUNTY OF _____ DENVER

By: James W. Dean
(Operator) James W. Dean

Before me, the undersigned authority, on this day personally appeared _____
James W. Dean, known to me to be the person whose name is subscribed to the above instrument, who being by me duly sworn on oath states that he is authorized to make this report and has knowledge of the facts stated herein and that said report is true and correct.

Subscribed and sworn to before me this the 8th day of November, 19 61

Notary Public

My Commission expires:

My Commission expires April 23, 1963

1573

STATE LAND DEPARTMENT
STATE OF ARIZONA

Form O&G 55

Form Prescribed Under Oil and Gas Conservation Act 1951
APPLICATION TO ABANDON, PLUG, DEEPEND, SIDETRACK OR PERFORATE

(After Well Has Once Been Completed)

INSTRUCTIONS: - - File in duplicate with Commissioner. One copy will be returned with approval or denial.

FIELD: Wildcat
OPERATOR: Eastern Petroleum Company ADDRESS 2520 1st Nat'l. Bank Bldg., Denver
LEASE: Reese WELL NO. 1 COUNTY Apache
SURVEY: T19N, R26E SECTION 1 DRILLING PERMIT NO.: 157
LOCATION 1650' FN line and 660' FW line of Section

TYPE OF WELL Dry Hole TOTAL DEPTH 1077
(Oil, Gas or Dry Hole)

ALLOWABLE (If Assigned)
LAST PRODUCTION TEST: OIL _____ (Bbls.) Water _____ (Bbls.)
GAS _____ (M. C. F.) DATE OF TEST _____

PRODUCING HORIZON _____ PRODUCING FROM: _____ TO _____

1. COMPLETE CASING RECORD:

8 5/8" at 125'
Circulated cement returns to surface

2. FULL DETAILS OF PROPOSED PLAN OF WORK:

Cement plug from 980' - 1030'
Cement plug from 125' - 175'
Cement plug from 0' - 10'
No casing recovery will be attempted from this well.
Intervening intervals between cement plugs will be filled with heavy drilling mud.

If the well is to be deepened to another zone other than that covered by permit, this form shall be accompanied by a certified lease plat as is prescribed on Form No. O & G51.

If well is to be abandoned, does proposed work conform with requirements of Rule 26?
Yes. If not, outline procedure proposed above.

DATE COMMENCING OPERATIONS: November 1, 1961
NAME OF PARTY DOING WORK: Scott Bros. Drilling Co. ADDRESS Albuquerque
CORRESPONDENCE SHOULD BE SENT TO: Eastern Petroleum Company, Denver, Colorado

NAME: J. Hernandez

TITLE: Assistant Division Engineer

APPROVED: 31st DAY OF Oct 1961.

DENIED: _____ DAY OF _____ 19____.

By: D. A. Jerome
STATE LAND COMMISSIONER
E. M. Deig

1574

OIL AND GAS CONSERVATION COMMISSION
STATE OF ARIZONA

Form OG 51

Form Prescribed Under Oil and Gas Conservation Act of 1951

NOTICE OF INTENTION TO DRILL NEW WELL

This notice and surety bond must be filed and permit must be granted
before drilling begins

Oil and Gas Conservation Commission _____ Arizona 9-26 19 61

In compliance with Statewide Rule 3, notice is hereby given that it is our intention
to commence the work of drilling well No. 1 Reese Sec. 1,

Twp. 19N, Rge. 26E B. & M., Pinta Field
Apache County.

Legal description of lease All of Section 1
(attach map or plat to scale)

Location of Well: 1650' FN line and 660' FW line of section
(Give exact footage from section corners or other

legal subdivisions or streets)

Proposed drilling depth 1200 feet. Acres in drilling unit 640

Has surety bond been filed? Yes. Is location a regular or exception to spacing
rule? Regular.

Elevation of ground above sea level 5732 Estimated feet.

All depth measurements taken from top of Ground
(Derrick, floor, Rotary Table or
_____ which is _____ feet above the ground.
(Kelly Bushing)

PROPOSED CASING PROGRAM

Size of Casing Inches A. P. I.	Weight	Grade & Type	Top	Bottom	Cementing Depth
<u>8 5/8</u>	<u>24 lbs.</u>	<u>H40</u>	<u>0</u>	<u>95</u>	<u>0 - 95</u>
<u>4 1/2</u>		<u>J55</u>	<u>0</u>	<u>top of Coronado</u>	

AFFIDAVIT:
I hereby certify under the penalty of perjury, that the information contained and state-
ments herein made are to the best of my knowledge and belief, true, correct and complete.

Eastern Petroleum Company
(Applicant)


By James G. Dean
day of September 1961.

Application approved this 29
Permit No. 157
3-62 1/10/58

Robert W. ...
Oil and Gas Conservation Commission



CERTIFICATE OF SURVEY



WELL LOCATION: Eastern Petroleum Co., No. 1 Reese

Located 660 feet East of the West line and 1650 feet South of the North line of Section 1
 Township 19 North Range 26 East Gila & Salt River Meridian
 Apache County, Arizona


I hereby certify the above plat represents a survey made under my supervision and is accurate to the best of my knowledge and belief.

Elmer M. Clark
 ELMER M. CLARK
 Registered Land Surveyor
 State of Arizona (No. 4973)

1587

Revised Aug. 25, 1961
 Oct. 11, 1960
E.M. CLARK & ASSOCIATES
 Durango, Colorado
 File No. 60663

NAVAJO SOUTH QUADRANGLE
ARIZONA-APACHE CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)



EASTERN PETROLEUM COMPANY, DENVER, COLORADO

PAYEE: DETACH THIS STATEMENT BEFORE DEPOSITING CHECK

DATE	INVOICE NO.	DESCRIPTION	AMOUNT	DISCOUNT OR DEDUCTION	NET AMOUNT
9-26-61		Drilling Permit for Eastern Petroleum No. 1 Reese Section 1, T19N, R26E Apache County, Arizona	25.00		25.00

137

Operator Eastern Petroleum Company

Bond Company U. S. Fidelity & Guaranty Co. Amount \$10,000

Bond No. 27716-13-3746-60 Date Approved 8-1-60

Permits covered by this bond:

SEE this file	269 ✓	234 ✓
	81 ✓	230 ✓
	252 ✓	229 ✓
	251 ✓	237 ✓
	107 ✓	236 ✓
	207 ✓	218 ✓
	157 ✓	209 ✓
	88 ✓	206 ✓
	80 ✓	194 ✓
	78 ✓	188 ✓
	264 ✓	155 ✓
	263 ✓	150 ✓
	273 ✓	152 ✓
	259 ✓	109 ✓
	258 ✓	108 ✓
	255 ✓	107 ✓
	282 ✓	
	250 ✓	
	276 ✓	
	284 ✓	
	227 ✓	

CANCELLED

DATE Nov 11-22-65

May 13, 1965

Mr. Henry Fallop
Eastern Petroleum Company
Box 291
Carmi, Illinois

Dear Hank:

Attached is a list showing Eastern's wells and what we need from Eastern Petroleum in order to complete our files.

We have attempted in the past to get you to furnish this information. I do not want to have to go against the bond or to get the Attorney General in on this in order to secure this information which, as you know, by law the Commission is entitled to.

If you need any forms, or if we can help you in any way in securing and filing this information, please let us know.

Please comply with this request at your earliest convenience.

Sincerely,

John Bannister
Executive Secretary

BT
ENC

cc: Attorney General

Handwritten notes at the top of the page, including a circled '100' and some illegible text.

Handwritten notes in the second section, including a circled '100' and some illegible text.


Handwritten notes in the third section, including a circled '100' and some illegible text.

Handwritten notes in the fourth section, including a circled '100' and some illegible text.

Handwritten notes in the fifth section, including a circled '100' and some illegible text.

Handwritten notes in the sixth section, including a circled '100' and some illegible text.

Handwritten notes in the seventh section, including a circled '100' and some illegible text.



UNIT
No

137 Santa Fe Sec #18 Need: 1) Logging record
Sec 13-20N-27E 2) Completion "
Apache Co.

138 Santa Fe Sec #19 Need: 1) plugging report
Sec 12-19N-27E 2) Completion "
Apache Co.

139 Santa Fe Sec #15 Need: 1) Completion report
Sec 15-20N-27E
Apache Co.

140 Easton #1 Well Need: 1) Completion report
Sec 1-19N-20E 2) Log
Apache Co.

107 Santa Fe #1 Need: 1) Completion report
Sec 35-21N-26E
Apache Co.
Strat test

108 Santa Fe #2 Need: 1) Completion report
Sec 7-20N-27E
Apache Co.

109 Santa Fe #3 Need: 1) Completion report
Sec 9-19N-27E
Apache Co.

50

Santa Fe #5
Sec 9-19N-28E
Apache Co.

need: ~~plug~~
completion report

Santa Fe #6
Sec 25-20N-28E
Apache Co.

need: completion report

34 Santa Fe #21
Sec 31-20N-28E
Apache Co.

need: (1) logs
(2) completion report

227 Santa Fe #22

need: (1) logs
(2) completion report

Note: Eastern should be informed
that we require: ① formation tops,
② Drill stem test descriptions, and
③ Core descriptions and this
completion format.



PAUL FANNIN
GOVERNOR
LYNN LOCKHART
CHAIRMAN
R. KEITH WALDEN
VICE CHAIRMAN
CHARLES KALIL, H.D.
MEMBER
ORME LEWIS
MEMBER
LUCIEN B. OWENS
MEMBER

OFFICE OF
Oil and Gas Conservation Commission

STATE OF ARIZONA

ROOM 202

1624 WEST ADAMS

Phoenix, Arizona 85007

PHONE: 271-8161

JOHN BANNISTER
EXECUTIVE SECRETARY
JOHN K. PETTY
PETROLEUM GEOLOGIST

August 5, 1964

Mr. J. N. Edwards
Eastern Petroleum Company
Box 291
Carmi, Illinois

Dear Mr. Edwards:

In reviewing our files we find that we are without numerous and various forms necessary to complete our files in some cases, and in others the required forms are necessary that we may keep our files current with the operations of your wells. I am enclosing a substantial number of the required forms together with a guide so that you may fill out the proper information with the wells concerned. Inasmuch as we are trying to stay current your early cooperation will be appreciated.

If there is any assistance that we may give please advise.

Very truly yours,

Bill Cooper
Records Section



**EASTERN PETROLEUM CO.
EASTERN DRILLING, INC.**

2520 FIRST NAT'L BANK BLDG.
DENVER 2, COLORADO
MA 3-5289

December 11, 1961

Mr. Brooks Pierce, Petroleum Engineer
Oil & Gas Conservation Commission
Suite 312, 3500 North Central Avenue
Phoenix, Arizona

Dear Brooks:

Enclosed are electrical and other logs run on
the following wells and in fulfillment of require-
ment of your agency:

Eastern Petroleum No. 4 Santa Fe ✓
Eastern Petroleum No. 5 Santa Fe ✓
Eastern Petroleum No. 6 Santa Fe ✓

Crest Oil No. 5-A Santa Fe ✓
Crest Oil No. 6 Santa Fe ✓

We are also enclosing herewith the two copies of
the Abandonment and Plugging Record on our No. 1 Reese
which you returned to us for notarization of my sig-
nature.

Respectfully yours,

EASTERN PETROLEUM COMPANY
Rocky Mountain Division

Jim Dean
James W. Dean

JWD:JS
Enclosures
Carbon Copy: Mr. C. F. Swain

December 7, 1961

Mr. James W. Dean
Eastern Petroleum Company
2520 1st National Bank Building
Denver 2, Colorado

Dear Jim:

We have to return Forms O&G 54, Abandonment
and Plugging Record, on your Reese No. 1 in
Sec. 1, T19N, R26E in Apache County for a
notarization of your signature.

May we have these back by return mail.

Yours very truly,

Brooks Pierce
Petroleum Geologist

hmc
encs 2



EASTERN PETROLEUM CO.
EASTERN DRILLING, INC.

2520 FIRST NAT'L BANK BLDG.
DENVER 2, COLORADO
MA 3-5259

November 8, 1961

Mr. D. A. Jerome, Executive Secretary
Arizona Oil and Gas Conservation Commission
Suite 312 - 3500 North Central Avenue
Phoenix, Arizona

Dear Mr. Jerome:

We are enclosing with this letter two copies
of Form O&G 56, Abandonment and Plugging Record,
on our Reese No. 1 well located in Section 1,
Township 19 North, Range 26 East, of Apache County,
Arizona.

Respectfully yours,

EASTERN PETROLEUM COMPANY
Rocky Mountain Division

Judi Stinemat

(Mrs.) Judi Stinemat
Secretary to Mr. James W. Dean

Enclosures



**EASTERN PETROLEUM CO.
EASTERN DRILLING, INC.**

2520 FIRST NAT'L BANK BLDG.
DENVER 2, COLORADO
MA 3-5259

November 1, 1961

Mr. Brooks Pierce
Arizona Oil and Gas Conservation Commission
Suite 312 - 3500 North Central Avenue
Phoenix, Arizona

Dear Mr. Pierce:

Enclosed with this letter please find two copies of Form O&G 55, Application to Abandon, Plug, Deepend, Sidetract or Perforate, on our No. 1 Reese located in Section 1, Township 19 North, Range 26 East, Apache County, Arizona.

We should appreciate it very much if you would approve one copy of this form and return it to this office at your convenience. Thank you for your cooperation.

Respectfully yours,

EASTERN PETROLEUM COMPANY
Rocky Mountain Division

James W. Dean
James W. Dean *js*

JS
Enclosures

October 4, 1961

Mr. James W. Dean
Eastern Petroleum Company
Rocky Mountain Division
2520 First National Bank Building
Denver 2, Colorado

Re: Eastern Petroleum Company #1 Reese
Sec. 1, T 19 N, R 26 E, Apache County

Dear Mr. Dean:

Enclosed is your approved copy of notice of
intention to drill on the above described
test together with a receipt for your \$25.00
permit fee.

Also enclosed are 40 additional O & G 53 forms
as recently requested by your secretary.

Yours very truly,

Helen M. Eremie
Office Secretary

hme
encs

September 28, 1961

Mr. R. Keith Walden
Farmers Investment Company
288 South Stone Street
Tucson, Arizona .

Re: Eastern Petroleum No. 1 Reese
Sec. 1, T 19 N, R 26 E, Apache County

Dear Keith:

Enclosed are two copies of a Notice of Intention to Drill New Well executed by Eastern Petroleum Company on test above described. Please sign and return together with the plat which we are attaching for your personal.

They have a blanket bond filed with this Commission and they forwarded with this notice their \$25.00 check for the permit fee.

Yours very truly,

D. A. Jerome
Executive Secretary

hne
encl 3



EASTERN PETROLEUM CO.
EASTERN DRILLING, INC.

2520 FIRST NAT'L BANK BLDG.
DENVER 2, COLORADO
MA 3-5259

September 26, 1961

Mr. Brooks Pierce
Arizona Oil & Gas Conservation Commission
Suite 312, 3500 North Central Avenue
Phoenix, Arizona

Re: No. 1 Reese
Section 1, T19N, R26E
Apache County, Arizona

Dear Mr. Pierce:

Enclosed with this letter please find two copies each of the Notice of Intention to Drill and surveyor's plat on the above mentioned well. Also enclosed is a check in the amount of \$25 to cover the cost of a drilling permit.

We would appreciate your approving one copy of the application and returning same to this office.

Respectfully yours,

EASTERN PETROLEUM COMPANY
Rocky Mountain Division

Judi Stinemates
(Mrs.) Judi Stinemates
Secretary to Mr. James W. Dean

Enclosures

157