

Ram Oil Co. State  
SE/4 SE/4 Sec 29-11N-R31E 159  
Apache County


P-M



ARIZONA  
APACHE CO.  
WILDCAT (W)

OPR: Ram Oil

ELEV: 6602 DF  
TOPS: ~~Log~~ Sample  
Triassic - surface to TD



Twp 11n-31e  
Section 29  
se se:  
330 n/s 330 w/e

WELL #: 1 State

DSTS. & CORES:

SPUD: 10-14-61      COMPL: 11-21-62  
TD: 835              PB:  
CSG: 10-3/4" @ 400 w/14

PERF:

PROD. ZONE:

INIT. PROD: Temporarily Abandoned

Contr: Henderson

ARIZ-3-261121

### WELL COMPLETION OR RECOMPLETION REPORT AND WELL LOG

DESIGNATE TYPE OF COMPLETION:

New Well  Work-Over  Deepen  Plug Back  Same Reservoir  Different Reservoir  Oil  Gas  Dry

DESCRIPTION OF WELL AND LEASE

Operator RAM Address 330 W Medlock Dr.; Phoenix

Federal, State or Indian Lease Number or name of lessor if fee lease State 5673 Well Number #1 Field & Reservoir Wildcat

Location SE SE SE (330 FSL 330 FEL) County Apache

Sec. TWP-Range or Block & Survey Sec 29-11N-31E

Date spudded 10-10-61 Date total depth reached 2100 Date completed, ready to produce \_\_\_\_\_ Elevation (DF, RKB, RT or Gr.) 6600 GR. feet Elevation of casing hd. flange \_\_\_\_\_ feet

Total depth 830' P.B.T.D. \_\_\_\_\_ Single, dual or triple completion? DEA If this is a dual or triple completion, furnish separate report for each completion.

Producing interval (s) for this completion None (DEA) Rotary tools used (interval) \_\_\_\_\_ Cable tools used (interval) 0-830'

Was this well directionally drilled? No Was directional survey made? \_\_\_\_\_ Was copy of directional survey filed? \_\_\_\_\_ Date filed \_\_\_\_\_

Type of electrical or other logs run (check logs filed with the commission) Drillers Log only Date filed \_\_\_\_\_

CASING RECORD

Casing (report all strings set in well—conductor, surface, intermediate, producing, etc.)						
Purpose	Size hole drilled	Size casing set	Weight (lb./ft.)	Depth set	Sacks cement	Amt. pulled
Surface	12"	10 3/4"		830'	50 SX	NONE

TUBING RECORD

LINER RECORD

Size in.	Depth set ft.	Packer set at ft.	Size in.	Top ft.	Bottom ft.	Sacks cement	Screen (ft.)

PERFORATION RECORD

ACID, SHOT, FRACTURE, CEMENT SQUEEZE RECORD

Number per ft.	Size & type	Depth Interval	Am't. & kind of material used	Depth Interval

INITIAL PRODUCTION

Date of first production \_\_\_\_\_ Producing method (Indicate if flowing, gas lift or pumping—if pumping, show size & type of pump:)

Date of test	Hrs. tested	Choke size	Oil prod. during test bbls.	Gas prod. during test MCF	Water prod. during test bbls.	Oil gravity ° API (Corr)

Tubing pressure	Casing pressure	Cal'ed rate of Production per 24 hrs.	Oil bbls.	Gas MCF	Water bbls.	Gas-oil ratio

Disposition of gas (state whether vented, used for fuel or sold):

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the President of the Ram Oil Company (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

Date Oct 6<sup>th</sup> 1965 Signature [Signature]

Permit No. <u>159</u>	STATE OF ARIZONA OIL & GAS CONSERVATION COMMISSION Well Completion or Recompletion Report and Well Log Form No. 4 File One Copy
-----------------------	---

**PLUGGING RECORD**

Operator <i>Ram Oil Co</i>		Address <i>330 W. Medlock Dr. Phoenix, Ariz</i>	
Federal, State, or Indian Lease Number, or lessor's name if fee lease. <i>State 5673</i>		Well No. <i>1</i>	Field & Reservoir <i>Wild Cat</i>
Location of Well <i>SE SE SE (330 FSL 330 FEL)</i>		Sec-Twp-Rge or Block & Survey <i>29 T11N-R31E</i>	County <i>Apache</i>
Application to drill this well was filed in name of <i>Ram Oil Co</i>	Has this well ever produced oil or gas <i>NO</i>	Character of well at completion (initial production): Oil (bbls/day) _____ Gas (MCF/day) _____ Dry? <i>DRY</i>	
Date plugged: <i>1-8-66</i>	Total depth <i>830'</i>	Amount well producing when plugged: Oil (bbls/day) _____ Gas (MCF/day) _____ Water (bbls/day) _____	
Name of each formation containing oil or gas. Indicate which formation open to well-bore at time of plugging	Fluid content of each formation	Depth interval of each formation	Size, kind & depth of plugs used. Indicate zones squeeze cemented, giving amount cement
<i>None since pipe was not perforated</i>	<i>water in Cocconino shut off with casing (10 3/4")</i>		<i>36' Cement Plug 830-794 with 7 5/8 cmt. 20' cement Plug in surface 0-20' w/3 5/8 cmt.</i>

**CASING RECORD**

Size pipe	Put in well (ft.)	Pulled out (ft.)	Left in well (ft.)	Give depth and method of parting casing (shot, ripped, etc.)	Packers and shoes
<i>10 3/4</i>	<i>830'</i>	<i>NONE</i>	<i>830'</i>	—	—

Was well filled with mud-laden fluid, according to regulations?  
*Pipe Set to 830*

Indicate deepest formation containing fresh water.  
*Cocconino @ 600-700' approx*

**NAMES AND ADDRESSES OF ADJACENT LEASE OPERATORS OR OWNERS OF THE SURFACE**

Name	Address	Direction from this well:
<i>Earl Platte</i>	<i>St. Johns Ariz</i>	<i>West Adjoining</i>
<i>Robert Trommel</i>	<i>Springerville</i>	<i>well site + North, East + South.</i>

In addition to other information required on this form, if this well was plugged back for use as a fresh water well, give all pertinent details of plugging operations to base of fresh water sand, perforated interval to fresh water sand, name and address of surface owner, and attach letter from surface owner authorizing completion of this well as a water well and agreeing to assume full liability for any subsequent plugging which might be required.

Use reverse side for additional detail.

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the *Agent* of the *Ram Oil* (company) and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction, and that the facts stated therein are true, correct and complete to the best of my knowledge.

Date *1-10-66*

Signature *Joe B. Barrett*



Permit No. *159*

STATE OF ARIZONA  
OIL & GAS CONSERVATION COMMISSION  
Plugging Record  
File One Copy

Form No. 10

*OK JBB*

APPLICATION TO ABANDON AND PLUG


FIELD Wild Cat  
 OPERATOR Ram Oil Co ADDRESS 330 W. Medlock Dr. Phoenix, Ariz  
 Federal, State, or Indian Lease Number or Lessor's Name if Fee Lease state 5673 WELL NO. 1  
 SURVEY \_\_\_\_\_ SECTION 29 COUNTY Apache  
 LOCATION SE SE SE (330 FSL 330 FEL) T11N-R31E  
 TYPE OF WELL Dry Hole TOTAL DEPTH 830  
 (Oil, Gas or Dry Hole)  
 ALLOWABLE (If Assigned) \_\_\_\_\_  
 LAST PRODUCTION TEST OIL \_\_\_\_\_ (Bbls.) WATER \_\_\_\_\_ (Bbls.)  
 GAS \_\_\_\_\_ (MCF) DATE OF TEST \_\_\_\_\_  
 PRODUCING HORIZON \_\_\_\_\_ PRODUCING FROM \_\_\_\_\_ TO \_\_\_\_\_

1. COMPLETE CASING RECORD  
10 3/4" Pipe set @ 830' w/505X Cmt.

2. FULL DETAILS OF PROPOSED PLAN OF WORK  
Pipe was never Perforated since Operators Planned to drill Deeper. Pipe was Set to shut off water in the Coconino Sand.  
A 30 ft cement plug will be put at TD & a 20' cement Plug with a regulation Dry Hole Marker will be Placed at the surface

If well is to be abandoned, does proposed work conform with requirements of Rule 202? \_\_\_\_\_ If not, outline proposed procedure above.

DATE COMMENCING OPERATIONS As soon as Approved  
 NAME OF PERSON DOING WORK Joe B. Barrett ADDRESS 2211N 81<sup>st</sup> way Scottsdale  
 CORRESPONDENCE SHOULD BE SENT TO Joe B. Barrett  
 Name \_\_\_\_\_  
 Title Geologist  
 Address 2211N 81<sup>st</sup> way Scottsdale Arizona  
 Date Jan 2, 1966




Date Approved 1-10-66  
 STATE OF ARIZONA  
 OIL & GAS CONSERVATION COMMISSION  
 By: John V. Bannister

STATE OF ARIZONA  
 OIL & GAS CONSERVATION COMMISSION  
 Application to Abandon and Plug  
 File Two Copies  
 Form No. 9

Permit No. 159

Nov. 1962



Ram Oil Company #1 State SE Section 29-  
T11N-R31E, 8 miles NE of Springerville  
in Apache County. The well is shut in,  
in hopes operat~~on~~ can figure way to  
complete or drill deeper 159

29-11N-31E WILDCAT, Springerville Area, proposed 2600' test; C/T. G.  
-330' FEL Henderson Drlg Co; 7 1/2" GL; spud 10-11-61; 527' of 7 1/2"  
Company csg circulated; TD 835' WOO. DROPPED UNTIL ACTIVE.

APACHE COUNTY ARIZONA WILDCAT 29-11N-31E  
Well: RAM OIL CO. #1 State Result: TEMP ABND  
Loc'n: SE SE, 29-11N-31E. 330' FSL, 330' FEL; 2600' Coco test;  
C/Lease Tools.

Spud: 10-11-61; Comp: 12-14-62; Elev: 6602' DF; TD: 835'  
Casing: 1 1/2" 200', 7 5/8" 525'  
Comp Info: No cores or tests reptd.  
Tops: (Spl) Triassic surf TD; (EL) No logs reptd.

D-1 # 159

No #  
Date: 1-25-63 Card No.: 1 dfm  
See Appendix  
OIL REPORTS

OIL AND GAS CONSERVATION COMMISSION  
STATE OF ARIZONA

Form OG 51

Form Prescribed Under Oil and Gas Conservation Act of 1951

NOTICE OF INTENTION TO DRILL NEW WELL

This notice and surety bond must be filed and permit must be granted  
before drilling begins

Oct. 4,

Oil and Gas Conservation Commission

Phoenix Arizona 19 61

In compliance with Statewide Rule 3, notice is hereby given that it is our intention  
to commence the work of drilling well No. State No. 1 Sec. 29

Twp. 11 N, Rge. 31 E B. & M., Field  
Apache County.

Legal description of lease SE SE Sec 29 T 11 N, R 31 E, Apache Co.  
(attach map or plat to scale)  
330 feet West of East Line and 330 feet North of South Line.

Location of Well: 330 feet West of East Line and 330 feet North of South Line.  
(Give exact footage from section corners or other  
Section 29, T 11 N, R 31 E, Apache Co.  
legal subdivisions or streets)

Proposed drilling depth 2600 feet. Acres in drilling unit 6 40

Has surety bond been filed? Yes. Is location a regular or exception to spacing  
rule? Regular

Elevation of ground above sea level 6,600 6/60 feet.

All depth measurements taken from top of Derrick Floor  
(Derrick, floor, Rotary Table or  
which is feet above the ground.  
(Kelly Bushing)

PROPOSED CASING PROGRAM

Size of Casing Inches A. P. I.	Weight	Grade & Type	Top	Bottom	Cementing Depth
Set surface pipe through lava and protect all fresh water strata.					

AFFIDAVIT:

I hereby certify under the penalty of perjury, that the information contained and state-  
ments herein made are to the best of my knowledge and belief, true, correct and complete.

RAM OIL COMPANY

(Applicant)


By Carl H. Baath, President

Application approved this 11th day of October 19 61

Permit No. 159  
3-62 1/10/58

R. J. [Signature]  
Oil and Gas Conservation Commission

159  
Spade 5673



Section  
29

WELL LOCATION: State No. 1 - Ram Oil Company

Located 330 feet North of the South line and  
330 feet West of the East line of Section 29,  
Township 11 North, Range 31 East,  
Apache County, Arizona


*Ram Oil Co  
By Carl L. Booth  
Secy - Treas.*

892 ROSE MARLIN CO  
TULSA OKLAHOMA

TOWNSHIP PLAT

SCALE IN FEET

TOWNSHIP 11N RANGE 31E COUNTY Apache STATE New Mexico  
REMARKS \_\_\_\_\_ COMPANY \_\_\_\_\_  
State-Arizona




RELIEF MAP  
Shinarump Conglomerate and Moenkopi Shale  
Overlain By Tertiary Lava Flow  
Contour Interval = 200'

Loren I. Buck, Geologist  
Tucson, Arizona  
Date - October 3, 1960




159



Checked by the Geological Survey

Methods from aerial  
checked 1971  
system, east zone  
Arizona coordinate



CONTOUR INTERVAL 20 FEET  
DOTTED LINES REPRESENT 10 FOOT CONTOURS  
DATUM IS MEAN SEA LEVEL

Operator RAM OIL COMPANY

Bond Company Southwest Casualty Insurance Co. Amount \$10,000.00

Bond No. S19969 Date Approved \_\_\_\_\_

Permits covered by this bond:

159 *see this file*

167 \_\_\_\_\_

177 \_\_\_\_\_

178 \_\_\_\_\_

196 \_\_\_\_\_

249 \_\_\_\_\_

**CANCELLED**

DATE 1-11-66

WEST CASUALTY INSURANCE COMPANY

Oct 31  
MAY 31 1963

BOND EXECUTION REPORT  
DEC 10 1964

\$100,000.00  
\$100,000.00

\$100,000.00  
Code: A73

Bond No. 2137

Renewal of Bond:  
\$ 1969

Agency SAME C. WOODLAND INSURANCE

Principal RAM OIL COMPANY

Address of Principal 2727 North Central, Suite 420, Phoenix 4, Arizona

Obligee STATE OF ARIZONA, OIL AND GAS CONSERVATION COMMISSION

Address of Obligee Phoenix, Arizona

Nature of Risk Minimum Oil Drilling Bond

Bond Form Used \_\_\_\_\_

Amount of Bonds: \$ 10,000.00 Premium: \$ 100.00 annually; or \$ \_\_\_\_\_  
for term; or \$ \_\_\_\_\_ first year and \$ \_\_\_\_\_ each year thereafter.

Effective Date 10/30/63 Date of Definite Expiration \_\_\_\_\_

Term \_\_\_\_\_ or  
Date of Premium Renewal 10/30/64

Papers enclosed, remarks, etc.:

copy of financial statement  
letter from Secretary Treasurer of Ram Oil  
signed application will follow.

*new President* Maynard Davies  
330 W. Madlock Drive  
Apt 207  
274-8374

*1 payment of receipt - see memo*

Jane H. Klinglor  
Attorney-in-fact

10-30-63  
Date

CANCELLED

DATE 1-11-66

WESTERN STATES GENERAL INSURANCE AGENCY, INC.

SAMUEL P. GODDARD  
GOVERNOR  
LYNN LOCKHART  
CHAIRMAN  
R. KEITH WALDEN  
VICE CHAIRMAN  
ORME LEWIS  
MEMBER  
LUCIEN B. OWENS  
MEMBER  
GEORGE T. SILER  
MEMBER



OFFICE OF  
**Oil and Gas Conservation Commission**  
STATE OF ARIZONA  
ROOM 202  
1624 WEST ADAMS  
Phoenix, Arizona 85007  
PHONE: 271-5161

JOHN BANNISTER  
EXECUTIVE SECRETARY  
J. R. SCURLOCK  
PETROLEUM GEOLOGIST

November 12, 1965

Apache Drilling Co. Inc.  
6201 W. Indianola  
Phoenix, Arizona

Attention: Mr. C. Truitt Henderson

Ram Oil Company  
330 W. Medlock Dr., Apt. 209  
Phoenix, Arizona 85013

Attention: Mr. Maynard J. Davies

U.S. Fidelity and Guaranty Company  
3424 North Central Avenue  
Phoenix, Arizona 85012

Attention: Mr. H.C. Holman

Southwest Casualty Insurance Company  
758 E. McDowell Road  
Phoenix, Arizona

Attention: Mr. Ed West

Re: Ram Oil Co. #1-14 State well  
SW/4SW/4 14-19N-26E, Apache County, Arizona  
Our File 167

Gentlemen:

We have received a letter from U.S. Fidelity and Guaranty Company wherein they agree to place the captioned well under their Bond 22651 13 955 65. Apache Drilling Company is the principal under this bond.

Accordingly, this is to advise that Southwest Casualty Insurance Company Bond 2857 and Ram Oil Company are released as to obligations concerning this well.

This letter, does not, however, constitute a release as to Southwest Casualty Insurance Company's Bond 2857, or as to Ram Oil Company's obligations on other wells drilled thereunder.

Apache Drilling Company Inc. consequently has assumed the responsibility of keeping the captioned well in compliance with our Rules and Regulations and of properly plugging and abandoning this well when necessary.

Should there be any questions, will you please advise.

Very truly yours,

John Bannister  
Executive Secretary  
mr

cc: Mr. F.C. Ryan, State Land Dept.

January 11, 1966

Southwest Casualty Insurance Company  
758 E. McDowell Road  
Phoenix, Arizona

Re: Your Bond 2857  
Ram Oil Company, Principal

Gentlemen:

Ram Oil Company has fulfilled its obligations to this Commission for wells drilled under captioned bond.

This letter then will constitute authority from this Commission to terminate captioned bond.

Very truly yours,

John Bannister  
Executive Secretary  
MB

cc: File 159  
167  
177  
178  
249  
196

December 22, 1965

Southwest Casualty Insurance Company  
758 E. McDowell Road  
Phoenix, Arizona

Re: Your Bond 2857

Ram Oil Co. #1 State well  
SB/4SB/4 29-11N-31E, Apache Co  
Our File 159

#1-INSTRUCTIONS TO DELIVERING EMPLOYEE	
<input type="checkbox"/> Deliver ONLY to addressee	<input type="checkbox"/> Show address where delivered
(Additional charges required for these services)	
RETURN RECEIPT	
Received the numbered article described on other side.	
SIGNATURE OR NAME OF ADDRESSEE (must always be filled in)	
<i>Southwest Cas Ins Co</i>	
SIGNATURE OF ADDRESSEE'S AGENT, IF ANY	
<i>me 12/23/65</i>	
DATE DELIVERED	ADDRESS WHERE DELIVERED (only if requested in item #1)
<i>12-23-65</i>	

CSX-16-71548-4 GPO

Gentlemen:

On September 2, 1965 you were furnished with a copy of the letter to Mr. Maynard Davies concerning Ram Oil Company's plugging obligations to this State. Inasmuch as Ram Oil Company was unable to fulfill these obligations, your company was ordered on November 4, 1965 to proceed with the plugging of certain wells.

In our letter of November 4, 1965 this Commission withheld any action on the above captioned well pending advice from Mr. Earl Platt, Springerville, who indicated a desire to take this well over as a water well. Mr. Platt has failed to meet the December 15, 1965 deadline set by this Commission.

You are now requested to plug the Ram Oil Company #1 State well in the following manner:

Cement shall be run from total depth to 450 feet. This will place a plug into the seven-inch casing. A twenty-foot surface plug shall be set and the well marked as indicated in our letter of November 4. Any open pits should be backfilled and the area cleaned up.

Upon completion of this work, the Plugging Record and Well Completion Report should be submitted.

To the best of our knowledge, upon completion of this plugging program your company may be released from the captioned bond. Should you have any questions, would you please advise.

Very truly yours,

John Bannister  
Executive Secretary  
mr

*Certified Mail 461066*

December 22, 1965

Southwest Casualty Insurance Company  
758 E. McDowell Road  
Phoenix, Arizona

Re: Your Bond 2857

Ram Oil Co. #1 State well  
SE/4SE/4 29-11N-31E, Apache County  
Our File 159

Gentlemen:

On September 2, 1965 you were furnished with a copy of the letter to Mr. Maynard Davies concerning Ram Oil Company's plugging obligations to this State. Inasmuch as Ram Oil Company was unable to fulfill these obligations, your company was ordered on November 4, 1965 to proceed with the plugging of certain wells.

In our letter of November 4, 1965 this Commission withheld any action on the above captioned well pending advice from Mr. Earl Platt, Springerville, who indicated a desire to take this well over as a water well. Mr. Platt has failed to meet the December 15, 1965 deadline set by this Commission.

You are now requested to plug the Ram Oil Company #1 State well in the following manner:

Cement shall be run from total depth to 450 feet. This will place a plug into the seven-inch casing. A twenty-foot surface plug shall be set and the well marked as indicated in our letter of November 4. Any open pits should be backfilled and the area cleaned up.

Upon completion of this work, the Plugging Record and Well Completion Report should be submitted.

To the best of our knowledge, upon completion of this plugging program your company may be released from the captioned bond. Should you have any questions, would you please advise.

Very truly yours,

John Bannister  
Executive Secretary  
MB

ST. OFFICE DEPARTMENT  
OFFICIAL BUSINESS

23 DEC 1965

POSTMARK OF  
DELIVERING OFFICE

INSTRUCTIONS: Fill in items below and complete #1 on other side, when applicable. Moisten gummed ends and attach to back of article. Print on front of article RETURN RECEIPT REQUESTED.

REGISTERED NO. \_\_\_\_\_ NAME OF SENDER \_\_\_\_\_

CERTIFIED NO. 461066 STREET AND NO. OR P. O. BOX \_\_\_\_\_  
OIL & GAS CONSERVATION COMMISSION  
STATE OF ARIZONA

INSURED NO. \_\_\_\_\_ CITY, ZONE AND STATE 1624 WEST ADAMS - SUITE 202  
TELEPHONE: 271-5161  
PHOENIX, ARIZONA 85007

POB Form 3811 Jan. 1965

RETURN TO

*Certified Mail 461066*

December 22, 1965

Southwest Casualty Insurance Company  
758 E. McDowell Road  
Phoenix, Arizona

Re: Your Bond 2857

Ram Oil Co. #1 State well  
SE/4SE/4 29-11N-31E, Apache County  
Our File 159

Gentlemen:

On September 2, 1965 you were furnished with a copy of the letter to Mr. Maynard Davies concerning Ram Oil Company's plugging obligations to this State. Inasmuch as Ram Oil Company was unable to fulfill these obligations, your company was ordered on November 4, 1965 to proceed with the plugging of certain wells.

In our letter of November 4, 1965 this Commission withheld any action on the above captioned well pending advice from Mr. Earl Platt, Springerville, who indicated a desire to take this well over as a water well. Mr. Platt has failed to meet the December 15, 1965 deadline set by this Commission.

You are now requested to plug the Ram Oil Company #1 State well in the following manner:

Cement shall be run from total depth to 450 feet. This will place a plug into the seven-inch casing. A twenty-foot surface plug shall be set and the well marked as indicated in our letter of November 4. Any open pits should be backfilled and the area cleaned up.

Upon completion of this work, the Plugging Record and Well Completion Report should be submitted.

To the best of our knowledge, upon completion of this plugging program your company may be released from the captioned bond. Should you have any questions, would you please advise.

Very truly yours,

John Bannister  
Executive Secretary  
mr

Ed.  
~~John~~ West

258-481~~4~~

62  
955-3200



SAMUEL P. GODDARD  
GOVERNOR

LYNN LOCKHART  
CHAIRMAN

R. KEITH WALDEN  
VICE CHAIRMAN

ORME LEWIS  
MEMBER

LUCIEN B. OWENS  
MEMBER

GEORGE T. SILER  
MEMBER

OFFICE OF

**Oil and Gas Conservation Commission**

STATE OF ARIZONA

ROOM 202

1624 WEST ADAMS

Phoenix, Arizona 85007

PHONE: 271-5161

JOHN BANNISTER  
EXECUTIVE SECRETARY

J. R. SCURLOCK  
PETROLEUM GEOLOGIST

November 4, 1965

Southwest Casualty Insurance Company  
758 E. McDowell Road  
Phoenix, Arizona

Re: Your Bond 2857

Ram Oil Co. #1-9 Hortenstine well  
SW/4NE/4 9-19N-26E, Apache County, Arizona  
Our File 178

Ram Oil Co. #1-5 Hortenstine well  
SW/4NE/4 5-19N-26E, Apache County, Arizona  
Our File 196

Gentlemen:

The captioned bond was issued to cover statewide drilling operations of the Ram Oil Company, including the captioned wells.

Inasmuch as these captioned wells have not been completed in accordance with our Rules and Regulations, we order that these wells be plugged as indicated below.

Ram Oil Co. #1-5 Hortenstine well

Our records show that this well was drilled in 1963 to a total depth of 948 feet. Four and one-half inch casing was set to 864 feet and cemented with thirty sacks.

A 50-foot cement plug should be set from 948 feet to 850 feet, or the lowest possible depth, and a 20-foot cement surface plug should be set.

Ram Oil Co. #1-9 Hortenstine well

This well was also drilled in 1963 to a total depth of 993 feet. Four and one-half inch casing was set at 932 feet with 100 sacks of cement.

This well should be plugged with a 50-foot cement plug from the bottom. A 20-foot cement plug should be set at the surface.

Southwest Casualty Insurance Co.  
Page 2  
November 4, 1965

In addition, a piece of four-inch pipe must be set in the surface plug of each well, which pipe must protrude a minimum of four feet above the surface of the earth and contain the following information welded to the pipe:

- (a) name of well
- (b) quarter-quarter location
- (c) permit number

Upon completion of these plugging programs, a Plugging Record must be filed with this Commission as evidence of the completion of the outlined programs.

As indicated in this Commission's letter of September 2, 1965 to you, the Ram Oil Company #1 Sierra Bonita well has been accepted by the Sierra Bonita Ranch as a water well, thus relieving Ram Oil Company of any further responsibility concerning this well.

→ We are holding any action on the Ram Oil Co. #1 State well (our File 159) pending word from a man who will let us know by December 15, 1965 whether or not he will take this well for a water well.

We are also holding action on the Ram Oil Co. #1-14 well (our File 167) pending agreement by the current oil and gas lessor to assume responsibility for this well.

We will of course inform you if any plugging action will be required on these wells.

The Ram Oil Company #1A-14 State well (our File 177) has been completed and all information has been filed in accordance withour Rules and Regulations. Consequently no further action is required.

The outlined plugging programs should be conducted as soon as feasibly possible. Should you have any questions concerning this action of the Commission, will you please advise. We will be glad to help you in all ways possible.

Very truly yours,

J.R. Scurlock  
Petroleum Geologist  
mr

10-15-65

Re: Ram #1 State

Mr. Earl Platt Attorney in Springerville:  
Ph: office 337-4932  
Home: 337-4333

Via Telephone today -

Mr. Platt is trying to obtain additional grazing leases in this area. He might be interested in taking over this well for water if he is successful in obtaining more leases. Should know one way or another by 12-15-65. Thus, we agreed to suspend any action to plug this well until after Dec 15<sup>th</sup>. JRS

phoned 12-20-65 : No answer →

phoned 12-21-65 : Mr. Platt was still wondering whether the well was on his lease. I told him that we would plug. He knows how to get to the well. Suggest Joe Barrett contact him so as to learn how to get to well. JRS

058  
98  
+62

081



SAMUEL P. GODDARD  
GOVERNOR

LYNN LOCKHART  
CHAIRMAN

R. KEITH WALDEN  
VICE CHAIRMAN

ORME LEWIS  
MEMBER

LUCIEN B. OWENS  
MEMBER

GEORGE T. SILER  
MEMBER

OFFICE OF

**Oil and Gas Conservation Commission**

STATE OF ARIZONA

ROOM 202

1624 WEST ADAMS

Phoenix, Arizona 85007

PHONE: 271-5161

JOHN BANNISTER  
EXECUTIVE SECRETARY

J. R. SCURLOCK  
PETROLEUM GEOLOGIST

September 2, 1965

Southwest Casualty Insurance Company  
758 E. McDowell Road  
Phoenix, Arizona

Re: Your Bond 2857 in the amount of \$10,000  
Principal, Ram Oil Company

Gentlemen:

As you are aware, the captioned bond has been posted with this Commission as both a penalty and performance bond.

We are enclosing a copy of a letter of this date to Mr. Maynard Davies, Ram Oil Company, concerning outstanding obligations for five wells drilled under this bond.

In addition to the five wells mentioned in the attached letter, Ram Oil Company has also drilled under this captioned bond the Ram Oil Co. #1 Sierra Bonita Fee well, located SE SE 2-11S-22E, Graham County, our Permit 249. Presently this well has been plugged back to a total depth of 500 feet and indications are that the owner of the Sierra Bonita Ranch has taken this well as a water well.

At such time as a letter indicating the intent of the rancher to accept the well as a water well and the necessary Well Completion Report has been filed with this office, obligation of Ram Oil Company and of your company as surety will terminate as to this well.

This office feels that in view of the fact there is a potential loss to your company as to the plugging requirements of at least the five wells mentioned in the attached letter, that you should be put on notice concerning Ram Oil Company's obligations.

Should you have any questions, will you please advise.

Yours very truly,

John Bannister  
Executive Secretary  
mr



SAMUEL P. GODDARD  
GOVERNOR  
LYNN LOCKHART  
CHAIRMAN  
R. KEITH WALDEN  
VICE CHAIRMAN  
ORME LEWIS  
MEMBER  
LUCIEN B. OWENS  
MEMBER  
GEORGE T. SILER  
MEMBER

OFFICE OF  
**Oil and Gas Conservation Commission**

STATE OF ARIZONA  
ROOM 202  
1624 WEST ADAMS  
Phoenix, Arizona 85007  
PHONE: 271-5161

JOHN BANNISTER  
EXECUTIVE SECRETARY  
J. R. SCURLOCK  
PETROLEUM GEOLOGIST

September 2, 1965

Mr. Maynard Davies, President  
Ram Oil Company  
330 W. Medlock Drive  
Phoenix, Arizona

Dear Mr. Davies:

We have reviewed the wells drilled by Ram Oil Company in this State and find that the situation is as follows:

Ram Oil Co. #1 State well  
SE SE 29-11N-31E, Apache County  
Permit 159

On January 25, 1963 we were advised that drilling operations had been temporarily suspended pending a temperature survey. Since this date no further work has been done, to our knowledge, on this well.

Apparently this well has been capped but not plugged. Consequently, at your earliest convenience, this well must be plugged in accordance with our Rules and Regulations. The necessary Application to Plug, Plugging Record, and Well Completion Report forms are enclosed for your convenience. These, together with copies of all logs taken should be filed with this office.

Ram Oil Co. #1-14 State well  
SW SW 14-19N-26E, Apache County  
Permit 167

There is some indication in our files that this well had an initial potential of 86MCF per day. However, no further evidence of activity on this well is in our file.

Consequently, this well should be plugged. The necessary Application to Plug, Plugging Record, Well Completion Report, together with the copies of logs, should be filed with this office.

Mr. Maynard Davies

Page 2

September 2, 1965

Ram Oil Co. #1A-14 State well  
SW SW 14-19N-26E, Apache County  
Permit 177

The Plugging Report has been filed on this well. However, we need the Well Completion Report and copies of any logs taken.

Ram Oil Co. #1-9 Hortenstine well  
SW NE 9-19N-26E  
Apache County  
Permit 178

Our file indicates that this well was abandoned on December 31, 1963. Copies of logs have been filed.

We need an Application to Plug, the Plugging Record, and Well Completion Report.

Ram Oil Co. #1-5 Hortenstine well  
SW NE 5-19N-26E, Apache County  
Permit 196

The last report our file has on this well is a letter dated January 25, 1963, wherein it was indicated that Ram Oil Company was preparing to frac this well. We have no further indication of work on this well.

We need an Application to Plug, the Plugging Record, and the Well Completion Report. Logs have been filed.

As you are aware, our Rules and Regulations provide that when work has been suspended on a well for a period of sixty days, the well must be plugged and abandoned unless written consent has been obtained from this office. In none of the above cited cases have indications of additional work, nor requests for extension of time, been filed with this office.

Consequently, we ask that all the above requirements be met as soon as possible.

As you are aware, all of the above wells are bonded under Southwest Casualty Company's bond 2857.

If this office may assist you in this work in any way, will you please advise. Your prompt cooperation will be appreciated.

Yours very truly,

John Bannister  
Executive Secretary  
mr  
enc



Room 6431  
Fed. Bldg.

10-22-64

from

Mr. Mildner ← 261-3248 by telephone  
Soil Conservation  
Commission Service called

Ram Oil Co.

29-11N-31E.

TD 850±

Reported to have had show helium<sup>(?)</sup>  
from the conglomerate (?)

Driller: E. T. Henderson  
937-5222 Phoenix

Water flow reported at 700' (about 40  
gallons/min.)

set 500' casp. : 7"

set 200' " : 10"

Not plugged (reportedly). Welded Cap  
on well.

Reported to have been drilled with  
Cable tool.

fractured Cretaceous? gravel etc. had to  
be dumped in hole.

(no evidence of Fe on surface)

XXXXXXXXXX

XXXXXXXXXX

August 28, 1964

Mr. Maynard J. Davies  
Managing Director  
Ram Oil Company  
330 West Medlock Drive  
Phoenix, Arizona

RE: File No.'s 159, 167, 177, 178, 196 and 249

Dear Mr. Davies:

As mentioned in our telephone conversation of August 27, 1964, I have reviewed the files of the above referenced permits issued to the Ram Oil Company. Listed below please find the information that these files now show and a brief summary of what forms are required to put Ram Oil Company on a current and operating status.

File #159            Ram Oil Company State #1  
                      Sec. 29 Twp. 11N R. 31E  
                      Apache, County

This file contains no information other than the original date of issue of the permit. Form #25, Sundry Notice is required.

File #167            Ram Oil Company State #1-14  
                      Sec. 14 Twp. 19N R. 26E  
                      Apache, County

File indicates that this well is a shut-in gas well awaiting pipeline connections. Form #25, Sundry Notice is required.

File #177            Ram Oil Company State #1A-14  
                      Stratographic Test  
                      Sec. 14 Twp. 19N R. 26E  
                      Apache, County

(Page 2, Continued)

This file indicates that this test has been plugged and abandoned. Form #4, Completion Report is required.

File #178            Ram Oil Company Hortenstine #1-9  
                      Sec. 9 Twp. 19N R. 26E  
                      Apache, County

This file indicates that we have no information other than the original issuance date for the permit. Form #25, Sundry Notice is required.

File #196            Ram Oil Company Hortenstine #1-5  
                      Sec. 5 Twp. 19N R. 26E  
                      Apache, County

This file contains no information other than the original date of the issuance of the permit. Form #25, Sundry Notice is required.

File #249            Ram Oil Company Sierra Bonita Fee #1  
                      Sec. 2 Twp. 11S R. 22E  
                      Graham, County

A sixty (60) day shut down extension was granted on this well on July 23, 1964.

I hope that this information brings you up to date and if I may be of further assistance to you, will you please advise.

Very truly yours,

Bill Cooper  
Records Section

cc/Files  
Enclosure

XXXXXXXXXXXX  
XXXXXXXXXXXX

December 27, 1963

Mr. Donald Hornecker  
Secretary-Treasurer  
Ram Oil Company  
2727 North Central Avenue, Suite 414  
Phoenix, Arizona

Re: Blanket Drilling Bond No. 2857, \$10,000.00  
Southwest Casualty Insurance Company of Fayetteville, Arkansas

Dear Mr. Hornecker:

This is to advise that above referenced bond has been accepted by this Commission to satisfy A.R.S. 27-516 and other Commission requirements to supersede Blanket Bond No. 319969 of the Security Insurance Company of New Haven, Connecticut which was cancelled October 30, 1963.

Very truly yours,

John K. Petty  
Acting Executive Secretary

JKP:MEC

Cc: Ms. Janeth M. Klingler  
Western States General Agency  
P. O. Box 5195  
Phoenix, Arizona

Cc: Woodland Insurance Agency, Inc.  
P. O. Box 10235  
Phoenix, Arizona

- Files: 1. Ram Oil Company - State No. 1 - SE SE Sec 29-T11N-R21E  
Apache County  
2. Ram Oil Company - Hortenstine #1 - Sec 9-T10N-R26E, Apache  
3. Ram Oil Company - Hortenstine #1-5 - SW NE Sec 5-T10N-R26E  
Apache County  
4. Ram Oil Company - State #1 - 14 - SW SW Sec 14-T10N-R26E  
Apache County  
5. Ram Oil Company - Ram-Sierra Bonita Fee #1 - Sec 2-T11S-R22E,  
Graham County

To \_\_\_\_\_  
Date 12/10/63 Time \_\_\_\_\_

**WHILE YOU WERE OUT**

M. Jawid M. Klinger  
of Western States General  
75 E. Mc Donald Blvd Agency  
Phone Bas 193  
Phoenix

TELEPHONED	PLEASE CALL	
CALLED TO SEE YOU	WILL CALL AGAIN	
WANTS TO SEE YOU	URGENT	
RETURNED YOUR CALL		

Message He had well drilled  
Lead for the Perm Oil Co.  
through Security  
Insurance Company of  
New Haven. Cancelled  
effective Nov 2nd

replaced by Lord  
Southwest Casualty  
Co.

Wants copy of letter  
accepting new  
coverage and  
releasing all bond

CC

**WESTERN STATES** GENERAL AGENCY, INC.

4747 N. 16th Street • P. O. Box 10463 • Phoenix, Arizona 85016  
AMherst 4-4921

October 1, 1963

Oil and Gas Conservation Commission  
State of Arizona

RE: Bond No. S-19969  
Ram Oil Company

Gentlemen:

Please be advised that the above Blanket Oil Drilling Position Bond is being cancelled thirty (30) days from this date. The principal is Ram Oil Company, and the amount of the bond is for \$10,000.00.

We are acting in our capacity of Managing General Agents for the Security Insurance Company in making this request.

Sincerely,

WESTERN STATES GENERAL AGENCY, INC.

Janeth M. Klingler  
Attorney-in-fact

JMK:jg



2727 NORTH CENTRAL AVENUE - SUITE 414 - PHOENIX 4, ARIZONA -- PHONE 264-5217

January 25, 1963

Oil and Gas Conservation Commission  
State of Arizona, Room 202  
1624 W. Adams  
Phoenix 7, Arizona

Re: RAM OIL COMPANY - State #1;  
Hortenstine #1-9; and Hortenstine  
#1-5 - All in Apache Co., Arizona

Attention: Mr. N.A. Ludewick, Executive Secretary

Dear Mr. Ludewick:

We have temporarily ceased drilling operation on State #1, until we can have a Temperature Survey ran on this well. We do intend to resume operations on this well in the near future.

Hortenstine #1-9:

We attempted to frac two zones on this well, but the bottom zone did not frac. Before filing a completion on this well we intend to re-frac the lower zone and attempt a dual producer. I might add at this time we do have a good producer in the upper zone with a Helium content of 10%.


Hortenstine #1-5:


We have pipe set in this hole and are prepared to frac. Our plans are to frac and complete this well at the same time we refrac #1-9.

Hoping this gives you the information you need at this time or until we can complete our present plans.

I would like to take the liberty at this time to congratulate you on your appointment to office with the Commission. Please rest assured that RAM OIL COMPANY will give you all of the support in our power to help you in any way we can. We feel that you and people like you will enhance the future of our industry in our state. Again let us extend our congratulations and welcome.

Yours very truly,

  
Donald E. Hornecker  
Secretary-Treasurer  
RAM OIL COMPANY



DEH:lb

159

January 18, 1963

Ram Oil Company  
2727 North Central Avenue  
Phoenix, Arizona

Attention: Mr. D. E. Hornecker, Secretary-Treasurer

Re: Ram Oil Company - State #1; Hortenstine #1; and  
Hortenstine #1-5 - All in Apache County, Arizona

Gentlemen:

The files of this commission do not reflect that we have received completion reports on either of the three captioned wells which we understand have been drilled.

We will appreciate receiving these reports at an early date, to comply with the rules of the commission and to complete our files.

Yours very truly,

N. A. Ludewick  
Executive Secretary

NAL:hme

November 1, 1961

*data taken  
11-18-61*

Ram Oil Company  
3518 North 24th Street  
Phoenix, Arizona

Gentlemen:

There is herewith enclosed bond from Security Insurance Company of New Haven, Connecticut, as surety, in which said bond runs to the State of Arizona. This is a \$2500 bond and we are returning it to you because and for the reason that you have filed with us a bond in the sum of \$10,000 which is a blanket bond pursuant to our rules and regulations.

You may drill as many wells as you desire in the State of Arizona provided, of course, the proper forms and fees are filed and paid with our Commission.

Yours very truly,

D. A. Jerome  
Executive Secretary

DAJ:hme  
enc

October 18, 1961

Ram Oil Company  
3518 North 24th Street  
Phoenix, Arizona

Re: Ram Oil State No. 1 - Sec. 29, T11N, R 31E, Apache Co.

Gentlemen:

Please find enclosed an approved Form OG 51,  
Notice of Intention to Drill New Well, on the  
above captioned test together with your receipt  
in the amount of \$25.00 for the permit fee.

Yours very truly,

Brooks Pierce  
Petroleum Geologist

BP:hme  
enc 2