

Ram Oil Co. - 5 Hortenstine
SW/4-NE/4 Sec 5-19N-26E T96
Apache County

P-W

S1

COUNTY Apache AREA Pinta LEASE NO. Hortenstine Fee

WELL NAME Ram Oil Company #1-5 Hortenstine

LOCATION SE NE SEC 5 TWP 19N RANGE 26E FOOTAGE 1645 FNL 1645 FEL

ELEV 5672 GR KB SPUD DATE 8-21-62 STATUS P&A TOTAL 948
COMP. DATE 12-31-63 DEPTH 948

CONTRACTOR plugged 11-30-65

CASING SIZE	DEPTH	CEMENT	LINER SIZE & DEPTH	DRILLED BY ROTARY
<u>7</u>	<u>180</u>	<u>30 sx</u>	<u>na</u>	<u>x</u>
<u>4 1/2</u>	<u>864</u>	<u>30 sx</u>		
				DRILLED BY CABLE TOOL <u> </u>
				PRODUCTIVE RESERVOIR <u> </u>
				INITIAL PRODUCTION <u>P&A</u>

FORMATION TOPS	DEPTHS	SOURCE		REMARKS
		L.L.	E.L.	
<u>Congl.</u>	<u>687'</u>		<u>x</u>	
<u>Shinarump</u>	<u>828'</u>			
<u>Coconino</u>	<u>928'</u>			

ELECTRIC LOGS	PERFORATED INTERVALS	PROD. INTERVALS	SAMPLE LOG
<u>Sonic, IE (Have films)</u>	<u>NA</u>	<u>NA</u>	SAMPLE DESCRP. <u> </u>
			SAMPLE NO. <u> </u>
			CORE ANALYSIS <u> </u>
			DSTs <u> </u>

REMARKS APP. TO PLUG x
 PLUGGING REP. x
 COMP. REPORT x

WATER WELL ACCEPTED BY

BOND CO. Southwest Casualty Ins. Co. Fayetteville BOND NO. 2857

BOND AMT. \$ 10,000 CANCELLED 1-11-66 Ark. DATE ORGANIZATION REPORT 3-5-65

FILING RECEIPT 9304 LOC. PLAT x WELL BOOK x PLAT BOOK x

API NO. 02-001-05313 DATE ISSUED 7-2-62 DEDICATION All

PERMIT NUMBER 196

Lam Oil

A (19-26) 5ac

100


Tops: - Skin, 828

mu-ent. - 844

COG. - 928 -

Elm-5677 DF

ARIZONA
APACHE CO.
PINTA DOME (D)



Twp 19n-26e
Section 5
sw ne
1645 s/n 1645 w/e

196
OPR: Ram Oil

WELL #:

1-5 Horenstine

ELEV: 5677 DF.

DSTS. & CORES:

SPUD: 8-21-62

COMPL:

TOPS: Log ~~5232~~ 828
Shinarump 828
Base Shinarump 844
Coconino 928

DST 838-841, 12 hrs,
no rec. DST 841-844,
12 hrs, no rec. DST
844-849, 12 hrs, no
rec.

TD: 945

PB: 844

CSG: 4 1/2" @ 850 w/30

PERF:

PROD. ZONE:

INIT. PROD:

SD

Contr: W. T. Myers

ARIZ 1-468240

(CARD WILL BE RE-ISSUED WHEN ACTIVITY RESUMES)

WELL COMPLETION OR RECOMPLETION REPORT AND WELL LOG

DESIGNATE TYPE OF COMPLETION:

New Well Work-Over Deepen Plug Back Same Reservoir Different Reservoir Oil Gas Dry

DESCRIPTION OF WELL AND LEASE

Operator Ram Oil Co Address 330 West Medlock Drive Phoenix, Ariz.

Federal, State or Indian Lease Number or name of lessor if fee lease Hortensine Well Number 1-5 Field & Reservoir Wildcat

Location 1645 FNL - 1645 FEL sec 5 County Apache

Sec. TWP-Range or Block & Survey 5 T 19 N - R 26 E

Date spudded 8-21-62 Date total depth reached 9-1-62 Date completed, ready to produce Dry Elevation (DF, RKB, RT or Gr) 5672 feet Elevation of casing hd. flange feet

Total depth 948 P.B.T.D. 864 Single, dual or triple completion? Dry If this is a dual or triple completion, furnish separate report for each completion.

Producing interval (s) for this completion Rotary tools used (interval) 0-948 Cable tools used (interval)

Was this well directionally drilled? No Was directional survey made? Was copy of directional survey filed? Date filed

Type of electrical or other logs run (check logs filed with the commission) Induction & Sonic Date filed 9-20-62

CASING RECORD

Casing (report all strings set in well—conductor, surface, intermediate, producing, etc.)

Purpose	Size hole drilled	Size casing set	Weight (lb./ft.)	Depth set	Sacks cement	Amt. pulled
Surface	9"	7"	—	180	30	None
Production	6 1/4"	4 1/2"	B #	864	80	None

TUBING RECORD

LINER RECORD

Size	Depth set	Packer set at	Size	Top	Bottom	Sacks cement	Screen (ft.)
in.	ft.	ft.	in.	ft.	ft.		

PERFORATION RECORD

ACID, SHOT, FRACTURE, CEMENT SQUEEZE RECORD

Number per ft.	Size & type	Depth Interval	Amt. & kind of material used	Depth Interval
	<u>Not Perforated</u>			

INITIAL PRODUCTION

Date of first production Producing method (indicate if flowing, gas lift or pumping—if pumping, show size & type of pump:)

Date of test	Hrs. tested	Choke size	Oil prod. during test	Gas prod. during test	Water prod. during test	Oil gravity
			bbls.	MCF	bbls.	* API (Corr)

Tubing pressure	Casing pressure	Cal'ed rate of Production per 24 hrs.	Oil	Gas	Water	Gas-oil ratio
			bbls.	MCF	bbls.	

Disposition of gas (state whether vented, used for fuel or sold):

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the Agent of the Ram Oil Co. (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

Date 12-15-65

Signature Joe B. Barrett

Permit No. 196

STATE OF ARIZONA
OIL & GAS CONSERVATION COMMISSION
Well Completion or Recompletion Report and Well Log
Form No. 4 File One Copy

PLUGGING RECORD					
Operator Ram Oil Co		Address Southwest Casualty Insurance Co 758 E McDowell Phoenix, Ariz			
Federal, State, or Indian Lease Number, or lessor's name if fee lease Hortenstine		Well No. 1-5	Field & Reservoir Wildcat		
Location of Well 1645 FNL - 1645 FEL		Sec-Twp-Rge or Block & Survey sec 5 T19N-R26E		County Apache	
Application to drill this well was filed in name of Ram Oil Co	Has this well ever produced oil or gas NO	Character of well at completion (initial production): Oil (bbls/day) _____ Gas (MCF/day) _____ Dry? yes			
Date plugged: 11-30-65	Total depth 948	Amount well producing when plugged: Oil (bbls/day) _____ Gas (MCF/day) _____ Water (bbls/day) _____			
Name of each formation containing oil or gas. Indicate which formation open to well-bore at time of plugging	Fluid content of each formation	Depth interval of each formation	Size, kind & depth of plugs used. Indicate zones squeeze cemented, giving amount cement		
None			20' cmt Plug		
Well Never Perf.			1 in. 5/8" w/35X		
Nothing open to well bore					
CASING RECORD					
Size pipe	Put in well (ft.)	Pulled out (ft.)	Left in well (ft.)	Give depth and method of parting casing (shot, ripped, etc.)	Packers and shoes
7"	180	-	180	-	-
4 1/2"	864	-	864	-	-
Was well filled with mud-laden fluid, according to regulations?				Indicate deepest formation containing fresh water.	
				None	
NAMES AND ADDRESSES OF ADJACENT LEASE OPERATORS OR OWNERS OF THE SURFACE					
Name	Address		Direction from this well:		
Jay Reece	Navajo Arizona		East		
Pat Paulsell	Navajo Arizona		West, North, South		
In addition to other information required on this form, if this well was plugged back for use as a fresh water well, give all pertinent details of plugging operations to base of fresh water sand, perforated interval to fresh water sand, name and address of surface owner, and attach letter from surface owner authorizing completion of this well as a water well and agreeing to assume full liability for any subsequent plugging which might be required.					
Use reverse side for additional detail.					
CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the <u>Agent</u> of the <u>Ram Oil</u> (company) and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.					
Date 12-6-65		Signature Joe B. Barrett			
Permit No. 196			STATE OF ARIZONA OIL & GAS CONSERVATION COMMISSION Plugging Record File One Copy		
			Form No. 10		



OK
JBB

APPLICATION TO ABANDON AND PLUG

FIELD Wild Cat
OPERATOR Ram Oil Co ADDRESS Southwest Casualty Insurance Co
Federal, State, or Indian Lease Number or Lessor's Name if Fee Lease Hortensine WELL NO. 1-5
SURVEY T19N-R26E SECTION 5 COUNTY Apache
LOCATION 1645FNL-1645FEL

TYPE OF WELL Dry Hole TOTAL DEPTH 948
(Oil, Gas or Dry Hole)
ALLOWABLE (If Assigned) None
LAST PRODUCTION TEST OIL — (Bbls.) WATER — (Bbls.)
GAS — (MCF) DATE OF TEST —
PRODUCING HORIZON Dry Hole PRODUCING FROM — TO —

1. COMPLETE CASING RECORD

7" @ 180
4 1/2" @ 564

2. FULL DETAILS OF PROPOSED PLAN OF WORK

Since This well was never perforated, A cement plug (20') in surface will completely seal the hole

If well is to be abandoned, does proposed work conform with requirements of Rule 202? yes If not, outline proposed procedure above.

DATE COMMENCING OPERATIONS As soon as approved

NAME OF PERSON DOING WORK Joe B. Barrett ADDRESS 2211 N 81st way

CORRESPONDENCE SHOULD BE SENT TO Joe B. Barrett

Name Joe B. Barrett
Title Geologist
Address 2211 N 81st way Scottsdale Ariz
Date 11-22-65

Date Approved 11-22-65
STATE OF ARIZONA
OIL & GAS CONSERVATION COMMISSION
By: John Hamister

Permit No. 196

STATE OF ARIZONA
OIL & GAS CONSERVATION COMMISSION
Application to Abandon and Plug
File Two Copies
Form No. 5

OK

Nov. 1962 - May 1963



Ram Oil Company #1 Hortenstine NE Sec. 9
T19N-R26E Apache County SW Pinta Dome
Area. Well being worked over. 196

APPLICATION FOR PERMIT TO DRILL, DEEPEN OR PLUG BACK

APPLICATION TO DRILL DEEPEN PLUG BACK

NAME OF COMPANY OR OPERATOR

DATE

RAM OIL COMPANY

June 28, 1962

Address

City

State

2727 N. Central - Suite 414

Phoenix

Arizona

DESCRIPTION OF WELL AND LEASE

Name of lease

Well number

Elevation (ground)

Hortenstine

1 - 5

5672

Well location

(give footage from section lines)

Section—township—range or block & survey

1645' from North Line & 1645' from East Line

Section 5 T19N-R26E

Field & reservoir (If wildcat, so state)

County

Pinta Dome

Apache

Distance, in miles, and direction from nearest town or post office

Five miles Southwest of Navajo, Arizona

Nearest distance from proposed location to property or lease line:

1645 feet

Distance from proposed location to nearest drilling, completed or applied—for well on the same lease:

feet

Proposed depth:

1200 feet

Rotary or cable tools

Rotary

Approx. date work will start

As soon as possible

Number of acres in lease:

600 acres. Additional acreage to be obtained at a later date.

Number of wells on lease, including this well, completed in or drilling to this reservoir:

None

If lease, purchased with one or more wells drilled, from whom purchased:

Name

Address

Status of bond

Blanket bond on file in your office

Remarks: (If this is an application to deepen or plug back, briefly describe work to be done, giving present producing zone and expected new producing zone)

All fresh water zones will be protected

* Fill in Proposed Casing Program on other side

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the.....Geologist.....of the

RAM OIL COMPANY.....(company), and that I am authorized by said company to make this report; and that this

report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

Date

June 28, 1962

Signature

Joe B. Barnett

Permit Number: 196

Approval Date: 7-2-62

Approved By: [Signature]

Notice: Before sending in this form be sure that you have given all information requested. Much unnecessary correspondence will thus be avoided. See Instruction on Reverse Side of Form

STATE OF ARIZONA OIL & GAS CONSERVATION COMMISSION

Application to Drill, Deepen or Plug Back

Form No. P-1

File two copies

Authorized by Order No.

4-6-59

Effective


April 6,

19 59

OK

196

4



WELL LOCATION: Ram Oil Company - Hortenstine # 1-5

Located 1645 feet South of the North line and 1645 feet West of the East line of Section 5,
 Township 19 North, Range 26 East, Gila & Salt River Meridian.
 Apache Co., Arizona
 Existing ground elevation determined at 5672 feet based on adjoining well locations.


I hereby certify the above plat represents a survey made under my supervision and that it is accurate to the best of my knowledge and belief.

Elmer M. Clark

ELMER M. CLARK
 Registered Land Surveyor
 State of Ariz. # 4973

196

RAM OIL COMPANY	
WELL LOCATION PLAT	
SW 1/4-NE 1/4 Sec. 5, T 19 N, R 26 E	
Apache Co., Arizona	
E.M. CLARK & ASSOC. Durango, Colorado	DATE: April 9, 1962 FILE NO: 62018



WELL LOCATION: Ram Oil Company - Hortenstine # 1-5

Located 1645 feet South of the North line and 1645 feet West of the East line of Section 5,
 Township 19 North, Range 26 East, Gita & Salt River Meridian.
 Apache Co., Arizona
 Existing ground elevation determined at 5672 feet based on adjoining well locations.

I hereby certify the above plat represents a survey made under my supervision and that it is accurate to the best of my knowledge and belief.

Elmer M. Clark

ELMER M. CLARK
 Registered Land Surveyor
 State of Ariz. # 4973

196

RAM OIL COMPANY	
WELL LOCATION PLAT	
SW 1/4-NE 1/4 Sec. 5, T 19 N, R 26 E	
Apache Co., Arizona	
E.M. CLARK & ASSOC. Durango, Colorado	DATE: April 9, 1962 FILE NO: 62018



(

)

*

*

*

*

*

Area

not

*

*

side

*



o

January 11, 1966

Southwest Casualty Insurance Company
738 E. McDowell Road
Phoenix, Arizona

Re: Your Bond 2857
Ram Oil Company, Principal

Gentlemen:

Ram Oil Company has fulfilled its obligations to this Commission for wells drilled under captioned bond.

This letter then will constitute authority from this Commission to terminate captioned bond.

Very truly yours,

John Bannister
Executive Secretary
MB

cc: File 159
167
177
178
249
198



SAMUEL P. GODDARD
GOVERNOR
LYNN LOCKHART
CHAIRMAN
R. KEITH WALDEN
VICE CHAIRMAN
ORME LEWIS
MEMBER
LUCIEN B. OWENS
MEMBER
GEORGE T. SILER
MEMBER

OFFICE OF
Oil and Gas Conservation Commission

STATE OF ARIZONA
ROOM 202
1624 WEST ADAMS

Phoenix, Arizona 85007
PHONE: 271-5161

JOHN BANNISTER
EXECUTIVE SECRETARY
J. R. SCURLOCK
PETROLEUM GEOLOGIST

November 4, 1965

Southwest Casualty Insurance Company
758 E. McDowell Road
Phoenix, Arizona

Re: Your Bond 2857

Ram Oil Co. #1-9 Hortenstine well
SW/4NE/4 9-19N-26E, Apache County, Arizona
Our File 178

Ram Oil Co. #1-5 Hortenstine well
SW/4NE/4 5-19N-26E, Apache County, Arizona
Our File 196

Gentlemen:

The captioned bond was issued to cover statewide drilling operations of the Ram Oil Company, including the captioned wells.

Inasmuch as these captioned wells have not been completed in accordance with our Rules and Regulations, we order that these wells be plugged as indicated below.

Ram Oil Co. #1-5 Hortenstine well

Our records show that this well was drilled in 1963 to a total depth of 948 feet. Four and one-half inch casing was set to 864 feet and cemented with thirty sacks.

A 50-foot cement plug should be set from 948 feet to 850 feet, or the lowest possible depth, and a 20-foot cement surface plug should be set.

Ram Oil Co. #1-9 Hortenstine well

This well was also drilled in 1963 to a total depth of 993 feet. Four and one-half inch casing was set at 932 feet with 100 sacks of cement.

This well should be plugged with a 50-foot cement plug from the bottom. A 20-foot cement plug should be set at the surface.

196

Southwest Casualty Insurance Co.
Page 2
November 4, 1965

In addition, a piece of four-inch pipe must be set in the surface plug of each well, which pipe must protrude a minimum of four feet above the surface of the earth and contain the following information welded to the pipe:

- (a) name of well
- (b) quarter-quarter location
- (c) permit number

Upon completion of these plugging programs, a Plugging Record must be filed with this Commission as evidence of the completion of the outlined programs.

As indicated in this Commission's letter of September 2, 1965 to you, the Ram Oil Company #1 Sierra Bonita well has been accepted by the Sierra Bonita Ranch as a water well, thus relieving Ram Oil Company of any further responsibility concerning this well.

We are holding any action on the Ram Oil Co. #1 State well (our File 159) pending word from a man who will let us know by December 15, 1965 whether or not he will take this well for a water well.

We are also holding action on the Ram Oil Co. #1-14 well (our File 167) pending agreement by the current oil and gas lessor to assume responsibility for this well.

We will of course inform you if any plugging action will be required on these wells.

The Ram Oil Company #1A-14 State well (our File 177) has been completed and all information has been filed in accordance with our Rules and Regulations. Consequently no further action is required.

The outlined plugging programs should be conducted as soon as feasibly possible. Should you have any questions concerning this action of the Commission, will you please advise. We will be glad to help you in all ways possible.

Very truly yours,

J.R. Scurlock
Petroleum Geologist
mr

196

10-11-65

Delephoned Mr. Pat Paulsell - Holbrook

He had the grazing land - is not
interested in taking over this well
as a water well. JPS

#

October 8, 1965

Mr. Pat Paulsell
P.O. Box 392
Holbrook, Arizona

Dear Mr. Paulsell:

This Commission is planning to plug, in accordance with the Statutes, the Ram Oil Company #1-5 Hortenstine well in SW/4NE/4 of Section 5, 19N, 26E.

We understand you are ranching this area and that perhaps you may want to keep this well to be used as a water well.

Although we cannot guarantee the accuracy of our records, they show that this hole was cased with 7-inch casing to a depth of 180 feet, and with 4½-inch casing to 864 feet. The total depth of the well is 948 feet.

If you would want to use this well, you may do so by signing the enclosed form and returning it to us. Note that the document should be notarized. This is a guarantee that you will be responsible for the final plugging of the well.

If we do not hear from you by October 25, 1965 we will assume that you are not interested and we will proceed to have the well plugged.

If we can be of any help to you in this matter, please let us know.

Yours very truly,

J.R. Scurlock
Petroleum Geologist
mr

October 8, 1965

Mr. Pat Paulsell
P.O. Box 392
Holbrook, Arizona

Dear Mr. Paulsell:

This Commission is planning to plug, in accordance with the Statutes, the Ram Oil Company #1-5 Hortenstine well in SW/4NE/4 of Section 5, 19N, 26E.

We understand you are ranching this area and that perhaps you may want to keep this well to be used as a water well.

Although we cannot guarantee the accuracy of our records, they show that this hole was cased with 7-inch casing to a depth of 180 feet, and with 4½-inch casing to 864 feet. The total depth of the well is 948 feet.

If you would want to use this well, you may do so by signing the enclosed form and returning it to us. Note that the document should be notarized. This is a guarantee that you will be responsible for the final plugging of the well.

If we do not hear from you by October 25, 1965 we will assume that you are not interested and we will proceed to have the well plugged.

If we can be of any help to you in this matter, please let us know.

Yours very truly,

J.R. Scurlock
Petroleum Geologist
nr



SAMUEL P. GODDARD
GOVERNOR

LYNN LOCKHART
CHAIRMAN

R. KEITH WALDEN
VICE CHAIRMAN

ORME LEWIS
MEMBER

LUCIEN B. OWENS
MEMBER

GEORGE T. SILER
MEMBER

OFFICE OF

Oil and Gas Conservation Commission

STATE OF ARIZONA

ROOM 202

1624 WEST ADAMS

Phoenix, Arizona 85007

PHONE: 271-5181

JOHN BANNISTER
EXECUTIVE SECRETARY

J. R. SCURLOCK
PETROLEUM GEOLOGIST

September 2, 1965

Southwest Casualty Insurance Company
758 E. McDowell Road
Phoenix, Arizona

Re: Your Bond 2857 in the amount of \$10,000
Principal, Ram Oil Company

Gentlemen:

As you are aware, the captioned bond has been posted with this Commission as both a penalty and performance bond.

We are enclosing a copy of a letter of this date to Mr. Maynard Davies, Ram Oil Company, concerning outstanding obligations for five wells drilled under this bond.

In addition to the five wells mentioned in the attached letter, Ram Oil Company has also drilled under this captioned bond the Ram Oil Co. #1 Sierra Bonita Fee well, located SE SE 2-11S-22E, Graham County, our Permit 249. Presently this well has been plugged back to a total depth of 500 feet and indications are that the owner of the Sierra Bonita Ranch has taken this well as a water well.

At such time as a letter indicating the intent of the rancher to accept the well as a water well and the necessary Well Completion Report has been filed with this office, obligation of Ram Oil Company and of your company as surety will terminate as to this well.

This office feels that in view of the fact there is a potential loss to your company as to the plugging requirements of at least the five wells mentioned in the attached letter, that you should be put on notice concerning Ram Oil Company's obligations.

Should you have any questions, will you please advise.

Yours very truly,

John Bannister
Executive Secretary
mr

196



SAMUEL P. GODDARD
GOVERNOR
LYNN LOCKHART
CHAIRMAN
R. KEITH WALDEN
VICE CHAIRMAN
ORNE LEWIS
MEMBER
LUCIEN B. OWENS
MEMBER
GEORGE T. SILER
MEMBER

OFFICE OF
Oil and Gas Conservation Commission

STATE OF ARIZONA
ROOM 202
1624 WEST ADAMS
Phoenix, Arizona 85007
PHONE: 271-5161

JOHN BANNISTER
EXECUTIVE SECRETARY
J. R. SCURLOCK
PETROLEUM GEOLOGIST

September 2, 1965

Mr. Maynard Davies, President
Ram Oil Company
330 W. Medlock Drive
Phoenix, Arizona

Dear Mr. Davies:

We have reviewed the wells drilled by Ram Oil Company in this State and find that the situation is as follows:

Ram Oil Co. #1 State well
SE SE 29-11N-31E, Apache County
Permit 159

On January 25, 1963 we were advised that drilling operations had been temporarily suspended pending a temperature survey. Since this date no further work has been done, to our knowledge, on this well.

Apparently this well has been capped but not plugged. Consequently, at your earliest convenience, this well must be plugged in accordance with our Rules and Regulations. The necessary Application to Plug, Plugging Record, and Well Completion Report forms are enclosed for your convenience. These, together with copies of all logs taken should be filed with this office.

Ram Oil Co. #1-14 State well
SW SW 14-19N-26E, Apache County
Permit 167

There is some indication in our files that this well had an initial potential of 86MCF per day. However, no further evidence of activity on this well is in our file.

Consequently, this well should be plugged. The necessary Application to Plug, Plugging Record, Well Completion Report, together with the copies of logs, should be filed with this office.

196

Mr. Maynard Davies

Page 2

September 2, 1965

Ram Oil Co. #1A-14 State well
SW SW 14-19N-26E, Apache County
Permit 177

The Plugging Report has been filed on this well. However, we need the Well Completion Report and copies of any logs taken.

Ram Oil Co. #1-9 Hortenstine well
SW NE 9-19N-26E
Apache County
Permit 178

Our file indicates that this well was abandoned on December 31, 1963. Copies of logs have been filed.

We need an Application to Plug, the Plugging Record, and Well Completion Report.

Ram Oil Co. #1-5 Hortenstine well
SW NE 5-19N-26E, Apache County
Permit 196

The last report our file has on this well is a letter dated January 25, 1963, wherein it was indicated that Ram Oil Company was preparing to frac this well. We have no further indication of work on this well.

We need an Application to Plug, the Plugging Record, and the Well Completion Report. Logs have been filed.

As you are aware, our Rules and Regulations provide that when work has been suspended on a well for a period of sixty days, the well must be plugged and abandoned unless written consent has been obtained from this office. In none of the above cited cases have indications of additional work, nor requests for extension of time, been filed with this office.

Consequently, we ask that all the above requirements be met as soon as possible.

As you are aware, all of the above wells are bonded under Southwest Casualty Company's bond 2857.

If this office may assist you in this work in any way, will you please advise. Your prompt cooperation will be appreciated.

Yours very truly,

John Bannister
Executive Secretary
mr
enc

196

January 22, 1965

Memo. to File

Re: Ram Oil Company

Mr. Silver, Attorney representing Kramer & Franco, CPA
1700, telephoned.

Judgment had been won by Kramer & Franco for unpaid fees
against Ram Oil Company. Mr. Silver requested and was
furnished well location information.

Mr. Bannister explained that the lease Ram is now drilling
on is in error and at this time is not under their con-
trol. Mr. Bannister also advised of the lien filed in Saf-
eguard against leasing.

Mr. Silver will keep this office informed of any action
taken.

159
167
177
178
196
249

196



PAUL FANNIN
GOVERNOR

LYNN LOCKHART
CHAIRMAN

CHARLES KALIL, M.D.
MEMBER

ORME LEWIS
MEMBER

LUCIEN S. OWENS
MEMBER

OFFICE OF

Oil and Gas Conservation Commission

STATE OF ARIZONA

ROOM 202

1825 WEST ADAMS

Phoenix, Arizona 85007

PHONE: 271-8181

JOHN BANNISTER
EXECUTIVE SECRETARY

~~XXXXXXXXXX~~

August 28, 1964

Mr. Maynard J. Davies
Managing Director
Ram Oil Company
330 West Medlock Drive
Phoenix, Arizona

RE: File No.'s 159, 167, 177, 178, 196 and 249

Dear Mr. Davies:

As mentioned in our telephone conversation of August 27, 1964, I have reviewed the files of the above referenced permits issued to the Ram Oil Company. Listed below please find the information that these files now show and a brief summary of what forms are required to put Ram Oil Company on a current and operating status.

File #159 Ram Oil Company State #1
 Sec. 29 Twp. 11N R. 31E
 Apache, County

This file contains no information other than the original date of issue of the permit. Form #25, Sundry Notice is required.

File #167 Ram Oil Company State #1-14
 Sec. 14 Twp. 19N R. 26E
 Apache, County

File indicates that this well is a shut-in gas well awaiting pipeline connections. Form #25, Sundry Notice is required.

File #177 Ram Oil Company State #1A-14
 Stratographic Test
 Sec. 14 Twp. 19N R. 26E
 Apache, County

(Cont'd)

196

196

(Page 2, Continued)

This file indicates that this test has been plugged and abandoned. Form #4, Completion Report is required.

File #178 Ran Oil Company Hortenstine #1-9
Sec. 9 Twp. 19N R. 23E
Apache, County

This file indicates that we have no information other than the original issuance date for the permit. Form #25, Sundry Notice is required.

File #196 Ran Oil Company Hortenstine #1-5
Sec. 5 Twp. 19N R. 23E
Apache, County

This file contains no information other than the original date of the issuance of the permit. Form #25, Sundry Notice is required.

File #249 Ran Oil Company Sierra Benita PMA #1
Sec. 2 Twp. 11S R. 22E
Graham, County

A sixty (60) day shut down extension was granted on this well on July 23, 1964.

I hope that this information brings you up to date and if I may be of further assistance to you, will you please advise.

Very truly yours,

Bill Cooper,
Records Section

cc/Files
Enclosure

196



PAUL FANNON
GOVERNOR
B. KEITH WALDEN
CHAIRMAN
LYNN LOCKHART
VICE CHAIRMAN
CHARLES KALL, M.D.
MEMBER
ROBERT S. NEWARD
MEMBER
ORNE LEWIS
MEMBER

OFFICE OF
Oil and Gas Conservation Commission

STATE OF ARIZONA
ROOM 202
1024 WEST ASH
Phoenix 7, Arizona
271-2121

JOHN K. PETTY
PETROLEUM GEOLOGIST

December 27, 1963

Mr. Donald Hornecker
Secretary-Treasurer
Ram Oil Company
2727 North Central Avenue, Suite 414
Phoenix, Arizona

Re: Blanket Drilling Bond No. 2857, \$10,000.00
Southwest Casualty Insurance Company of Fayetteville, Arkansas

Dear Mr. Hornecker:

This is to advise that above referenced bond has been accepted by this Commission to satisfy A.R.S. 27-516 and other Commission requirements to supersede Blanket Bond No. S19969 of the Security Insurance Company of New Haven, Connecticut which was cancelled October 30, 1963.

Very truly yours,

John K. Petty
Acting Executive Secretary

JKP:MEC

Cc: Ms. Janeth M. Klingler
Western States General Agency
P. O. Box 5195
Phoenix, Arizona

Cc: Woodland Insurance Agency, Inc.
P. O. Box 10235
Phoenix, Arizona

- Files: 1. Ram Oil Company - State No. 1 - SE SE Sec 29-T11N-R21E
Apache County
2. Ram Oil Company - Hortenstine #1 - Sec 9-T19N-R26E, Apache
3. Ram Oil Company - Hortenstine #1-5 - SW NE Sec 5-T19N-R26E
Apache County
4. Ram Oil Company - State #1 - 14 - SW SW Sec 14-T19N-R26E
Apache County
5. Ram Oil Company - Ram-Sierra Bonita Fee #1 - Sec 2-T11S-R22E,
Graham County

July 1, 1963

Mr. Donald E. Hornecker, Secretary-Treasurer
Ram Oil Company
Suite 414 - 2727 North Central Avenue
Phoenix 4, Arizona

Re: Ram-Hortenstine #105 and #1-9 Wells
Apache County, Arizona

Dear Mr. Hornecker:

Thank you for your letters of June 28 relative to the status of the captioned wells.

We are enclosing a supply of completion reports which will enable you to file these reports with us when they are required.

We are extending our period of receipt of such completion reports 90 days for your convenience.

Yours very truly,

N. A. Ludewick
Executive Secretary

encls



2727 NORTH CENTRAL AVENUE - SUITE 414 - PHOENIX 4, ARIZONA - PHONE 264-5217

June 28, 1963


Mr. Earl Ludewick
Executive Secretary
State of Arizona Oil & Gas Conservation
1624 W. Adams, Suite 202
Phoenix, Arizona

Re: Ram-Hortenstine #1-5 Well


Dear Mr. Ludewick:

In respect to the above we are at the present awaiting further equipment to complete testing and frac operations. We will of course notify you immediately when we are ready to proceed and are asking for an extension of time in this respect.

Very truly yours,


Donald E. Hornecker
Secretary-Treasurer

DEH:lb



196

196



January 25, 1963.

Oil and Gas Conservation Commission
State of Arizona, Room 202
1634 W. Adams
Phoenix 7, Arizona

Re: RAM OIL COMPANY - State #1;
Hortenstine #1-9; and Hortenstine
#1-5 - All in Apache Co., Arizona

Attention: Mr. N.A. Luderick, Executive Secretary

Dear Mr. Luderick:

We have temporarily ceased drilling operation on State #1, until we can have a Temperature Survey ran on this well. We do intend to resume operations on this well in the near future.

Hortenstine #1-9:

We attempted to frac two zones on this well, but the bottom zone did not frac. Before filing a completion on this well we intend to re-frac the lower zone and attempt a dual producer. I might add at this time we do have a good producer in the upper zone with a Helium content of 10%.

Hortenstine #1-5:


We have pipe set in this hole and are prepared to frac. Our plans are to frac and complete this well at the same time we refrac #1-9.

Hoping this gives you the information you need at this time or until we can complete our present plans.

I would like to take the liberty at this time to congratulate you on your appointment to office with the Commission. Please rest assured that RAM OIL COMPANY will give you all of the support in our power to help you in any way we can. We feel that you and people like you will enhance the future of our industry in our state. Again let us extend our congratulations and welcome.

Yours very truly,

Donald E. Hornecker
Secretary-Treasurer
RAM OIL COMPANY



DEH:lb

196

196

January 18, 1953

Ram Oil Company
2727 North Central Avenue
Phoenix, Arizona

Attention: Mr. D. E. Hornecker, Secretary-Treasurer

Re: Ram Oil Company - State #1; Hortenstine #1; and
Hortenstine #1-S - All in Apache County, Arizona

Gentlemen:

The files of this commission do not reflect that we have received completion reports on either of the three captioned wells which we understand have been drilled.

We will appreciate receiving these reports at an early date, to comply with the rules of the commission and to complete our files.

Yours very truly,

N. A. Ludwick
Executive Secretary

NAL:hmc

196

196

July 3, 1962

Ram Oil Company
2727 North Central Avenue
Phoenix 12, Arizona

Re: Ram Oil Company - Hortenstine #1-5 - Section 5,
T19N, R26E, Apache County, Arizona

Gentlemen:

Enclosed is your approved copy of application to drill
the above test.

We wish you the best of luck on this venture.

Yours very truly,

Helen M. Eremie
secretary

enc 1