

CITIES SERVICE #4 STATE 199-1
NW NE 6-8N-28E Apache County

P-W

sl

COUNTY Apache AREA 8 mi W/Springerville LEASE NO. State 6458

WELL NAME Cities Service #4 State (Strat)

LOCATION NW NE SEC 6 TWP 8N RANGE 28E FOOTAGE 3170' FWL 80' FNL

ELEV 7674' GR KB SPUD DATE 6-18-62 STATUS 6-22-62 TOTAL DEPTH 976'

CONTRACTOR

CASING SIZE	DEPTH	CEMENT	LINER SIZE & DEPTH	DRILLED BY ROTARY	<input checked="" type="checkbox"/>
5 1/2"	70.7'	5 Sx	NA	DRILLED BY CABLE TOOL	
				PRODUCTIVE RESERVOIR	
				INITIAL PRODUCTION	

FORMATION TOPS	DEPTHS	SOURCE		REMARKS
		L.L.	E.L.	
Besalt	0'			
Tertiary	188'			
Cretaceous	860'			

ELECTRIC LOGS	PERFORATED INTERVALS	PROD. INTERVALS	SAMPLE LOG
Widco Self Potential- Resitivity	NA	NA	SAMPLE DESCRP. <input checked="" type="checkbox"/>
			SAMPLE NO. _____
			CORE ANALYSIS _____
			DSTs _____
REMARKS <u>This test abandoned prior to reaching proposed depth.</u>			APP. TO PLUG _____
<u>See File 199-2</u>			PLUGGING REP. <input checked="" type="checkbox"/>
			COMP. REPORT <input checked="" type="checkbox"/>

WATER WELL ACCEPTED BY _____

BOND CO. Insurance Company of North America BOND NO. M 24 81 17

BOND AMT. \$ 10,000 CANCELLED 9-12-63 DATE _____

FILING RECEIPT 9306 LOC. PLAT WELL BOOK PLAT BOOK

API NO. 02-001-05353 DATE ISSUED 7-6-62 ORGANIZATION REPORT 6-19-62

DEDICATION Strat

PERMIT NUMBER 199-1

WELL COMPLETION OR RECOMPLETION REPORT AND WELL LOG

DESIGNATE TYPE OF COMPLETION:

New Well Work-Over Deepen Plug Back Same Reservoir Different Reservoir Oil Gas Dry

DESCRIPTION OF WELL AND LEASE

Operator Cities Service Petroleum Company		Address P. O. Box 760, Roswell, New Mexico	
Lease Name State Lease #6458		Well Number #4 Strattest	Field & Reservoir Wildcat
Location 3170' FWL & 80' FWL of Section 6, T-8-N, R-28-E			
County Apache	Permit number	Date Issued	Previous permit number Date Issued
Date spudded 6-18-62	Date total depth reached 6-22-62	Date completed, ready to produce	Elevation (DE, RKB, RT or Gr.) feet 7674'
Total depth 976'	P.B.T.D.	Single, dual or triple completion?	If this is a dual or triple completion, furnish separate report for each completion.
Producing interval (s) for this completion		Rotary tools used (interval) Surface to 976'	Cable tools used (interval)
Was this well directionally drilled? No	Was directional survey made? No	Was copy of directional survey filed?	Date filed
Type of electrical or other logs run (check logs filed with the commission) Widco S.P. - Res.			Date filed

CASING RECORD

Casing (report all strings set in well—conductor, surface, intermediate, producing, etc.)						
Purpose	Size hole drilled	Size casing set	Weight (lb./ft.)	Depth set	Sacks cement	Amt. pulled
Surface	8-3/4	5-1/2	18 7/8	70' 7"	5 sacks	0

TUBING RECORD

LINER RECORD

Size in.	Depth set ft.	Packer set at ft.	Size in.	Top ft.	Bottom ft.	Sacks cement	Screen (ft.)
PERFORATION RECORD				ACID, SHOT, FRACTURE, CEMENT SQUEEZE RECORD			
Number per ft.	Size & type	Depth Interval	Am't. & kind of material used		Depth Interval		

INITIAL PRODUCTION

Date of first production Dry		Producing method (indicate if flowing, gas lift or pumping—if pumping, show size & type of pump:)					
Date of test	Hrs. tested	Choke size	Oil prod. during test bbls.	Gas prod. during test MCF	Water prod. during test bbls.	Oil gravity ° API (Corr)	
Tubing pressure	Casing pressure	Cal'ed rate of Production per 24 hrs.	Oil bbls.	Gas MCF	Water bbls.	Gas-oil ratio	

Disposition of gas (state whether vented, used for fuel or sold):

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am a District Geologist with Cities Service Oil Company (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

July 12, 1963
Date

P. K. Murlbut
Signature P. K. Murlbut

STATE OF ARIZONA OIL & GAS CONSERVATION COMMISSION
Well Completion or Recompletion Report and Well Log
Form No. P-7 File two copies
Authorized by Order No. 4-8-59
Effective April 6, 1959

199-1

FAIL OF FORMATIONS PENETRATED

Formation	Top	Bottom	Description*
Basalt	0	188	
Tertiary	188	860	Sand & shale.
Cretaceous	860	976	Sand & shale.

* Show all important zones of porosity, detail of all cores, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

INSTRUCTIONS:

Attach drillers log or other acceptable log of well.

This Well Completion or Recompletion report and well log shall be filed with the State of Arizona Oil & Gas Conservation Commission not later than thirty days after project completion.

PLUGGING RECORD

Operator Cities Service Petroleum Company		Address P. O. Box 760, Roswell, New Mexico	
Name of Lease State Lease #6458		Well No. #4 Strat test	Field & Reservoir Wildcat
Location of Well 3170' FWL & 80' FNL of Section 6, T-6-N, R-28-E		Sec-Twp-Rge or Block & Survey	County Apache
Application to drill this well was filed in name of	Has this well ever produced oil or gas No	Character of well at completion (initial production): Oil (bbls/day) Gas (MCF/day) Yes Dry?	
Date plugged: 6-22-62	Total depth 976'	Amount well producing when plugged: Oil (bbls/day) Gas (MCF/day) Water (bbls./day) None None None	
Name of each formation containing oil or gas. Indicate which formation open to well-bore at time of plugging	Fluid content of each formation	Depth interval of each formation	Size, kind & depth of plugs used. Indicate zones squeeze cemented, giving amount cement.
None	None		

CASING RECORD

Size pipe	Put in well (ft.)	Pulled out (ft.)	Left in well (ft.)	Give depth and method of parting casing (shot, ripped etc)	Packers and shoes
5-1/2"	70' 7"	0			
Was well filled with mud-laden fluid, according to regulations? Yes				Indicate deepest formation containing fresh water. None	

NAMES AND ADDRESSES OF ADJACENT LEASE OPERATORS OR OWNERS OF THE SURFACE

Name	Address	Direction from this well:
Cities Service Oil Co.	Bartlesville, Oklahoma	North
Cities Service Oil Co.	Bartlesville, Oklahoma	South
Cities Service Oil Co.	Bartlesville, Oklahoma	East
Cities Service Oil Co.	Bartlesville, Oklahoma	West

In addition to other information required on this form, if this well was plugged back for use as a fresh water well, give all pertinent details of plugging operations to base of fresh water sand, perforated interval to fresh water sand, name and address of surface owner, and attach letter from surface owner authorizing completion of this well as a water well and agreeing to assume full liability for any subsequent plugging which might be required.

Use reverse side for additional detail
File this form in duplicate with the State of Arizona Oil & Gas Conservation Commission See Reverse Side

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am ~~EX~~ a District Geologist.....
with **Cities Service Oil Company**.... (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

Date **July 12, 1963**.....
Signature **P. A. Hurlbut**

STATE OF ARIZONA OIL & GAS CONSERVATION COMMISSION

Plugging Record File two copies
Form No. P-15
Authorized by Order No. **4-6-59**
Effective **April 8, 1959**

199-1

(over)

PLUGGING INFORMATION

Uncased hole plugged with heavy mud. Cement plug set at surface - 5 sacks.
Location marked with 4" marker pipe extending 4' above general ground level. Name
of well, location and operators name was welded on marker pipe. "

2

Arisona Shot Hole
Springerville #4

Sec. 6, T8N-R28E (3170' FWL and 80' FWL)
Elevation 7674'

4 3/4" hole drilled with drilling mud to 12'

0-3 soil, sandy clay, red-brn, silty, calc

3-12 basalt, dk-gry, blk, crypto-v v xln, hd, phenocrysts of olivine?
vesicular in pt occ cavities filled with white calcite

Lost circulation @ 12'
Drilled to 378' with compressed air, 4 3/4" hole
No returns--drilling break @ 188' (base lava?)
Reamed to 70'7" with 3 3/4" bit-air drilling

Set 5 1/2" O.D. Casing @ 70'7" no cement
Drilling 4 3/4" hole with mud below 378'

378-441 ss, pk-gry, orange, v f gn, friable, dom qtz clr, sub ang, fair
sorting, minor blk & orange gns, calc, v silty in pt, poss sli
por, no show

441-448 ss gry, pk gry, f gn, occ m gn, friable, dom qtz, sub ang-sub rd,
poor sorting, occ igneous gns, occ mica, calc, no vis por

448-632 ss & sh (gradational) ss gry-pk, v f gn, w/occ f-m gn, gen qtz,
clr, ang, w/igneous min gns, v shly; sh lt pk gry, sft, sandy,
calc (better developed ss. from 555-557, 594-599)

632-680 ss & sh as above w/occ thin gravel beds unconsol, gravel, sub rd,
poorly sorted, dom cht, occ qtz, ls, igneous rk frags

680-780 (approx) sh pk-orange, sft in sample, silty, v sandy (vf-f gn sd)
calc

780-801 gravel w/minor sh; gravel, unconsol, in sample as angular to
sub ang frags, dom cht, also qtzite, foss ls, qtz etc; sh red
orange, m firm, silty, calc

801-802 Ls, (poss. ls cong & gravel) lt tan, v f xln, hd. sli sucrosic,
no vis por.

802-837 gravel w/minor sh as 780-801

837-859- ss, orange, m gn, unconsol, dom qtz, ang, occ cht, varied frags,
poor sorting, prob good por

859-860 Ls, wh, v f xln, m hd

860-875 ss. lt gry, friable, v shly, v f gn; dom. qtz. no vis por

875-894 ss. lt-m gry, hd, f gn, dom qtz, also pk & grn. gns., trc glauc, gns, sub ang, well sorted well cemented, v calc, no vis por

894-905 sh. m gry, m firm, v silty, calc, w/abd silt sized carb mat., trc pyrite

Ran Run #1 Gamma Ray & S.P. - Resistivity Logs

Mud data Res. 8.8 @ 78°
Resistivity S.P.T.D. 905'
Gamma Ray T.D. 902'

905-942 sh w/minor interbed ss; sh lt gry-grn, sft, calc, v sndy, (v f gn qtz); ss. lt gry-grn, f gn friable-hd, dom qtz, well cemented in pt, calc, tite

942-949 sh & ss, yel-orange; sh, sft, sndy; ss yel-orange, occ dk red, f gn, qtz, sub ang, gen friable, poss fair por

949-971 sh & ss; sh m gry, sft, sticky; ss m gry, v f gn qtz, ang, friable, well sorted, shly in pt

971-972 sh blk, sft v sft, cooly

972-976 sh & ss as 949-971
T.D.

Ran Logs:

Mud data - Res 8.8 @ 78°
Gamma Ray T.D. 970'
S.P. Res. T.D. 970'

Plugged - 5 sacks cement @ surface 70'7" casing in hole
Abandoned June 21, 1962

199-11

109° 22' 30" 34° 07' 30"

1911

948


1730 000 FEET

25'

R. 27 E. R. 28 E.

199-1 name 6-8a-28c

162-976' K



1:130 000 FEET

EAGAR 5 MI SPRINGERVILLE 6 MI

3775

3776

3773

3773

3773

3773

March 31, 1965

Hemo to: File 197
198
199
200
201

From: John Danner, Executive Secretary

Re: Cities Service Strat Tests

Cities Service made five applications which were assigned permit numbers 197 through 201.

Inasmuch as some of the area tests encountered an unexpected lava flow, some of the locations were changed by permission of the Commissioners. See minutes of July 25, 1962 meeting. The locations that changed were drilled under the original permits and in this case did not reflect the location as finally drilled.

In some cases a test was started at one location, said location being plugged and abandoned and a new well being drilled under the same permit at a different location.

Permit 197. Issued for Cities Service Strat Test 201, SW/4SE/4, S22-T9N-R27E. This well completed and no changes are involved in this file.

Permit 198. Issued for Cities Service Strat Test 202, SE/4NE/4, S33-T11N-R25E. However, this location was abandoned and the well was drilled as Strat Test 13, NW/4NW/4, S34-T9N-R27E.

Permit 199. Issued for Strat Test 4, NW/4NE/4, S6-T8N-R28E. This well was drilled and abandoned and Strat Test 202 was drilled under this same permit, SW/4NW/4, S15-T8N-R28E. (The Strat Test 4 location should be carried as abandoned.)

Strat Test #4 was drilled to TD 976' and plugged.

Permit 200. Issued for Strat Test 204, SE/4SE/4, S2-T10N-R25E. The test however was abandoned and a new location, SW/4SE/4, S2-T10N-R25E, was completed.

Permit 201. Issued to cover Cities Services Strat Test 205, SW/4SE/4, S17-T9N-R27E, but this location was abandoned and the Cities Service Strat Test 10, SW/4SW/4, S35-T9N-R27E, was drilled instead.

199-1

199-1

Page 2

To reiterate:

Permit 197 should reflect well 201, SW/4SW/4, S22-
T9N-R27E.

Permit 198 covers Strat Test 13, NW/4NW/4, S24-T9N-
R27E.

199-2

Permit 199, Strat Test 202, located SW/4NW/4, S15-
T8N-R26E.

Permit 200, Strat Test 204, SW/4SW/4, S2-T14N-R25E.

Permit 201, Strat Test 10, SW/4SW/4, S35-T9N-R27E.

All wells have been properly plugged and abandoned and
Bond H-248117 in the amount of \$10,000 was released on
September 12, 1963.

199-1

November 18, 1963

Mr. E. A. Springer
Land and Lease Department
Cities Service Oil Company
Bartlesville, Oklahoma

Re: Release of Surety
Oil & Gas Bond
Blanket Drilling
Bond, etc.

Dear Mr. Springer:

It is with pleasure we release your above captioned bond in regard to the requirements of paragraph 101 "Bond", since the Rules and Regulations of this Commission are satisfied.

It was unfortunate that your operation occurred at a time when the change over in rules requiring permits on strat tests was happening and a misunderstanding took place.

It is hoped you'll pursue some more operations in Arizona in the future.

Yours truly,

John K. Petty
Acting Executive Secretary

JKP:lj

NOTE: Bond Serial No. M 24 81 17
Bond in the following file:
"Cities Service Petro - Collar #201
SW SW Sec. 22-T9N-R27E, Apache County"

199-1

BOND

KNOW ALL MEN BY THESE PRESENTS

BOND SERIAL NO. 14 21 81 17

That we: CITIES SERVICE PETROLEUM COMPANY

of the County of: WASHINGTON in the State of: OKLAHOMA

as principal, and INSURANCE COMPANY OF NORTH AMERICA

of PHILADELPHIA, PENNSYLVANIA
AUTHORIZED TO DO BUSINESS WITHIN the State of Arizona.

as surety, are held and firmly bound unto the State of Arizona in the penal sum as indicated, lawful money of the United States, for which payment, well and truly to be made, we bind ourselves, and each of us, and each of our heirs, executors, administrators or successors, and assigns jointly and severally, firmly by these presents.

The conditions of this obligation is that whereas the above bounden principal proposes to drill a well or wells for oil, gas or stratigraphic purposes in and upon the following described land situated within the State, to wit:

All lands situated within the State - this being a blanket bond.
(May be used as blanket bond or for single well)
CANCELLED

JUNE 9 1962

NOW, THEREFORE, if the above bounden principal shall comply with all of the provisions of the laws of this State and the rules, regulations and orders of the Oil and Gas Conservation Commission, especially with reference to the requirements of A.R.S. 27-516, providing for the proper drilling, casing and plugging of said well or wells, and filing with the Oil & Gas Conservation Commission all notices and records required by said Commission, in the event said well or wells do not produce oil or gas in commercial quantities, or cease to produce oil or gas in commercial quantities, then this obligation is void; otherwise, the same shall be and remain in full force and effect.

Penal sum of Ten Thousand Dollars (\$10,000.00)

Witness our hands and seals, this 19th day of JUNE, 1962

ATTEST: CITIES SERVICE PETROLEUM COMPANY

By K. L. Cozart Assistant Secretary BY J. Evans Assistant Treasurer Principal

Witness our hands and seals, this 19th day of JUNE, 1962

ATTEST: INSURANCE COMPANY OF NORTH AMERICA

BY W. H. Freiburger Attorney-in-Fact
Gertrude D. Johnson W. H. Freiburger
WALTER FREIBURGER & SON AGENCY

W. H. Matchum Resident Agent - Arizona
Bartlesville, Oklahoma Surety

(If the principal is a corporation, the bond should be executed by its duly authorized officers, with the seal of the corporation affixed. When principal or surety executes this bond by agent, power of attorney or other evidence of authority must accompany the bond.)

Approved _____ Date _____

STATE OF ARIZONA
OIL AND GAS CONSERVATION COMMISSION

199-1 cancelled 9-12



CITIES SERVICE OIL COMPANY
HARTLESVILLE, OKLAHOMA

September 12, 1963

Oil and Gas Conservation Commission
State of Arizona
1601 West Adams
Phoenix 7, Arizona

Re: Oil and Gas Bond
Blanket Drilling Bond
to the State of Arizona
#M-248117, I.N.A.

Gentlemen:

By your letter of May 31, 1963 you advised that certain obligations had to be satisfied before you could furnish us with a Release of Surety under this bond.

We have been advised by our Field Office that these obligations have been satisfied, and we would like to be furnished with a Release of Surety under this bond so that it may be removed from our records.

Very truly yours,

LAND AND LEASE DEPARTMENT
Rental Section

E. A. Springer
E. A. Springer

EAS:vjt

Mr. E. A. Springer

*RE Release of Surety - Oil & Gas Bond - Blanket Drilling Bond etc
Dear Mr. Springer:*

*It is with pleasure we release your above ^{captioned} bond in
regard to the requirements of paragraph 101 "Bond", since
the Rules and Regulations of this Commission ^{are} ~~being~~ satisfied.
Since ~~it was unfortunate~~ that your operation occurred at*



CITIES SERVICE OIL COMPANY

P. O. BOX 760. ROSWELL. NEW MEXICO

August 14, 1963

Oil and Gas Conservation Commission
Room 202 - 1624 West Adams
Phoenix 7, Arizona

Attention: Mr. John K. Petty

Dear Sir:

We are enclosing the following information pertaining to stratigraphic tests drilled in the State of Arizona:

Strat Test No. 202

- Two copies of Form P-15, Plugging Record
- Two copies of Form P-7, Well Completion and Well Logs
- Two copies of Sample Description
- Two copies of Abandoning Well Transfer Form

Strat Test No. 203

- Two copies of Form P-15, Plugging Record
- Two copies of Form P-7, Well Completion and Well Logs
- Two Copies of Sample Description
- Two copies of Abandoning Well Transfer Form

Strat Test No. 204-A

- Two copies of Form P-15, Plugging Record
- Two copies of Form P-7, Well Completion and Well Logs
- Two copies of Sample Description
- Two copies of Abandoning Well Transfer Form

In Mr. Ludewick's letter of July 29, 1963 he ask that we inform you which strat tests were assigned permits No. 198, No. 199, and No. 201. The permit numbers were assigned as follows:

Permit No.	Strat Test No.
198	13
199	4
201	10

We wish to apologize for the lengthy delay in sending in this information; but as you were informed, our Albuquerque Office was closed around the first of the year which caused numerous difficulties in our search for the information contained in these reports.

Very truly yours,
CITIES SERVICE OIL COMPANY

J. Frank Riney
By: J. Frank Riney
Landman

199 - *A* JFR:ne
Encls.

July 29, 1969

Cities Service Oil Company
P. O. Box 700
Roswell, New Mexico

Re: Strat Tests
Apache County,
Arizona

Attention: Mr. J. Frank Hisey, Landman

Gentlemen:

Thank you for your letter of July 18 addressed to the attention of Mr. Petty enclosing the various forms covering strat tests drilled in this state. I am sorry that we are going to ask that you give us more information.

Your original Permit #107 called for a well in Sec. 22, 9N, 37E, and you have furnished the information required on the drilling of this test.

Your Permit #200 covered a test in Sec. 2, 10N, 25E, on which you have furnished information.

Your Permit #198 covered a test in Sec. 33, 11N, 25E; Your Permit #199 covered a test in Sec. 23, 11N, 25E and your Permit #201 covered a test in Sec. 17, 9N, 37E.

Our files indicate that permission was granted to you to change locations of several of these proposed tests for which you were given permits.

In your letter of July 18 you furnished us completion notices on Strat Test #4 located in Sec. 6, 8N, 25E; Strat Test #10 in Sec. 33, 9N, 37E and Strat Test #3 in Sec. 34, 9N, 37E.

We assume that these last three tests for which you furnished completion notices were in place of those permitted you under Permits 198, 199 and 201 for which you received permission to change locations. Presuming this is the case, will you please inform us which strat tests, as indicated above, should be assigned to Permits 198, 199 and 201.

Yours very truly,

H. A. Indevick
Executive Secretary



CITIES SERVICE OIL COMPANY

P. O. BOX 780. ROSWELL, NEW MEXICO

July 18, 1963

Oil and Gas Conservation Commission
State of Arizona
Suite 221, 3500 North Central Avenue
Phoenix, Arizona

ATTENTION: Mr. John K. Petty, Petroleum Geologist

Dear Mr. Petty:

As per your request we are enclosing the following forms covering stratigraphic tests drilled in the state of Arizona:

WELL TEST #201 (Permit #197)

2 copies Form No. 2-7, well completion and well log.
Forms 19-1, 19-15, sample description, and electric logs were furnished previously. Surface marker was set at this location on July 10, 1962. The test you found without a marker was undoubtedly one of the following tests on which markers were recently set.

WELL TEST #202

2 copies Form 19-15, Plugging Record
2 copies Form 2-7, well completion and well log
2 copies sample description

WELL TEST #203

2 copies Form 19-15, Plugging Record
2 copies Form 2-7, well completion and well log
2 copies sample description
2 copies Electric Log

WELL TEST #204

2 copies Form 19-15, Plugging Record
2 copies Form 2-7, well completion and well log
2 copies sample description

WELL TEST #205

2 copies Form 19-15, Plugging Record
2 copies Form 2-7, well completion and well log
2 copies sample description
2 copies Electric Log

199-1

199-1

PAGE 2

You will note we have used two numbering systems. This was the result of two planned drilling programs. The difficulties encountered in drilling the strat-tests in this area resulted in our drilling only a few of the tests set out in our drilling programs.

Several more strat-tests were drilled in this area which were turned over to the land owners. Information on these tests will be forwarded in the near future.

Yours truly,

J. Frank Rinay
J. Frank Rinay
Manager

199-1

May 31, 1963

Mr. E. A. Springer
Land and Lease Department
Rental Section
Cities Service Oil Company
Bartlesville, Oklahoma

Re: Oil and Gas Bond - Blanket Drilling Bond to the
State of Arizona #M-248117 I.N.A.

Dear Mr. Springer:

Confirming my telephone conversation with you today relative to the cancellation of the blanket drilling bond issued for your stratigraphic tests in July, 1962, we wish to advise that at our last inspection of the well test drilled by you in Sec. 22, 9N, 27E, Apache County, Arizona had not been properly marked in conformance with our regulations. A permanent marker will necessarily have to be installed before we can release the bond as requested.

Your company has previously furnished us with copies of electric logs and copies of sample descriptions; however, it did not file a well completion report as required. We are enclosing herewith sufficient forms for you to furnish this completion report to us.

Yours very truly,

H. A. Ludewick
Executive Secretary

encs

199-1

CITIES SERVICE OIL COMPANY

BARTLESVILLE, OKLAHOMA

May 28, 1963

Land and Lease Administration Commission
of the State of Arizona
Phoenix, Arizona

Re: Oil and Gas Bond
Blanket Drilling Bond
to the State of Arizona
No. 148117 I.N.A.

Gentlemen:

Our company has a \$10,000 Blanket Drilling Bond with Cities Service Petroleum Company, Principal and the Insurance Company of North America as surety, which has a premium of \$100.00 per year. Our management has advised that we no longer wish to maintain this bond in effect.


Please furnish us with an authorization to cancel this bond so that our Surety Company will release us from further liability under same.

Very truly yours,

LAND AND LEASE DEPARTMENT
Rental Section

E. A. Springer
E. A. Springer

EAS:vjt



53163
I called Springer and he
told me about the position
of the bond and requested
samples

199-1



CITIES SERVICE PETROLEUM COMPANY

3010 MONTE VISTA N. E.
ALBUQUERQUE, NEW MEXICO

September 20, 1962

Oil & Gas Conservation Commission
State of Arizona
Suite 221, 3500 North Central Avenue
Phoenix, Arizona

Attention: Mr. John E. Petty

Gentlemen:

On July 2, 1962, we forwarded five Applications to Drill covering five stratigraphic tests we proposed to drill in Apache County, Arizona. These Applications were approved by you on July 7, and assigned the following permit numbers:

	<u>C.S.P. Well No.</u>	<u>Aris. O. & G.C.C. Permit No.</u>
CSD	5 sec., Nitology, 201 - 1353, 22-AN-R27E	197
	202 - 1186 Rupted 15-8N-R14E	198
	203	199
	204 - 207 Rupted 2-10N-25E	200
	205	201

We are enclosing three copies each of Form No. 15-A and Form No. P-15 covering the stratigraphic test drilled under Permit No. 197.

The proposed strat tests which were assigned Permit Numbers 198, 199, 200, and 201 were not drilled, and we hereby give notice of the abandonment of these locations. Please advise if this letter is sufficient notice of the abandonment of the proposed tests or if certain forms should be filed with your office.

We wish to thank you for your cooperation during our operations in the State of Arizona.

Yours very truly,

CITIES SERVICE PETROLEUM COMPANY

J. Frank Riney
J. Frank Riney, District Manager

JFR:ib
Enclosures

*Permit Register
Posted*

199-1

July 30, 1962

Mr. Frank Riney, District Landman
Cities Service Petroleum Company
8010 Monte Vista, N. E.
Albuquerque, New Mexico

Re: Strat Tests - Apache County, Arizona

Dear Mr. Riney:

At the July 23 meeting of the Arizona Oil and Gas Conservation Commission, the commissioners were agreeable to your moving the locations of some of your stratigraphic tests on account of thickness of the volcanics, etc. thus verifying your telephone conversation with Don Jerome who told you to go ahead, your request was granted.

However, please bear in mind that these strat tests are now subject to the same plugging and other regulations a regular drilled hole is. So please observe water shut off, permanent marking with pipe, etc. and data to be sent to this office.

We sincerely hope you will complete some of these as economically paying wells and that you will extend your operations far and wide in this State.

Thanking you for the information which you and Mr. Anderson gave me this morning, I am

Yours truly,

John E. Petty
Petroleum Geologist

119-1



CITIES SERVICE PETROLEUM COMPANY

3010 MONTE VISTA N. E.
ALBUQUERQUE, NEW MEXICO

July 2, 1962

Oil and Gas Conservation Commission
State of Arizona
Suite 221, 3500 North Central Avenue
Phoenix, Arizona

Attention: Mr. D. A. Jerns, Executive Secretary

Gentlemen:

We are enclosing two copies each of five Applications for Permit to Drill covering five stratigraphic tests we propose to drill in Apache County, Arizona. We are also enclosing Cities Service Draft No. 385 in the amount of \$125.00 covering application fees. We hope to commence drilling operations on these tests in the very near future, therefore, any action you can take to expedite the processing of these forms will be greatly appreciated.

We are also enclosing a blanket surety bond in the amount of \$10,000.00 with power of attorney and organization report attached.

In order to expedite our operations we would appreciate it if you would call this office collect when the processing of the application forms and bond have been completed.

Please forward a supply of the application forms for our future use.

Very truly yours,

CITIES SERVICE PETROLEUM COMPANY

J. Frank Riney
District Landman

JFR:br
Enclosures

May 2, 1962

Mr. J. Frank Riney, District Landman
Office Service Petroleum Company
2010 Monte Vista N. W.
Albuquerque, New Mexico

Dear Frank:

This will acknowledge receipt of your letter of April 30,
1962.

We are happy that you are getting interested in Arizona
and we do hope you will drill us several wells in the area
after your seismic rig work is evaluated.

Sincerely yours,

D. A. Jerome
Executive Secretary

199-1

CITIES SERVICE PETROLEUM COMPANY

3010 MONTE VISTA N. E.
ALBUQUERQUE, NEW MEXICO

April 30, 1962

Mr. D. A. Jerome, Executive Secretary
Arizona State Oil and Gas Conservation Commission
3500 North Central Avenue, Suite 221
Phoenix, Arizona

Dear Mr. Jerome:

As per your telephone instructions of April 19, 1962,
and April 27, 1962, we have moved a shallow seismic rig into
the Springerville Area of Northeastern Arizona. On completion
of our operations in the area, we will furnish you with a print
showing the sites on which the rig was operated.

If you require any additional information, please
contact us.

Yours very truly,

CITIES SERVICE PETROLEUM COMPANY

J. Frank Riney
J. Frank Riney, District Landman

JFR:b

199-1