

LINEHAN & STOLTENBERG #1<sup>ST</sup> 211  
NW SE 4-20N-21E NAVAJO COUNTY


P-W



ARIZONA  
NAVAJO CO.  
WILDCAT (W)

OPR: Linehan & Stoltenberg

ELEV: 5463 KB  
\*TOPS: Log-Sample  
Shinarump 530  
Coconino 960



WELL #: 1 Mathews

Twp 20n-21e  
Section 4  
c nw se  
1980 n/s 1980 w/e

DSTS. & CORES:	SPUD: 9-16-62	COMPL: 9-21-62
No cores or tests	TD: 965	PB:
	CSG: 4½" @ 98 w/19	
	PERF: Good break 960-965, wtr wet	
	BROD. ZONE:	
	INIT. PROD: D & A	

Contr: W. T. Myers

Ms. Log Ann

PLUGGING RECORD

Operator <b>Linehan and Stoltenberg</b>		Address <b>P.O. Box 969, Midland, Texas</b>	
Name of Lease <b>State-Matthews</b>		Well No. <b>1</b>	Field & Reservoir <b>Wildcat</b>
Location of Well <b>1980 FSL and 1980 FEL Sec. 4, 20-N 21-E</b>			Sec-Twp-Rge or Block & Survey <b>Navajo</b>
Application to drill this well was filed in name of <b>Linehan and Stoltenberg</b>	Has this well ever produced oil or gas <b>No</b>	Character of well at completion (initial production): Oil (bbls/day) _____ Gas (MCF/day) _____ Dry? <b>Yes</b>	
Date plugged: <b>September 22, 1962</b>	Total depth <b>965'</b>	Amount well producing when plugged: Oil (bbls/day) _____ Gas (MCF/day) _____ Water (bbls./day) _____	
Name of each formation containing oil or gas. Indicate which formation open to well-bore at time of plugging <b>Coconino</b>	Fluid content of each formation <b>Water</b>	Depth interval of each formation <b>960-965</b>	Size, kind & depth of plugs used. Indicate zones squeeze cemented, giving amount cement. <b>Cement plug 965-915'</b>

CASING RECORD

Size pipe	Put in well (ft.)	Pulled out (ft.)	Left in well (ft.)	Give depth and method of parting casing (shot, ripped etc)	Packers and shoes
<b>5 1/2"</b>	<b>98'</b>		<b>98'</b>		<b>Cmt. with 19 sacks circulated</b>

Was well filled with mud-laden fluid, according to regulations? **Yes**

Indicate deepest formation containing fresh water. **Coconino**

NAMES AND ADDRESSES OF ADJACENT LEASE OPERATORS OR OWNERS OF THE SURFACE

Name	Address	Direction from this well:
<b>Jeffers Land and Cattle Company</b>	<b>Holbrook, Arizona</b>	

In addition to other information required on this form, if this well was plugged back for use as a fresh water well, give all pertinent details of plugging operations to base of fresh water sand, perforated interval to fresh water sand, name and address of surface owner, and attach letter from surface owner authorizing completion of this well as a water well and agreeing to assume full liability for any subsequent plugging which might be required.

Use reverse side for additional detail  
File this form in duplicate with the State of Arizona Oil & Gas Conservation Commission

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am ~~an~~ a partner..... of the **Linehan and Stoltenberg**..... (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

**September 24, 1962**  
Date

*C. D. Lunda*  
Signature

211

*Mr. Rogers*

**APPLICATION TO ABANDON AND PLUG**

FIELD Wildcat  
OPERATOR Linehan and Stoltenberg ADDRESS P.O. Box 969, Midland, Texas  
LEASE State #13-5588 WELL NO. 1 COUNTY Navajo  
SURVEY Gila and Salt SECTION 4 DRILLING PERMIT NO. 211  
LOCATION 1980' FSL and 1980" FEL of Section

TYPE OF WELL Helium --Dry hole TOTAL DEPTH \_\_\_\_\_  
(Oil, Gas or Dry Hole)  
ALLOWABLE (If Assigned) \_\_\_\_\_  
LAST PRODUCTION TEST OIL \_\_\_\_\_ (Bbls.) WATER \_\_\_\_\_ (Bbls.)  
GAS \_\_\_\_\_ (MCF) DATE OF TEST \_\_\_\_\_

PRODUCING HORIZON \_\_\_\_\_ PRODUCING FROM \_\_\_\_\_ TO \_\_\_\_\_  
1. COMPLETE CASING RECORD. 5 1/2" @ 98' with 19 sacks of cement circulated

2. FULL DETAILS OF PROPOSED PLAN OF WORK Will place 50' cement plug from total depth of 965 to 915'; heavy mud to bottom of surface pipe. Cement plug in top of surface to depth of 50'.

If well is to be abandoned, does proposed work conform with requirements of Rule 202? Yes If not, outline proposed procedure above.

DATE COMMENCING OPERATIONS September 22, 1962  
NAME OF PERSON DOING WORK Bill Myers Drig. ADDRESS Albuquerque, N.M.  
CORRESPONDENCE SHOULD BE SENT TO 60 Linehan and Stoltenberg, Midland, Texas

NAME C. D. London  
TITLE Partner  
John K. Peth  
STATE OF ARIZONA OIL & GAS CONSERVATION COMMISSION

Date Approved Sept 20, 1962

STATE OF ARIZONA  
OIL & GAS CONSERVATION COMMISSION  
Application to Abandon and Plug  
Form No. 15A File 2 Copies  
Authorized by Order No. 4-6-59  
Effective April 6, 1959

SAMPLE DESCRIPTION

Sample Description, by C. M. Linehan, on #1 State-Matthews located in Section 4, T 20 N, R 21 E, Navajo County, Arizona. Subject test was drilled to a depth of 960' with air.

Elevation 5460' Ground

Total Depth 965'

5½" Casing at 93' with 19 sacks of cement circulated

TOP SHINARUMP CONGLOMERATE 530'

TOP COCONINO SANDSTONE 960'

100-120 Red fn-med grained sandstone  
140 Gr. Coarse grained sandstone--slightly conglomeritic  
150 Gray shale  
160 Gr. Coarse grained sandstone--slightly conglomeritic  
170 Gray shale  
180 Gr. Coarse grained sandstone--slightly conglomeritic  
200 Gray bentonitic shale  
210 Red and green bentonitic shale--slightly sandy  
230 Gray conglomeritic sandstone  
240 Gray shale--slightly sandy  
250 Gray and purple shale  
290 Varigated shale (predominantly red)  
300 " " " "--slightly sandy  
310 Red conglomeritic sandstone (very coarse)  
320 Gray conglomeritic sandstone  
330 Red shale  
340 Gray conglomeritic sandstone  
420 Gray and gray-green bentonitic shale  
430 Gray and red bentonitic shale  
440 Red shale  
450 Gray and red bentonitic shale  
480 Gray bentonitic shale  
490 Gray shale  
510 Gray conglomeritic sandstone  
530 Gray bentonitic shale  
540 Red conglomeritic sandstone  
550 Red and gray conglomeritic sandstone  
570 Gray bentonitic shale  
580 Red and gray shale  
590 Gray sandy shale  
610 Red sandstone with considerable micaceous shale  
630 Conglomerate  
670 Red shale--slightly sandy  
710 Red and green sandy shale  
720 Red shale  
730 Red and green sandy shale  
740 Gray shaly sand  
790 Red sandy shale  
800 Red fn.-med. grained sandstone  
850 Red sandy shale  
860 White-buff sandstone.  
890 Red shale--slightly sandy  
900 Red sandy shale  
960 Red fn.-med. grained sandstone *Top Cocconino Sandstone*  
965 Buff med.=coarse grained sandstone TOTAL DEPTH



OIL AND GAS CONSERVATION COMMISSION  
STATE OF ARIZONA

Form OG 51

Form Prescribed Under Oil and Gas Conservation Act of 1951

NOTICE OF INTENTION TO DRILL NEW WELL

This notice and surety bond must be filed and permit must be granted before  
drilling begins

Oil and Gas Conservation Commission Phoenix Arizona 8-29-1962

In compliance with Statewide Rule 3, notice is hereby given that it is our intention  
to commence the work of drilling well No. 1 Matthews-State Sec. 4,

Twp. 20-N, Rge. 21-E B. & M., Wildcat Field  
Navajo County.

Legal description of lease Lots 1 to 4, South one-half (S $\frac{1}{2}$ ) of north one-half (N $\frac{1}{2}$ ),  
(attach map or plat to scale)  
and South one-half (S $\frac{1}{2}$ ).

Location of Well: 1980' FSL and 1980' FEL  
(Give exact footage from section corners or other

legal subdivisions or streets)

Proposed drilling depth 950 feet. Acres in drilling unit 642.86

Has surety bond been filed? Yes. Is location a regular or exception to spacing  
rule? Regular.

Elevation of ground above sea level 5350 (approx.) feet.

All depth measurements taken from top of Ground  
(Derrick, floor, Rotary Table or

\_\_\_\_\_ which is \_\_\_\_\_ feet above the ground.  
(Kelly Bushing)

PROPOSED CASING PROGRAM

Size of Casing Inches A. P. I.	Weight	Grade & Type	Top	Bottom	Cementing Depth
<u>5<math>\frac{1}{2}</math>"</u>	<u>15.5#</u>	<u>J-55</u>	<u>Gr.</u>	<u>100'est.</u>	<u>100' est.</u>
<u>2 7/8"</u>	<u>6.5#</u>	<u>J-55</u>	<u>Gr.</u>		<u>TD</u>

AFFIDAVIT:

I hereby certify under the penalty of perjury, that the information contained and state-  
ments herein made are to the best of my knowledge and belief, true, correct and complete.


*AK John P. Kelly*

LINEHAN AND STOLTENBERG  
(Applicant)

By C.M. Linchan  
C.M. Linchan 8-31-1962

Application approved this \_\_\_\_\_ day of \_\_\_\_\_  
Permit No. 211  
3-62 1/10/58

R. H. ...  
Oil and Gas Conservation Commission



**WELL LOCATION: Linehan & Stoltenberg - No. 1 State - Matthews**


Located 1980 feet North of the South line and 1980 feet West of the East line of Section 4,  
 Township 20 North, Range 21 East, Gila & Salt River Meridian.  
 Navajo Co., Arizona  
 Existing ground elevation determined at 5460 feet based on U.S.G.S. datum.



I hereby certify the above plat represents a survey made under my supervision and that it is accurate to the best of my knowledge and belief.

*Elmer M. Clark*  
 ELMER M. CLARK  
 Registered Land Surveyor  
 State of Arizona #4973

<b>LINEHAN &amp; STOLTENBERG</b>	
<b>WELL LOCATION PLAT</b>	
Sec. 4 - T.20 N.-R.21 E.	
Navajo Co., Arizona	
E.M. CLARK & ASSOC. Durango, Colorado	DATE: Sept. 12, 1962 FILE NO: 62071



7'30" 110°07'30" 1980

582 152000 FEET

11 MI. TO INTERSTATE 40  
HOLBROOK 17 MI.

Mapped, edited, and published by the Geological Survey

September 14, 1965

Linehan & Stoltenberg  
502 Midland Savings & Loan Bldg.  
Midland, Texas

Re: Linehan-Stoltenberg #1-13 Spurlock Wetzler Fee well  
SE/4NW/4 13-19N-26E, Apache County, Arizona, Permit 135

Linehan-Stoltenberg #1-21 Spurlock Wetzler Fee well  
SW/4SE/4 21-20N-26E, Apache County, Arizona, Permit 136

Linehan-Stoltenberg #1-31 Spurlock Wetzler Fee well  
SE/4NE/4 31-20N-26E, Apache County, Arizona Permit 137

Linehan-Stoltenberg #1-9 Spurlock Wetzler Fee well  
NW/4NW/4 9-20N-26E, Apache County, Arizona, Permit 147

Linehan-Stoltenberg #1-23 Spurlock Wetzler Fee well  
NW/4SW/4 23-19N-26E, Apache County, Arizona, Permit 148

Linehan-Stoltenberg #2-27 Spurlock Wetzler Fee well  
NE/4NW/4 27-19N-26E, Apache County, Arizona, Permit 149

Linehan-Stoltenberg #1 Jeffers Fee well  
SE/4SW/4 11-20N-21E, Navajo County, Arizona, Permit 158

Linehan-Stoltenberg #1 Matthews Fee well  
NW/4SE/4 4-20N-21E, Navajo County, Arizona, Permit 211

Gentlemen:

On August 4, 1965 we wrote you concerning the filing of Well Completion Reports on the captioned wells. We also enclosed the necessary forms. Will you please file this information at your earliest convenience.

Yours very truly,

John Bannister  
Executive Secretary  
MB

*Forget this*  
*JFB*  
*10-5-65*

211

June 7, 1965

Linehan & Stoltenberg  
Consulting Geologists  
502 Midland Savings & Loan Building  
Midland, Texas

Re: Linehan-Stoltenberg-Spurlock Wetzler #1-13  
SE/4-NW/4 13-T19N-R26E, Apache County, Arizona  
Permit 135

Linehan-Stoltenberg-Spurlock Wetzler #1-21  
SW/4-SE/4 21-T20N-R26E, Apache County, Arizona  
Permit 136

Linehan-Stoltenberg-Spurlock Wetzler #1-31  
SE/4-NE/4 31-T20N-R26E, Apache County, Arizona  
Permit 137

Linehan-Stoltenberg-Spurlock Wetzler #1-9  
NW/-NW/4 9-T20N-R26E, Apache County Arizona  
Permit 147

Linehan-Stoltenberg-Spurlock Wetzler #1-23  
NW/4-SW/4 23-T19N-R26E, Apache County, Arizona  
Permit 148

Linehan-Stoltenberg-Spurlock Wetzler #2-27  
NE/4-NW/4 27-T19N-R26E, Apache County Arizona  
Permit 149

Linehan-Stoltenberg #1 Jeffers, SE/4-SW/4 11-T20N-R21E  
Navajo County, Arizona  
Permit 158

211

Page 2

Linehan-Stoltenberg  
June 7, 1965

Linehan-Stoltenberg #1 Matthews NW/4-SE/4 4-T20N-R21E  
Navajo County, Arizona  
Permit 211

Our file for captioned well does not reflect that the required information has been submitted. Will you please forward to the office the following information:

Well Completion Report and copies of all logs

Forms are enclosed for your convenience.

Your earliest cooperation is appreciated.

Yours very truly,

John Bannister  
Executive Secretary

Enclosure  
cb

811

August 10, 1964

Mr. C.M. Linehan  
Linehan & Stoltenberg  
Consulting Geologists  
502 Midland Savings & Loan Bldg.  
Midland, Texas

Dear Mr. Linehan:

In reviewing the files on the wells drilled by your company I find that we are in need of Completion Forms on each of the wells. Please find enclosed (8) forms for the files concerned.

RE: Spurlock-Wetzler	#1-21	File #136
RE: " - "	#1-13	File #135
RE: " - "	#1-31	File #137
RE: " - "	#1-9	File #147
RE: " - "	#1-23	File #148
RE: " - "	#2-27	File #149
RE: # 1 Jeffers		File #158
RE: # 1 Matthews		File #211

Thank you for your early cooperation and if this office may assist you in any way will you please advise.

Very truly yours,

Bill Cooper  
Records Section

Encl. Completion Forms

211

November 2, 1962

Maryland Casualty Company  
c/o Whyburn & Company  
315 E. Missouri  
El Paso, Texas

Re: C. H. Linehan & H. K. Stoltenberg Bond No. 90-713178

Gentlemen:

Linehan and Stoltenberg have satisfied our rules and regulations regarding the above drilling bond.

We know no reason why you cannot cancel it; therefore, it is agreeable with us that you do so.

Yours truly,

John K. Petty  
Petroleum Geologist

cc Linehan and Stoltenberg  
P. O. Box 969 - Midland, Texas

158  
211  
167  
148  
127  
135  
136  
137

November 1, 1962

Oil and Gas Conservation Commission  
3500 N. Central-Suite 221  
Phoenix 12, Arizona

Re: G. W. Linehan &  
H. W. Stoltenberg  
Bond No. 80-718178

Gentlemen:

We have had on file with you a drilling bond for the above captioned concern.

We are desirous of cancelling this bond, however, the bonding company has advised us that in order to do so it will be necessary we have a letter from you agreeing to the cancellation of our Bond No. 80-718178 being a \$10,000.00 Blanket Drilling Bond in favor of the State of Arizona.

The letter should be addressed to Maryland Casualty Company, c/o Ryburn & Company, 315 E. Missouri, El Paso, Texas.

We will appreciate your cooperation in this matter.

Sincerely,

CHARLES E. ERVIN

by *Margie Helman*

ME

October 22, 1962

Mr. H. W. Stoltenberg  
Linehan and Stoltenberg  
P. O. Box 969  
Midland, Texas

Gentlemen:

This acknowledges yours of October 19, 1962 and receipt of Electric logs and sample descriptions which we requested in a previous letter.

The logs and descriptions as well as the inspection of the satisfactory well site on your #1 Matthews, 15 miles north of Holbrook, complete all the requirements which our rules and regulations set forth and this letter is our acknowledgment.

We hope you'll drill some more wells in Arizona and want you to call on us for any service we may be able to render you.

Sincerely,

John K. Petty  
Petroleum Geologist

enc 1

211

Mr. S

Lanham  $\frac{1}{2}$  Stoltenberg

Gentlemen:

This acknowledges yours of \_\_\_\_\_ and receipt of ~~the~~ Electric logs and sample descriptions which we requested in a previous letter.

~~This~~  
The logs and descriptions as well as inspection <sup>satisfactory</sup> of well site on your #1 Matthews, 15 miles north of Stillwood completes all the requirements which bear Rules and Regulations set forth and this letter is our acknowledgement.

We hope you'll drill some more wells in Arizona and want you to call on us for any service we may be able to render you.

Sincerely  
John

JH

ch 102 HB 139.

"abroading" or

It is believed that if this <sup>and Chapter 102, House Bill 139</sup> "enveloping" of the sections of Chapter 102, H.B. 139 into the Rules and Regulations is ~~LEGALY PERMITTED~~ legally permitted in the manner suggested or a similar arrangement involving further suggestions and discussion by the Commissioners, all reasonable confusion can be eliminated to the operator and other readers.

Opposite page 26 in Rules and Regulations in the addition of Chapter 102, House Bill 139 in section 27-501 DEFINITIONS paragraph 1 "Certificate of Clearance" is the same as paragraph 2 ~~on~~ page 1 in RULES and REGULATIONS; paragraph 2 ~~pg 2~~ H.B. 139 same as paragraph 3 in R & R; ~~pg 3~~ paragraph 3 ~~pg 3~~ in H.B. 139 <sup>should be substituted for</sup> same as ~~pg 4~~ pg 4 in R & R; ~~pg 4~~ pg 4 H.B. 139 same as ~~pg 8~~ pg 8 in R & R; ~~pg 5~~ pg 2 in H.B. 139 <sup>substituted</sup> same as ~~pg 9~~ pg 9 in R & R; ~~pg 10~~ paragraph 10 pg 1 in R & R should be used instead of paragraph 6 ~~pg 2~~ pg. 2 in H.B. 139 since it is worded better; ~~pg 7~~ pg. 2 in H.B. 139 same as ~~pg 11~~ pg. 1 in R & R; ~~pg 8~~ paragraph 8 pg. 2 H.B. 139 should be used instead of paragraph 12 pg. 2 R & R since it is worded better; paragraph 9 pg. 2 H.B. 139 is same as ~~pg 14~~ pg. 2 R & R; ~~pg 10~~ paragraph 10 pg. 2 H.B. 139 should be used instead of paragraph 15 pg. 2 R & R as it is more comprehensive; paragraph 11 pg. 3 H.B. 139 is the same as ~~pg 19~~ pg. 3 in R & R; ~~pg 12~~ pg. 3 H.B. 139 same as 20 pg. 3 R & R; ~~pg 13~~ pg. 3 H.B. 139 same as <sup>113</sup> 22 pg. 3 R & R; ~~pg 14~~ pg. 3 H.B. 139 same as 23 pg. 3 R & R; ~~pg 15~~ pg. 3 H.B. 139 same as ~~pg 24~~ pg. 3 R & R; ~~pg 16~~ pg. 3 H.B. 139 same as 25 pg. 3 R & R; ~~pg 17~~ pg. 3 H.B. 139 same as ~~pg 26~~ pg. 3 R & R; ~~pg 18~~ pg. 3 H.B. 139 same as ~~pg 28~~ pg. 3 R & R; ~~pg 19~~ pg. 3 H.B. 139 same as ~~pg 29~~ pg. 3 R & R; ~~pg 20~~ pg. 4 H.B. 139 should be substituted for paragraph 30 pg. 4 R & R and paragraph 30 pg. 4 R & R should become paragraph 31 with no change in wording. This addition of 20 in H.B. 139 adds to the definitions substantially.

File in their  
MATTHEWS well

**LINEHAN & STOLTENBERG**  
CONSULTING PETROLEUM GEOLOGISTS  
502 MIDLAND SAVINGS & LOAN BUILDING -> MIDLAND, TEXAS

C. M. LINEHAN  
H. W. STOLTENBERG

Oct. 19, 1962

P. O. BOX 969  
MUTUAL 2-1659

Mr. John K. Petty  
Petroleum Geologist  
Oil & Gas Conservation Commission  
3500 North Central  
Phoenix 12, Arizona

Dear Mr. Petty:

In reply to your letter of October 9, I am enclosing Schlumberger logs on all wells requested, with the exception of two which were not logged, and one that was not drilled. We are supplying sample descriptions on the two wells not logged. These two wells were drilled with air and we received excellent samples, consequently no logs were run.

We hope the enclosed material satisfies your requirements and that we may hear from you concerning our release from the drilling bond.

Very truly yours,

LINEHAN & STOLTENBERG

*H. W. Stoltenberg*

HWS/hs  
encl

LINEHAN & STOLTENBERG WELLS DRILLED IN ARIZONA

- #1 Mathews State - SEC 4 -T20N, R21E. Navajo County NOT LOGGED
- #1 Jeffers, SE SW Sec. 11, T20N, R21E, Navajo County *OK*
- Spurlock-Wetzler #1-9  
C/NE NE Sec. 9, T20N-R26E, Apache County *OK*
- Spurlock-Wetzler #1-13  
C/SW NE Sec. 13 T19N-R26E., Apache County *OK*
- Spurlock-Wetzler #1-21  
C/SW SE Sec. 21-T20N-R26E, Apache County *OK*
- Spurlock-Wetzler #1-27  
Sec. 27-T19N-R26E, Apache County NOT DRILLED
- Spurlock-Wetzler #2-27  
NE NE Sec. 27-T19N-R26E, Apache County *OK*
- Spurlock-Wetzler #1-23  
NW SW Sec. 23, T19N-R26E., Apache County NOT LOGGED
- Spurlock-Wetzler #1-31  
SE NE Sec. 31-T20N-R26E, Apache County *OK*

October 9, 1962

Linehan & Stoltenberg  
P. O. Box 969  
Midland, Texas

Attention: Mr. Stoltenberg

Re: Linehan & Stoltenberg Wells in Arizona

Dear Mr. Stoltenberg:

Per our conversation of last week, I have checked our files on wells you have drilled in this State, and find that we do not have any logs at all on the wells on the attached list.

We would like very much for you to send a copy of each log run as well as a sample description if possible.

When we have heard from you regarding this, you will receive a letter which you can use to have your bond released.

Very truly yours,

OIL AND GAS CONSERVATION COMMISSION

---

JOHN K. PETTY  
Petroleum Geologist

JKP:and

Attch:

LINEHAN & STOLTENBERG WELLS DRILLED IN ARIZONA

#1 Mathews State - SEC 4 -T20N, R21E, Navajo County

#1 Jeffers, SE SW Sec. 11, T20N, R21E, Navajo County

Spurlock-Wetzler #1-9  
C/NE NE Sec. 9, T20N-R26E, Apache County

Spurlock-Wetzler #1-13  
C/SW NE Sec. 13 T19N-R26E., Apache County

Spurlock-Wetzler #1-21  
C/SW SE Sec. 21-T20N-R26E, Apache County

Spurlock-Wetzler #1-27  
Sec. 27-T19N-R26E, Apache County

Spurlock-Wetzler #2-27  
NE NE Sec. 27-T19N-R26E, Apache County

Spurlock-Wetzler #1-23  
NW SW Sec. 23, T19N-R26E., Apache County

Spurlock-Wetzler #1-31  
SE NE Sec. 31-T20N-R26E, Apache County

September 5, 1962

Mr. C. M. Linehan  
Linehan and Stoltenberg  
P. O. Box 969  
Midland, Texas

Re: Linehan and Stoltenberg - No. 1 Matthews - State  
Sec. 4, T20N, R21E, Navajo County, Arizona

Dear Mr. Linehan:

Enclosed is your approved copy of your application for permit to drill the above designated test together with your receipt for the \$25.00 permit fee.

We regret this delay in returning this approval to you, but this time it can be blamed on the holiday - no mail delivery - we just received it from our chairman in Tucson.

Under separate cover, I am sending you forms that are applicable to our new rules and regulations, a copy of which is also being sent to you.

We wish you the best of success in this venture and please do not hesitate to call upon us if we may be of any service.

Yours very truly,

Helen M. Kramie  
secretary

encs 2

**LINEHAN & STOLTENBERG**  
CONSULTING PETROLEUM GEOLOGISTS  
502 MIDLAND SAVINGS & LOAN BUILDING - MIDLAND, TEXAS

C. M. LINEHAN  
H. W. STOLTENBERG

August 29, 1962

P. O. BOX 969  
MUTUAL 2-1659

State of Arizona Oil and Gas Conservation Commission  
3500 North Central Ave.  
Phoenix, Arizona

Gentlemen:

Enclosed you will find two copies of Form OG 51, Notice of Intention to Drill our #1 State-Matthews in Section 4, T 20 N, R 21 E, Navajo County. Accompanying this application is our check in the amount of \$25.00 to cover permit fees.

In the past you have been most cooperative in approving the application prior to receiving copies of the Surveyor's plat and we again ask your indulgence in this instance. Your files will reflect that we have always cooperated in the best manner possible and we will make every effort in the drilling of this test to do the same. As soon as Mr. Elmer Clark has made the location he will forward copies of the plat direct to your office.

We will appreciate your approval as soon as possible.  
Thank you very much for your cooperation.

Very truly yours,

LINEHAN AND STOLTENBERG

By: C. M. Linehan  
C. M. Linehan

CML/fg  
Encl. (1) Check # 1236