

~~CONFIDENTIAL~~
Release Date: ~~10/1/73~~

P-W

ARKLA EXPLORATION #31 STATE
SW SW 34-16N-23E, Navajo County

WELL COMPLETION OR RECOMPLETION REPORT AND WELL LOG

DESIGNATE TYPE OF COMPLETION:

New Well Work-Over Deepen Plug Back Same Reservoir Different Reservoir Oil Gas Dry

DESCRIPTION OF WELL AND LEASE

Operator **ARKLA EXPLORATION COMPANY** Address **Box #669, Holbrook, Arizona**

Federal, State or Indian Lease Number or name of lessor if fee lease State **31** Well Number **31** Field & Reservoir

Location **660' FWL, 660' FSL** County **Navajo**

Sec. TWP-Range or Block & Survey **Sec. 34-T16N-R23E**

Date spudded **9-29-66** Date total depth reached **10-4-66** Date completed, ready to produce **5282** Elevation (DF, CR, RT or Gr.) feet **5282** Elevation of casing hd. flange feet

Total depth **926** P.B.T.D. Single, dual or triple completion? If this is a dual or triple completion, furnish separate report for each completion.

Producing interval (s) for this completion **Strat test** Rotary tools used (interval) Cable tools used (interval)

Was this well directionally drilled? **No** Was directional survey made? **No** Was copy of directional survey filed? Date filed

Type of electrical or other logs run (check logs filed with the commission) **Radioactivity** Date filed

CASING RECORD

| Casing (report all strings set in well—conductor, surface, intermediate, producing, etc.) | | | | | | |
|---|-------------------|-----------------|------------------|-----------|--------------|-------------|
| Purpose | Size hole drilled | Size casing set | Weight (lb./ft.) | Depth set | Sacks cement | Amt. pulled |
| Sur | 13 3/4 | 9 5/8 | 32.50 | 72 | 75 | 0 |
| Inter | 8 3/4 | 7 | 20 | 826 | 225 | 0 |

TUBING RECORD

LINER RECORD

| Size in. | Depth set ft. | Packer set at ft. | Size in. | Top ft. | Bottom ft. | Sacks cement | Screen (ft.) |
|----------|---------------|-------------------|----------|---------|------------|--------------|--------------|
| | | | | | | | |

PERFORATION RECORD

ACID, SHOT, FRACTURE, CEMENT SQUEEZE RECORD

| Number per ft. | Size & type | Depth Interval | Am't. & kind of material used | Depth Interval |
|----------------|-------------|----------------|-------------------------------|----------------|
| | | | | |

INITIAL PRODUCTION

Date of first production Producing method (indicate if flowing, gas lift or pumping—if pumping, show size & type of pump:)


| Date of test | Hrs. tested | Choke size | Oil prod. during test bbls. | Gas prod. during test MCF | Water prod. during test bbls. | Oil gravity ° API (Corr) |
|--------------|-------------|------------|-----------------------------|---------------------------|-------------------------------|--------------------------|
| | | | | | | |

| Tubing pressure | Casing pressure | Cal'ed rate of Production per 24 hrs. | Oil bbls. | Gas MCF | Water bbls. | Gas-oil ratio |
|-----------------|-----------------|---------------------------------------|-----------|---------|-------------|---------------|
| | | | | | | |

Disposition of gas (state whether vented, used for fuel or sold)

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the _____ of the _____ (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

Date Oct 25-66 Signature [Handwritten Signature]



STATE OF ARIZONA
OIL & GAS CONSERVATION COMMISSION
Well Completion or Recompletion Report and Well Log
Form No. 4 File One Copy

Permit No. **363**

DETAIL OF FORMATIONS PENETRATED

| Formation | Top | Bottom | Description* |
|-----------|-----|----------|----------------------|
| Shin. | Sur | 34 | Sand, conglomerate. |
| Moen. | 34 | 288 | Shale, and Sand. |
| Coconino | 288 | 780 | Sand. |
| Supai | 780 | 863 | Shale, and Anhydrite |
| Salt | 863 | 926 | Salt |
| TD | 926 | in Salt. | |

* Show all important zones of porosity, detail of all cores, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

INSTRUCTIONS:

Attach drillers log or other acceptable log of well.

This Well Completion or Recompletion report and well log shall be filed with the State of Arizona Oil & Gas Conservation Commission not later than thirty days after project completion.


Form No. 4

PLUGGING RECORD

| | | | |
|--|---|--|---|
| Operator ARKLA EXPLORATION COMPANY | | Address P.O. Box 669 - HOLBROOK, ARIZONA | |
| Federal, State, or Indian Lease Number, or lessor's name if fee lease. STATE | | Well No. 31 | Field & Reservoir WILDCAT |
| Location of Well 660 FW: 660 FSL | | Sec-Twp-Rge or Block & Survey SECTION 34, T16N, R23E | County NAVAJO |
| Application to drill this well was filed in name of ARKLA EXPLORATION COMPANY | Has this well ever produced oil or gas No | Character of well at completion (initial production): Oil (bbls/day) Gas (MCF/day) Dry? | |
| Date plugged: 10-4-66 | Total depth 926 | Amount well producing when plugged: Oil (bbls/day) Gas (MCF/day) Water (bbls/day) | |
| Name of each formation containing oil or gas. Indicate which formation open to well-bore at time of plugging | Fluid content of each formation | Depth interval of each formation | Size, kind & depth of plugs used. Indicate zones squeeze cemented, giving amount cement |

CASING RECORD

| Size pipe | Put in well (ft.) | Pulled out (ft.) | Left in well (ft.) | Give depth and method of parting casing (shot, ripped, etc.) | Packers and shoes |
|-----------|-------------------|------------------|--------------------|--|-------------------|
| 9 5/8" | 72 | 0 | 72 | | |
| 7" | 826 | 0 | 826 | | |
| | | | | | |
| | | | | | |



Was well filled with mud-laden fluid, according to regulations? Indicate deepest formation containing fresh water.

NAMES AND ADDRESSES OF ADJACENT LEASE OPERATORS OR OWNERS OF THE SURFACE

| Name | Address | Direction from this well: |
|--------------|---------|---------------------------|
| N. A. | | |
| | | |
| | | |

In addition to other information required on this form, if this well was plugged back for use as a fresh water well, give all pertinent details of plugging operations to base of fresh water sand, perforated interval to fresh water sand, name and address of surface owner, and attach letter from surface owner authorizing completion of this well as a water well and agreeing to assume full liability for any subsequent plugging which might be required.

Use reverse side for additional detail.

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the DRILLING SUPERINTENDENT of the ARKLA EXPLORATION COMPANY (company) and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

Date 10-4-66

Signature James Baldry

CONFIDENTIAL

Release Date _____

Permit No. 363

STATE OF ARIZONA
OIL & GAS CONSERVATION COMMISSION
Plugging Record
File One Copy


Form No. 10

APPLICATION TO ABANDON AND PLUG

FIELD WILDCAT
 OPERATOR ARKLA EXPLORATION COMPANY ADDRESS P.O. Box 669 - HOLBROOK, ARIZONA
 Federal, State, or Indian Lease Number or Lessor's Name if Fee Lease _____ STATE _____ WELL NO. 31
 SURVEY _____ SECTION 34 T16N, R23E COUNTY NAVAJO - ARIZONA
 LOCATION 660 FW. 660 FSL

TYPE OF WELL MINERAL STRATIGRAPHIC TEST TOTAL DEPTH 926'
 (Oil, Gas or Dry Hole)
 ALLOWABLE (If Assigned) _____
 LAST PRODUCTION TEST OIL _____ (Bbls.) WATER _____ (Bbls.)
 GAS _____ (MCF) DATE OF TEST _____
 PRODUCING HORIZON _____ PRODUCING FROM _____ TO _____
 1. COMPLETE CASING RECORD 9 5/8" SURFACE PIPE 72' - CIRCULATED CEMENT
7" CASING - 826' - 225 SXS, CIRCULATED CEMENT

2. FULL DETAILS OF PROPOSED PLAN OF WORK



If well is to be abandoned, does proposed work conform with requirements of Rule 202? YES If not, outline proposed procedure above.

DATE COMMENCING OPERATIONS 10-4-66
 NAME OF PERSON DOING WORK J. S. BALDRY ADDRESS HOLBROOK, ARIZONA
 CORRESPONDENCE SHOULD BE SENT TO J. S. BALDRY
 Name _____
 Title DRILLING SUPT.
 Address Box 669 - HOLBROOK, ARIZONA
 Date 10-4-66

CONFIDENTIAL

Release Date _____

Date Approved 10-7-66
 STATE OF ARIZONA
 OIL & GAS CONSERVATION COMMISSION
 By: John J. Farnester

Permit No. 363

STATE OF ARIZONA
 OIL & GAS CONSERVATION COMMISSION
 Application to Abandon and Plug
 File Two Copies
 Form No. 9

September, 17, 1969

Following is a list of upper hole samples brought in by
Arkla Exploration Sept. 16, 1969

| | | |
|---------------|----------------|------------------|
| # 337 #6 NMA | Sec.5-17N-23E | Navajo Co. Ariz. |
| 334 #7 NMA | Sec.24-17N-22E | Navajo Co. Ariz. |
| 359 #10 NMA | Sec.27-16N-23E | Navajo Co. Ariz. |
| 357 #15 NMA | Sec.5-16N-23E | Navajo Co. Ariz. |
| 342 #16 NMA | Sec.13-16N-23E | Navajo Co. Ariz. |
| 362 #19 NMA | Sec.23-16N-22E | Navajo Co. Ariz. |
| 364 #20 NMA | Sec.31-17N-23E | Navajo Co. Ariz. |
| 360 #23 NMA | Sec.21-18N-23E | Navajo Co. Ariz. |
| 340 #24 NMA | Sec.18-18N-23E | Navajo Co. Ariz. |
| 331 #33 NMA | Sec.21-17N-22E | Navajo Co. Ariz. |
| 343 #55 NMA | Sec.3-15N-22E | Navajo Co. Ariz. |
| 358 #25 State | Sec.18-16N-23E | Navajo Co. Ariz. |
| 363 #31 State | Sec.34-16N-23E | Navajo Co. Ariz. |

These will have to be sent out on order list therefore will be
a few weeks before they are cut.

94
Jo Ratcliff
Jo Ratcliff
Four Corners Sample Cut



ARIZONA COMBINATION BOARD

Drilling Record

WELL NAME: STATE # 31

WELL LOCATION: SECTION 34, T16N, R23E
660 FSL - 660 FW
NAVAJO COUNTY, ARIZONA

WELL ELEVATION: 5275.36 GL.

CONTRACTOR: SOJOURNER DRILLING COMPANY

SPUD DATE: 9-29-66 4:30 P.M.

SIZE HOLE DRILLED: 10 1/2" TO 72'

TYPE DRILLING FLUID: WATER GEL

SURFACE CASING:
Size 9 5/8", Wt. 32.5 #, No. Sacks Cement 75 (A)
Cementing Depth: 72'

SIZE HOLE DRILLED: 8 1/2"

TYPE DRILLING FLUID: WATER GEL (B)

INTERMEDIATE CASING:
Size 7", Wt. 20 #, No. Sacks Cement 225
Cementing Depth: 826'

SIZE HOLE DRILLED OR CORED:
6 1/2" from 826' to 926'
" from _____ to _____
" from _____ to _____
" from _____ to _____

DRILL STEM TESTS:
NONE

NO. BITS USED: 3

ELECTRIC LOGS RUN:
Type GAMMA-RAY NEUTRON from 926' to 0'
from _____ to _____

ABANDONMENT PLUGS:
No. Sacks Cement 100 from 926' to 0'
from _____ to _____

WAS CASING RECOVERED:
Depth of _____'
No. Feet Recovered 0'
No. Feet Not Recovered 826'

DATE DRILLING RIG RELEASED: 10-4-66 8:30 P.M.

COMPANY REPRESENTATIVE: J. S. BALDREY - MAX WOOLERY

SPECIAL NOTES: Unusual drilling problems encountered, etc.
(A) CIRCULATED CEMENT
(B) LOSING DRILLING MUD WHILE DRILLING FROM 350' TO 826'
(C) TEMPERATURE SURVEY CEMENT TOP @ 370'
(D) DRILLED 6 1/2" HOLE FROM 826' TO 875' - CORED FROM 875' TO 926'

APPLICATION FOR PERMIT TO DRILL, DEEPEN, PLUG BACK, OR RE-ENTER

APPLICATION TO DRILL DEEPEN PLUG BACK RE-ENTER OLD WELL

NAME OF COMPANY OR OPERATOR **ARKLA EXPLORATION COMPANY**

DATE **SEPTEMBER 29, 1966**

Address **P. O. Box 669; HOLBROOK, ARIZONA** City State

DESCRIPTION OF WELL AND LEASE

| | | |
|---|---|---|
| Federal, State or Indian Lease Number or name of lessor, if fee lease STATE PROSPECTING PERMIT #5926 G | Well number STATE No. 31 | Elevation (ground) 5275.36 |
| Well location and acreage dedicated to the well (give footage from section lines) 660' FW X 660' FSL (SW/4SW) | | |
| Section—township—range or block & survey 34 16N 23E G & SRM | | |
| Field & reservoir (if wildcat, so state) WILDCAT-MINERAL STRATIGRAPHIC TEST | County NAVAJO | |
| Distance, in miles, and direction from nearest town or post office 8 MILES SOUTHEAST OF WOODRUFF | | |
| Nearest distance from proposed location to property or lease line: 660 feet | Distance from proposed location to nearest drilling, completed or applied—for well on the same lease: 2489 FEET WEST AND 2406 SOUTH OF PREV. TEST | |
| Proposed depth: 1400' | Rotary or cable tools ROTARY | Approx. date work will start SEPTEMBER 30, 1966 |
| Number of acres in lease: 640.00 | Number of wells on lease, including this well, completed in or drilling to this reservoir: ONE (1) -PLUGGED JULY 18, 1965 | |

| | | |
|---|------|---------|
| If lease, purchased with one or more wells drilled, from whom purchased: No | Name | Address |
|---|------|---------|

| | | |
|--|--|---|
| Status and amount of bond \$25,000—STATEWIDE | Organization Report On file Or attached ON FILE | Filing Fee of \$25.00 Attached <input checked="" type="checkbox"/> |
|--|--|---|

Remarks: (If this is an application to deepen or plug back, briefly describe work to be done, giving present producing zone and expected new producing zone)

PLEASE KEEP ALL INFORMATION CONFIDENTIAL!
VERBAL APPROVAL GIVEN SEPTEMBER 29, 1966

*Fill in Proposed Casing Program on reverse side

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the **MINERAL DIVISION LANDMAN** of the **ARKLA EXPLORATION COMPANY** (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

CONFIDENTIAL

Release Date _____


Signature *[Signature]*
Date **SEPTEMBER 29, 1966**


Permit Number: **363**
Approval Date: **9-30-66**
Approved By: *John Gannister*
Notice: Before sending in this form be sure that you have given all information requested. Much unnecessary correspondence will thus be avoided.
See Instruction on Reverse Side of Form

STATE OF ARIZONA
OIL & GAS CONSERVATION COMMISSION
Application to Drill, Deepen or Plug Back and Plat
File Two Copies

Form No. 3

- Operator shall outline the dedicated acreage for both oil and gas wells on the plat.
- A registered professional engineer or land surveyor registered in the State of Arizona or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- All distances shown on the plat must be from the outer boundaries of the Section.
- Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES NO
- If the answer to question four is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? YES NO If answer is "yes," Type of Consolidation _____
- If the answer to question four is "no," list all the owners and their respective interests below:

| Owner | Land Description |
|--|------------------|
| | |
| CERTIFICATION | |
| I hereby certify that the information above is true and complete to the best of my knowledge and belief. | |
|  Name RAY B. JONES | |
| Position MINERAL DIVISION LANDMAN | |
| Company ARKLA EXPLORATION COMPANY | |
| Date SEPTEMBER 29, 1966 | |
| I hereby certify that the well location shown on the plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. | |
| Date Surveyed | |
| Registered Professional Engineer and/or Land Surveyor | |
| Certificate No. | |



PROPOSED CASING PROGRAM

| Size of Casing | Weight | Grade & Type | Top | Bottom | Cementing Depths | Sacks Cement |
|----------------|--------|--------------|---------|--------|------------------|--------------|
| 9 5/8" | 32# | J/USED | SURFACE | 70' | | 40 |
| 7" | 20# | J/USED | 870 | | | 100 |



PERMIT TO DRILL

This constitutes the permission and authority from the
OIL AND GAS CONSERVATION COMMISSION,
STATE OF ARIZONA,

To: ARKLA EXPLORATION COMPANY
(OPERATOR)

to drill a well to be known as

ARKLA EXPLORATION #31 STATE
(WELL NAME)

located 660 feet from west and south lines (SW/4SW/A)

Section 34 Township 16N Range 23E Navajo County, Arizona.

The _____ of said
Section, Township and Range is dedicated to this well.

Said well is to be drilled substantially as outlined in the attached Application and must be drilled
in full compliance with all applicable laws, statutes, rules and regulations of the State of Arizona.

Issued this 30th day of September, 19 66

OIL AND GAS CONSERVATION COMMISSION


By John Kammister
EXECUTIVE SECRETARY

PERMIT **Nº 363**

RECEIPT NO. **9461**

State of Arizona
Oil & Gas Conservation Commission
Permit to Drill
FORM NO. 27

STATE NO. 31
EL. 5275.36



ARKLA EXPLORATION COMPANY
HOLBROOK AREA PROJECT
STATE NO. 31 DRILL-SITE

SEC. 34, T. 16 N., R. 23 E., G. & S. R. B. & M.
NAVAJO COUNTY ARIZONA
SCALE 1" = 400' SEPT. 12, 1966
SURVEYED BY: HARVEY W. SMITH, E.M.
REGISTERED MINING ENGINEER
U.S. MINERAL SURVEYOR


Harvey W. Smith
66


363

HAY HOLLOW QUADRANGLE
ARIZONA-NAVAJO CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)

109° 52' 30"

34° 4'





December 8, 1969

Mrs. Jo Ratcliff
Four Corners Sample Cut
P. O. Box 899
Farmington, New Mexico

Dear Jo:

I had to wait until I had your invoices before writing the purchase order but it is now taken care of and the original is enclosed for your records.

I am not sure what happened on the #44 NMA but on the third of December I had some samples shipped from Holbrook to you which I thought were the #44 samples. I hope that the #31 State Samples are in that sack.

If not, please go ahead and cut the #44 that you already have and I will attempt to find the missing samples on the #31 State.

Sincerely,

W. E. Carr

W. E. Carr
District Geologist

WEC/ieh

Enclosure

cc: Mr. John Bannister
Arizona Oil & Gas Conservation Commission
1624 W. Adams
Phoenix, Arizona 85007



863 ✓
361

Warren:


I have not received a P.O. for this invoice. If it needs to be redone will be happy to do so.

The burlap bag which should have contained the #31 State Sec. 34-14N-23E Navajo Co. only had 9 bags marked #31 State. The rest read #44 WK. I was afraid to cut it so if you will advise as to which wall it is are give a location for #44 will cut it.

Thank you,

Jo Ratchoff

Four Corners Sample Cut





ARKLA EXPLORATION

C O M P A N Y

P. O. Box 60549, Oklahoma City, Oklahoma 73106

September 25, 1969

Mr. James A. Lambert
Administrative Assistant
Office of Oil & Gas Conservation Commission
State of Arizona
1624 West Adams
Phoenix, Arizona 85007

Dear Jim:

Re: Samples From Arkla Exploration Potash Tests
Navajo County, Arizona

Your letter received this morning regarding our No. 44 NMA will be complied with when I return to Holbrook. I am sorry that I overlooked this well; I should have realized that samples had not been delivered.

In gathering up these samples I had neglected to take your early letter, listing the wells, and therefore, obtained a list from Jamie by telephone. In addition to those given to me there were three wells not on the list which had been drilled after Jim Scurlock had picked up samples on earlier holes. These tests not on the list were our Nos. 19 and 20 NMA and our No. 31 State. Locations of these holes appear on the attached list and samples from these wells were also taken to Farmington.

I appreciate your release of the bond and I will see to it that the samples from the No. 44 NMA are delivered to Four Corners Sample Cut in Farmington at the first opportunity.

Sincerely,

ARKLA EXPLORATION COMPANY

Scott
Warren E. Carr
District Geologist


WEC/leh

Attchs.

~~# 365~~
363



| | | | | |
|-------------|-------|--------------|-----------|------------|
| ARKLA NO. 6 | NMA | 1008' fsl, | 1604' fwI | 5-17N-23E |
| NO. 7 | NMA | 2158' fsl, | 868' fwI | 24-17N-22E |
| NO. 10 | NMA | 3149' fwI, | 426' fsl | 27-16N-23E |
| NO. 15 | NMA | 3371' fsl, | 640' fwI | 5-16N-23E |
| NO. 16 | NMA | 202' fnI, | 176' fwI | 13-16N-23E |
| #362 NO. 19 | NMA | 1980' fsl, | 50' fel | 23-16N-22E |
| #364 NO. 20 | NMA | 680' fsl, | 1056' fwI | 31-17N-23E |
| NO. 23 | NMA | 660' fn & el | | 21-18N-23E |
| NO. 24 | NMA | 1739' fsl, | 1801' fwI | 18-18N-23E |
| NO. 33 | NMA | 2158' fsl, | 4250' fel | 21-17N-22E |
| NO. 55 | NMA | 300' fn & el | | 3-15N-22E |
| NO. 25 | State | 1980' fnI, | 1370' fwI | 18-16N-23E |
| #363 NO. 31 | State | 660' fs & wI | | 34-16N-23E |





OFFICE OF
Oil and Gas Conservation Commission
STATE OF ARIZONA
ROOM 202
1624 WEST ADAMS
Phoenix, Arizona 85007
PHONE: 271-5161

September 24, 1969

Mr. Charles C. Campbell
Executive Vice President
Rebsamen and East
Tower Building
Little Rock, Arkansas 72201

Re: U. S. Fidelity & Guaranty Company
Bond No. 12176-13-601-65

Dear Mr. Campbell:

Records of this office indicate that on 9-24-69 Arkla Exploration Company fulfilled their obligations to the Commission as to the requirements pertaining to the wells covered by the captioned bond. We authorize termination of this bond effective this date.

Yours truly,

John Bannister
Executive Secretary

jf

cc: Arkla Exploration Company

Operator Arkla Exploration Company

Bond Company U.S. Fidelity & Guaranty Co. Amount \$10,000 ^{25,000}

Bond No. 12176-13-601-65 Date Approved 8-30-65

Permits covered by this bond:

323

324

326

327

328

329

331

333, 334, 335, 337, 340,
342, 343

357

358

359

360

361

362

363

364

Bond itself
filed in permit
#364

CANCELLED
DATE 9-27-69



OFFICE OF
Oil and Gas Conservation Commission
STATE OF ARIZONA
ROOM 202
1624 WEST ADAMS
Phoenix, Arizona 85007
PHONE: 271-5161

August 11, 1969

Mr. Warren E. Carr
Chief Geologist
Arkla Exploration Company
P. O. Box 1439
Oklahoma City, Oklahoma 73101

Dear Scooter:

We have received a letter from Rebsamen and East who are the brokers on the Arkla bond. They indicate that your company wishes to have the bond released. We have gone through the files and find that things are in pretty good order; however, we require samples on each of the wells listed on the attached pages. Jim Scurlock indicated that he was under the impression that there were a number of samples in Holbrook that should be delivered to this Commission.

I talked with John today and he reviewed the Arkla situation and informed me that although we would release the bond when the various sample requirements are met, we would still look to Arkla Exploration Company at an indefinite future date for additional mineral information and substantiating logs covering those depths you tested.

I believe that the delivery of this information is a gentleman's agreement between the responsible parties of Arkla and the Executive Secretary of this Commission.

Yours truly,

James A. Lambert
Administrative Assistant
JAL:jf
Enc.

cc: Rebsamen and East, Little Rock, Arkansas

363

Arkla Exploration Company #55 NMA
NE/4 NE/4 Section 3-T15N-R22E
Navajo County
Permit #343

Arkla Exploration #15 NMA
SW/4 NW/4 Section 5-T16N-R23E
Navajo County
Permit #357

Arkla Exploration #25 State
SE/4 NW/4 Section 18-T16N-R23E
Navajo County
Permit #358

Arkla Exploration Company #10 NMA
SW/4 SE/4 Section 27-T16N-R23E
Navajo County
Permit #359

Arkla Exploration #23 NMA
NE/4 NE/4 Section 21-T18N-R23E
Navajo County
Permit #360

Arkla Exploration Company #33 New Mexico
NW/4 SW/4 Section 21-T17N-R22E
Navajo County
Permit #331

Arkla Exploration #7 New Mexico
NW/4 SW/4 Section 24-T17N-R22E
Navajo County
Permit #334

Arkla Exploration Company #6 NMA
SE/4 SW/4 Section 5-T17N-R23E
Navajo County
Permit #337

Arkla Exploration Company #24 NMA
NE/4 SW/4 Section 18-T18N-R23E
Navajo County
Permit #340

Arkla Exploration #16 NMA
NW/4 NW/4 Section 13-T16N-R23E
Navajo County
Permit #342

Operator Arkla Exploration Company

Bond Company U.S. Fidelity & Guaranty Co. Amount \$10,000 ^{25,000}

Bond No. 12176-13-601-65 Date Approved 8-30-65

Permits covered by this bond:

323

324

326

327

328

329

331

333, 334, 335, 337, 340,
342, 343

357

358

359

360



OFFICE OF

Oil and Gas Conservation Commission

STATE OF ARIZONA

ROOM 202

1824 WEST ADAMS

Phoenix, Arizona 85007

PHONE: 271-5161

August 11, 1969

Mr. Charles C. Campbell
Executive Vice President
Rebsamen and East
Tower Building
Little Rock, Arkansas 72201

Re: U. S. Fidelity & Guaranty Company
Bond #12176 13 601 65

Dear Mr. Campbell:

This Commission requests a certain curative matter be furnished on various wells drilled under the U. S. F. & G. bond posted by Arkla Exploration Company. We will advise your office by mail when this Commission is willing to release the captioned bond.

Yours truly,

James A. Lambert
Administrative Assistant

JAL:jf
Enc.

*Rebsamen
and
East*

CORPORATED

INSURANCE - BONDING

August 6, 1969

State of Arizona
Oil & Gas Conservation Commission
Room 202, 1624 West Adams
Phoenix, Arizona 85007

Re: Arkla Exploration Company, Shreveport, Louisiana
U. S. Fidelity & Guaranty Co. Bond 12176 13 601 65

Gentlemen:

We have been advised by the Arkla Exploration Company that they no longer need the above captioned bond covering blanket drilling for oil or gas in the State of Arizona. In accordance with this, we kindly request your release of surety and termination of the bond to be effective the anniversary date of August 25, 1969.

Your advice will be appreciated. Thank you.

Sincerely,

Charles C. Campbell

Charles C. Campbell
Executive Vice President

CCC/cac

cc: Arkla Exploration Company



*Jim...
Cac...*



TOWER BUILDING, LITTLE ROCK, ARKANSAS 72201 • PR 27141

October 3, 1966

Arkla Exploration Company
P.O. Box 669
Holbrook, Arizona

Attention: Mr. Ray B. Jones

Re: Arkla Exploration #31 State
SW SW 34-16N-23E, Navajo County
Permit 363

Gentlemen:

Enclosed ^{are} is approved Application for Permit to Drill, Per-
mit to Drill, and Receipt 9461 for the filing fee covering
captioned well.

Very truly yours,

John Bannister
Executive Secretary
MF
enc

Release Date 4-10-67

CONFIDENTIAL

PW

ARKLA EXPLORATION #20 NMA 364
SW SW 31-17N-23E Navajo County