

CONFIDENTIAL
Release Date 11-10-68

P-W

BASIN PETROLEUM #1 DAVIS-CLARK 56
NE NE 5-21S-24E Cochise County

sl

COUNTY Cochise AREA 12 mi SE Tombstone LEASE NO. Davis-Clark Fee

PERMIT TO RE-ENTER P/N 34
WELL NAME BASIN PETROLEUM #1 DAVIS-CLARK

LOCATION NE NE SEC 5 TWP 21S RANGE 24E FOOTAGE 884' FNL & 660' FEL
ELEV 4595' GR KB SPUD DATE 3-8-68 STATUS _____ TOTAL DEPTH 3157'
COMP. DATE 12-13-68

CONTRACTOR Beckman, Inc. Odessa, Texas

CASING SIZE	DEPTH	CEMENT	LINER SIZE & DEPTH	DRILLED BY ROTARY	<u>x</u>
_____	_____	_____	_____	DRILLED BY CABLE TOOL	_____
_____	_____	_____	_____	PRODUCTIVE RESERVOIR	_____
_____	_____	_____	_____	INITIAL PRODUCTION	<u>Dry</u>

FORMATION TOPS	DEPTHS	SOURCE		REMARKS
		L.L.	E.L.	
				WELL ORIGINALLY DRILLED UNDER PERMIT #34
				SOUTHWEST OIL #1 DAVIS-CLARK. SEE FILE #34
				FOR ELECTRIC LOG, DST, SAMPLE DESCRIPTION
				<i>of P/N 34</i>

ELECTRIC LOGS	PERFORATED INTERVALS	PROD. INTERVALS	SAMPLE LOG
Electrical-Induction Acoustic, Parameter & Caliper, GRN	2229-2974	2229-2974	SAMPLE DESCRP. _____ SAMPLE NO. _____ CORE ANALYSIS _____ DSTs _____

REMARKS	APP. TO PLUG	<u>x</u>
No information available	PLUGGING REP.	<u>x</u>
	COMP. REPORT	<u>x</u>

WATER WELL ACCEPTED BY Houston Davis-Tombstone

BOND CO. Hartford Accident and Indemnity Co. BOND NO. N-3836987
 BOND AMT. \$ 5,000 CANCELLED 1-24-69 DATE 2-29-68
 FILING RECEIPT 9540 LOC. PLAT See File 34 WELL BOOK x PLAT BOOK x
 API NO. 02-003-20001 DATE ISSUED 3-4-68 DEDICATION E/2 NE/4
 PERMIT NUMBER 456

CONFIDENTIAL

Release Date 11-10-68

(over)

WELL COMPLETION OR RECOMPLETION REPORT AND WELL LOG

DESIGNATE TYPE OF COMPLETION:

New Well Work-Over Deepen Plug Back Same Reservoir Different Reservoir Oil Gas Dry

DESCRIPTION OF WELL AND LEASE

Operator **BASIN PETROLEUM CORP.** Address **545 FIRST NATIONAL BUILDING, OKC 73102**

Federal, State or Indian Lease Number or name of lessor if fee lease **DAVIS - CLARK** Well Number **1** Field & Reservoir **WILDCAT**

Location **C NE NE** County **COCHISE**

Sec. TWP-Range or Block & Survey **SECTION 5-21S-24E SRM**

Date spudded **3/9/68** Date total depth reached **3/11/68** Date completed, ready to produce **3/11/68** Elevation (DF, RKB, RT or Gr.) **Gr: 4590'** Elevation of casing hd. flange **feet**

Total depth **3157'** P.B.T.D. **3017' Gr.** Single, dual or triple completion? **DRY** If this is a dual or triple completion, furnish separate report for each completion.

Producing interval (s) for this completion **2229'-2974'** Rotary tools used (interval) **0'-3157'** Cable tools used (interval)

Was this well directionally drilled? **NO** Was directional survey made? **NO** Was copy of directional survey filed? **NO** Date filed **12/23/68**

Type of electrical or other logs run (check logs filed with the commission) **Electrical-Induction, Acoustic, Acoustic Parameter & Caliper** Date filed **12/23/68**

CASING RECORD

Casing (report all strings set in well—conductor, surface, intermediate, producing, etc.)

Purpose	Size hole drilled	Size casing set	Weight (lb./ft.)	Depth set	Sacks cement	Amt. pulled
	13 3/4"	10 3/4"	32.75	591	N/A	NONE
	9"	7"	20	1633	N/A	NONE
	6 1/2"	4 1/2"	9.5	3017	175	NONE

TUBING RECORD

LINER RECORD

Size	Depth set	Packer set at	Size	Top	Bottom	Sacks cement	Screen (ft.)
NONE in.	ft.	ft.	in.	ft.	ft.		

PERFORATION RECORD

ACID, SHOT, FRACTURE, CEMENT SQUEEZE RECORD

Number per ft.	Size & type	Depth Interval	Amt. & kind of material used	Depth Interval
1	1/2 Jet	2229'-2974' (39)	Water fraced with 4400 bbls.	

INITIAL PRODUCTION

Date of first production **NONE** Producing method (indicate if flowing, gas lift or pumping—if pumping, show size & type of pump:) **Pumping - API 114 with 1 3/4" pump.**

Date of test	Hrs. tested	Choke size	Oil prod. during test	Gas prod. during test	Water prod. during test	Oil gravity
			bbls.	MCF	bbls.	" API (Corr)

Tubing pressure	Casing pressure	Cal'd rate of Production per 24 hrs.	Oil	Gas	Water	Gas-oil ratio
			NONE bbls.	NONE MCF	bbls.	


Disposition of gas (state relative vented, used for fuel or sold): **WELL PUMPED FRESH WATER, ESTIMATED 300 BWD.**

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the..... **PRODUCTION MANAGER**..... of the

BASIN PETROLEUM CORP...... (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

Date **DECEMBER 23, 1968** Signature **Clyde D. Towery**

Permit No. **456**



STATE OF ARIZONA
OIL & GAS CONSERVATION COMMISSION
Well Completion or Recompletion Report and Well Log
Form No. 4 File Copy 5
2

DETAIL OF FORMATIONS PENETRATED

Formation	Top	Bottom	Description*
			NOT APPLICABLE - NO DRILL STEM TESTS TAKEN NO INFORMATION AVAILABLE.

* Show all important zones of porosity, detail of all cores, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

INSTRUCTIONS:

Attach drillers log or other acceptable log of well.

This Well Completion or Recompletion report and well log shall be filed with the State of Arizona Oil & Gas Conservation Commission not later than thirty days after project completion.

PLUGGING RECORD					
Operator BASIN PETROLEUM CORP.			Address 545 FIRST NATIONAL BUILDING, OKC 73102		
Federal, State, or Indian Lease Number, or lessor's name if fee lease. DAVIS-CLARK		Well No. 1	Field & Reservoir WILDCAT		
Location of Well C NE NE		Sec-Twp-Rge or Block & Survey 5-21S-24E		County COCHISE	
Application to drill this well was filed in name of BASIN PETROLEUM CORP.	Has this well ever produced oil or gas NO	Character of well at completion (initial production): Oil (bbls/day) NONE Gas (MCF/day) NONE Dry? X			
Date plugged: 12/13/68	Total depth 3157'	Amount well producing when plugged: Oil (bbls/day) NONE Gas (MCF/day) NONE Water (bbls/day) NONE			
Name of each formation containing oil or gas. Indicate which formation open to well-bore at time of plugging NONE	Fluid content of each formation	Depth interval of each formation		Size, kind & depth of plugs used. Indicate zones squeeze cemented, giving amount cement	
Well was pumping fresh water when operations ceased. The attached form No. 26 turns the well over to Mr. Houston Davis, Box 368, Tombstone, Arizona.					
CASING RECORD					
Size pipe	Put in well (ft.)	Pulled out (ft.)	Left in well (ft.)	Give depth and method of parting casing (shot, ripped, etc.)	Packers and shoes
10 3/4"	591'		591'		Cemented
7"	1633'		1633'		Cemented
4 1/2"	3017'			COULD NOT PULL	
2 7/8"	2615'	2615'			
Was well filled with mud-laden fluid, according to regulations? NO			Indicate deepest formation containing fresh water. MISSISSIPPI 2229'-2974'		
NAMES AND ADDRESSES OF ADJACENT LEASE OPERATORS OR OWNERS OF THE SURFACE					
Name	Address		Direction from this well:		
HOUSTON DAVIS	BOX 368, TOMBSTONE, ARIZONA		2 1/2 miles North		
In addition to other information required on this form, if this well was plugged back for use as a fresh water well, give all pertinent details of plugging operations to base of fresh water sand, perforated interval to fresh water sand, name and address of surface owner, and attach letter from surface owner authorizing completion of this well as a water well and agreeing to assume full liability for any subsequent plugging which might be required. Well plugged according to instructions received from Arizona Oil & Gas Conservation Commission.					
Use reverse side for additional detail.					
CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the PRODUCTION MANAGER of the BASIN PETROLEUM CORP. (company) and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.					
Date	DECEMBER 16, 1968		Signature <i>Clyde D. Towery</i> CLYDE D. TOWERY		
Permit No. 456			STATE OF ARIZONA OIL & GAS CONSERVATION COMMISSION Plugging Record File One Copy		

APPLICATION TO ABANDON AND PLUG

FIELD WILDCAT
 OPERATOR BASIN PETROLEUM CORP. ADDRESS 545 FIRST NATIONAL BUILDING, OKC
 Federal, State, or Indian Lease Number or Lessor's Name if Fee Lease DAVIS-CLARK WELL NO. 1
 SURVEY _____ SECTION 5-21S-24E COUNTY COCHISE
 LOCATION C NE NE 660' E - 884' FNL
 Elevation: 4590'

TYPE OF WELL DRY HOLE TOTAL DEPTH 3157'
 (Oil, Gas or Dry Hole)
 ALLOWABLE (If Assigned) _____
 LAST PRODUCTION TEST OIL NONE (Bbls.) WATER _____ (Bbls.)
 GAS NONE (MCF) DATE OF TEST _____
 PRODUCING HORIZON NONE PRODUCING FROM _____ TO _____

1. COMPLETE CASING RECORD Ran 93 jts. of 4 1/2", 9.5#, J-55 ST&C casing to 3021'. Cemented with 175 sxs regular cement with 1/2 of 1 1/2 CFR2 by Halliburton. Top of Cement @ 1790'. Casing is perforated from 2229' to 2974' with 39 holes (Mississippi).

2. FULL DETAILS OF PROPOSED PLAN OF WORK Move in well servicing unit from Wilcox, Arizona. Pull rods & pump from well. Pull 2 7/8" tubing and Howco packers. Install collar, swage and valve on 4 1/2" casing. Well is to be released to Houston Davis, who farms and owns the land. Forms #10 and #26 will be forwarded to your office when work is completed.

If well is to be abandoned, does proposed work conform with requirements of Rule 202? YES If not, outline proposed procedure above.

DATE COMMENCING OPERATIONS DECEMBER 9, 1968
 NAME OF PERSON DOING WORK CLYDE D. TOWERY ADDRESS 545 FIRST NATIONAL BLDG., OKC
 CORRESPONDENCE SHOULD BE SENT TO CLYDE D. TOWERY
 Name _____
 Title PRODUCTION MANAGER
 Address 545 FIRST NATIONAL BUILDING, OKLAHOMA CITY, OKLA. 73102
 Date December 9, 1968



Date Approved 12-10-68
 STATE OF ARIZONA
 OIL & GAS CONSERVATION COMMISSION
 By: John Bannister

STATE OF ARIZONA
 OIL & GAS CONSERVATION COMMISSION
 Application to Abandon and Plug
 File Two Copies
 Form No. 9

Permit No. 456

TO: Oil and Gas Conservation Commission
State of Arizona
1624 W. Adams, Room 202
Phoenix, Arizona 85007

This is to advise you that I accept the abandoned wildcat well, known as the ~~Basin Petroleum Corp.~~ DAVIS-CLARK WELL located on the NE 1/4 NE 1/4 of Section 5 Township 21S Range 24E, County of COCHISE Arizona, as a water well to be used for domestic purposes.

Further, I accept full responsibility for the proper maintenance and use of the above well, including final plugging, in full compliance with the Rules and Regulations adopted by the Oil and Gas Conservation Commission.

I understand that I am responsible for compliance with the provisions of the State Water Code, Chapter 1, Title 45, Arizona Revised Statutes and with any applicable requirements of U.S. Geological Survey.

Signature Houston Davis
Address Box 368
TOMBSTONE, ARIZ


State of ARIZONA
County of COCHISE

On this, the 11 day of December, 1968, before me, Mabel A. Lindsey, the undersigned officer, personally appeared Houston Davis, known to me (or satisfactorily proven) to be the person whose name is subscribed to the within instrument and acknowledged that he executed the same for the purpose therein contained.

In witness whereof I hereunto set my hand and official seal.

Notary Public Mabel A. Lindsey
My Commission expires July 20, 1972

Permit No. 456



State of Arizona
OIL & GAS CONSERVATION COMMISSION
WATER WELL ACCEPTANCE
Form 26 - File one copy

3-12-68

Telcon Carl Swan, Basin Petroleum Corp.

RE: Basin Petroleum #1 Davis-Clark
Permit 456

Entered hole on Friday, March 8.

Have set pipe, run logs. Will perforate this afternoon or tomorrow
and water frac.

WILL REQUEST CONFIDENTIAL STATUS

Staying at Desert Inn, Douglas Telephone 364-8477

#456

Telephone: Clyde Towsey Basin - 11-25-68

Dr + 10³/₄ @ 591
Set 7" @ 1632

TD 3157

TD (original TD) 3550

Iterations 2229-2974

Gave Verbal OK to plug 11-25-68 JED

Plugs: Cement 2000 - 2200 (above perfs)

Cement inside 7" 1400-1500 approx.

12-4-68

Telephone: Mr. Clyde Towsey:

Basin: Houston Davis - farmer who
wants well as water well.

Will pull rods + pipe - then turn
over well to Mr. Davis.

Work will be done by Farmers Pumps Inc.
of Wilcox

456

SUNDRY NOTICES AND REPORTS ON WELLS

1. Name of Operator BASIN PETROLEUM CORP.
 2. OIL WELL GAS WELL OTHER (Specify) Temporarily abandoned
 3. Well Name DAVIS - CLARK NO. 1
 Location 660' FEL 884' FNL
 Sec. 5 Twp. 21S Rge. 24E County COCHISE Arizona.
 4. Federal, State or Indian Lease Number, or lessor's name if fee lease
Fee Lease - Davis-Clark
 5. Field or Pool Name _____

6. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:			SUBSEQUENT REPORT OF:		
TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input type="checkbox"/>	WATER SHUT-OFF	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	DIRECTIONAL DRILL	<input type="checkbox"/>	MONTHLY PROGRESS	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	PERFORATE CASING	<input type="checkbox"/>	REPAIRING WELL	<input checked="" type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input checked="" type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>
(OTHER)	<input type="checkbox"/>		(OTHER)		<input type="checkbox"/>


(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

7. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

1. See reference letter of July 29, 1968.
2. See reference letter of August 26, 1968.
3. As stated in the letter of August 26, 1968, the well is pumping nothing but water, so we have temporarily abandoned it.
4. NO additional perforating, fracing, or acidizing has been done. Straddle tools were run to isolate a zone @ 2548'-2615'. This is the zone that we have been pumping.
5. Arrangements, as yet, have not been to plug or abandon the well.
6. Your office will be contacted and all necessary forms filled out and submitted immediately when this decision is reached.

8. I hereby certify that the foregoing is true and correct.

Signed Clyde D. Jewery Title Production Manager Date 9/30/68



Permit No. 456

STATE OF ARIZONA
 OIL & GAS CONSERVATION COMMISSION
 Sundry Notices and Reports On Wells
 File Two Copies
 Form No. 25

SUNDRY NOTICES AND REPORTS ON WELLS

1. Name of Operator Basin Petroleum Corp.
 2. OIL WELL GAS WELL OTHER (Specify) Testing.
 3. Well Name Davis-Clark #1
 Location NE NE, Section 5-21S-24E
 Sec. 5 Twp. 21S Rge. 24E County Cochise Arizona.
 4. Federal, State or Indian Lease Number, or lessor's name if fee lease
Fee Lease: Davis-Clark
 5. Field or Pool Name Wildcat

6. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:			SUBSEQUENT REPORT OF:				
TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input type="checkbox"/>	WATER SHUT-OFF	<input type="checkbox"/>	MONTHLY PROGRESS	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	DIRECTIONAL DRILL	<input type="checkbox"/>	FRACTURE TREATMENT	<input checked="" type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	PERFORATE CASING	<input checked="" type="checkbox"/>	SHOOTING OR ACIDIZING	<input checked="" type="checkbox"/>	ALTERING CASING	<input checked="" type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>	(OTHER)	<input type="checkbox"/>	ABANDONMENT	<input type="checkbox"/>
(OTHER)	<input type="checkbox"/>			(OTHER)	<input type="checkbox"/>		

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

7. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

1. See April 3, 1968 Sundry report now on file in your office.
2. See reference letter dated July 29, 1968 attached.
3. See reference letter dated August 26, 1968 attached.



8. I hereby certify that the foregoing is true and correct.

Signed Carl W. Swan Title President Date August 30, 1968

Permit No. 456

STATE OF ARIZONA
 OIL & GAS CONSERVATION COMMISSION
 Sundry Notices and Reports On Wells
 File Two Copies
 Form No. 23

BASIN PETROLEUM CORP.

Suite 1406
375 Park Avenue
212-759-9740
New York, New York 10022

July 29, 1968

REPLY TO:
545 First National Bldg.
405-235-8461
Oklahoma City, Okla. 73102

Mr. John Bannister, Executive Secretary
Oil and Gas Conservation Commission
State of Arizona
Room 202, 1624 West Adams
Phoenix, Arizona 85007

RE: Basin Petroleum #1 Davis-Clark (PERMIT 456)
NE NE, 5-21S-24E, Cochise County, Arizona

Dear Mr. Bannister:

In reply to your letter of July 24, I want to start off by apologizing for the poor way we have not kept you informed on what has been going on at our Davis-Clark well located in Cochise County, Arizona. The following should bring you up to date.

On June 26, 1968, we moved DA&S Oil Well Servicing Unit from Hobbs, New Mexico, to the Davis-Clark. Ran tubing and attempted to isolate the zone of best porosity from 2615' to 2548' with stratipackers. Up to this time we have been unable to lower the fluid level below 400' from surface by swabbing. After setting packers at the above mentioned level, we could swab 10 barrels water per hour and lower the fluid level. Prior to this, we were swabbing 50 to 70 barrels per hour of fresh water. We had a very slight show oil, and decided to put the well on pump. We started pumping the well on July 3, and since that time the little show of oil that we had has deminished. The well is presently making approximately 300 barrels fresh water per day, on pump.

Our plans are to continue pumping approximately one more week and if we have had no change by that time, we will commence operations to plug and abandon. We will keep you informed in order to comply with the rules and regulations of the State of Arizona. Again, I apologize for not keeping you better informed.

Very truly yours,

Carl W. Swan
Carl W. Swan

CWS:das

456

Clark-Davis #1

Shut down - 3/21/68

w/ Packer Set & Tubing

Valve Closed - All
openings to ANNULUS spaces
closed.

2" bull plug →

← 2 7/8" EUE - 8 Rd - Orbit Valve
FS - Figure # 4543

← Gulfco - GRT Adaptor
6" - 600

← Gulfco - GRT - Tubing
head body 6" - 600

← 2" bull plug

← 4 1/2" weld nipple

2" bull plug →

← Ball Valve - 1500#
← Gulfco CyB Csg. head
Assembly Slip on.
8" - 600

← 7" nipple
← 7" collar

(4 1/2" 9.50 J-55 Csg. 15
hung in Csg head on Gulfco
RS-4 Csg. hanger)

(Gulfco Tubing head
Assembly has Gulfco
S-6 Stripper Rubber
installed)

← 10 3/4" @ 591' Csg.

← 7" @ 1633' Csg.

← 4 1/2" 9.50 J-55 Csg.

← 2 7/8" EUE 8 Rd. Tubing.

(Top Cement @ 1790')

← 2 7/8" x 12" seating nipple @ 2615'

← Haliburton R 4" packer @ 2616'
Set w/ 10,000# compression

(7" Nipple is welded into
Collar.)

← 2 7/8" x 3" Per. Nipple @ 2620'

← Tapped bull plug

← 4 1/2" float collar & plug @ 2983'

← 4 1/2" Guide shoe @ 3017' G-6.



(456)

DAVIS - CLARK NO. 1

- 3/12/68 WOC Put plastic liner in frac pit & hauled water, set slips in head, cut off 11 1/2" csg., welded on Bell nipple, installed tubing head & BOP & nipple up.
- 3/13/68 WOC Hauled water, ran Bond Log, Top of Cement @ 1790' below GL, Ran Correlation log & collar locator, perforated 4 1/2" csg. with 39 1/2" jets.
- | | | | |
|---------|---------|---------|---------|
| 2229-32 | 2 holes | 2653-55 | 4 holes |
| 2416-20 | 4 holes | 2663-66 | 3 holes |
| 2562-65 | 2 holes | 2787-91 | 2 holes |
| 2589-92 | 2 holes | 2974 | 2 holes |
| 2601-05 | 4 holes | | |
| 2629-33 | 8 holes | | |
| 2646-49 | 6 holes | | |
- 3/14/68 Rigged up & fraced well with 4400 bbls. fresh water. Breakdown @ 2000 PSI. Average 32 BPM @ 2400-2800 PSI, SIP-1000#, 30 mins., SIP-600#, 4 hrs. SIP-250#. Flow well back 30 mins. SIP-100#, 1 hr. SIP-75#, 1 1/2 hrs. SIP-25#. Well died in 3 hrs.
- 3/15/68 Removed BOP, rigged up & ran 70 jts. of 2 7/8" tubing with 3' perforated pup & seating nipple. Totals: 2232' hung @ 2230' - across upper csg. perforations. Started swabbing water back @ 1:05 p.m., 3/15/68. FL holding @ 600'.
- 3/16/68 Swabbing back water, FL holding @ 600'.
- 3/17/68 Swabbing back water, FL holding @ 600'. No change in fluid (fresh water preceded by approx. 1/2 bbl. discolored water on each run) No positive show of oil or gas, calculated 2000 bbls. fluid recovered @ 6:00 p.m., 3/17/68.
- 3/18/68 Swabbing back water, picked up 6 jts. 2 7/8" tubing & started swabbing @ 2397'. FL holding @ 980' (Fluid level corrected from 600' by stringing in sand line). Estimated total fluid recovery @ 2500 BW (fresh), no indication of oil or gas. Total: 24 hrs.
- 3/19/68 Swabbing @ 2397', picked up 5 jts. tubing & swabbed @ 2554', no change in fluid or fluid level. Total: 24 hrs.
- 3/20/68 Picked up Halliburton "R 4" packer and set @ 2551' under compression, swabbing with no change in fluid or fluid level, no shows, released packer and reset @ 2582'..swabbing with no change. Total: 24 hrs.
- 3/21/68 Released packer & reset @ 2596', swabbed 6 hrs. with no change, released packer & reset @ 2620', swabbed 7 1/2 hrs. with no change. Shut down @ 6:00 p.m., 3/21. (Water fresh). Swabbed total 5000 bbls. minimum. Total: 18 hrs.
- 3/22/68 Rig tearing down & moving out. Rig off location @ 1:00 a.m., 3/22/68 (5 hrs.). Moved 14 jts. 2 7/8" tubing (439') to Houston Davis house. Go to Tuscon & picked up "R 4" packer @ TWA air freight, talked to Houston Davis (He will fence in location and send bill to office.
- 3/23/68 Picked up U-haul trailer @ Douglas, went to location and cleaned up around well site. Loaded surplus equipment & fittings in U-haul trailer & returned to Douglas, called Petrolene Fuel Company @ Lowell & released 1000 gals. Butane tank. Beckman, Inc. truck broke down 4 miles east of location on way to load out remaining equipment.
- 3/24/68 Left Douglas, Arizona @ 7:00 a.m., arrived @ Odessa, Texas @ 5:00 p.m., checked in @ Ramada Inn.
- 3/25/68 Returned unused equipment to Rodman Supply @ Odessa, Texas..get Credit Memo...leave Gulfco drilling adaptor flange with Rodman Supply - call Halliburton @ Odessa.... They will pick up unused "R 4" packer & return it to Haliburton @ Lovington, New Mexico...checked with Beckmon, Inc. @ Odessa...left Odessa, Texas @ 11:30 a.m. Arrive @ Crescent @ 8:30 p.m., 3/25/68.

456



3-22-68

Frank Getscher relates that:

He talked to Tom Dillingham last night (3-21-68). They are leaving the hole as of that date with equipment over and in hole.

Ran 3000 feet of pipe, 39 perforations in 5 zones of Mississippian. Water fractured Thursday afternoon (3-14-68). Opened hole Friday morning (3-15-68) and well was on pressure--did not go into vacuum. Swabbed until yesterday (3-21-68). Got back all the frac water and lots of fresh water.

Following info to be considered confidential:

|| Did have some good shows. Looks like the limestone did not yield the oil but are getting it from somewhere. Couldn't get the oil to increase but good shows. Must take a new way of completing.

Will be back to do further testing, etc., after considering the situation.

Definitely planning another hole--but don't know where because lack geology of the area.

Interests in this hole: White Shield Oil and Gas
Werly Bros.
Jack Choate
Southwest Oil
and ?

Jack Ware, geologist

DAVIS-CLARK NO. 1

3/26/68 Hauled used equipment, salvaged from Clark-Davis No. 1 to yard, 2 orbit valves (2" regular 11 1/2 thrd; 2000# GWP, steel body (Figure #4543); 2 2"x6" x H nipple 11 1/2 thrd; 1 2"x 8" x H. nipple 11 1/2 thrd; 1 2"x H. coupling; 1 2"x H. bull plug-tapped 1/2"; 1 1/2" needle valve (Marsh 10,000# WOC); 1 Gulfco FS forged steel square cut "T"; 1 2 7/8" EUE 8 rd. x 8' tubing pup joint. Returned rental U-haul trailer to Guthrie, Oklahoma.

4516


Also On Location: (Pete Bianco (Pres. SW Oil)
(Esccondido, Calif - w/ SW Oil)

TE CHECK

By [Signature]
Date MARCH 13-14

Person(s) Contacted CARL SWAN,
Jack Catbirth (Geologist)

Tom DILLINGHAM;
Present Operations prep wtr
frac.



Formation Tops PGAC LOGS

Cores, Logs, DST RAN: GEN, Caliper,
Induction, Acoustic, Parameter
(frac log) = 5 logs total

Crews _____

REMARKS, PHOTO, MAP

Miss Hall: Burton (from Lorington, N. Mex) frac
trucks on loc. prep frac w/ 10-15,000 bbls wtr.

Perf: 2974-72' (2 shots)
2787-91' (2 ")
2663-66' (3 ")
2653-55' } 2 shots per ft)
2646-49' }
2629-33' }
2601-05' (4 shots)
2589-92' (2 ")
2562-65' (2 ")
2416-20' (4 ")
2229-32' (2 ")

1. Top Miss 2398
2. RAN 5 Logs (see above)
3. PERF
4. Prep to frac
5. MAP (OVER)
6. Picture

WELL NAME


BASIN PET #1 DAVIS-CLARK

Permit No.


454

Confidential: Yes No

Tombstone



Highway *80



WELL SITE CHECK

Contractor _____ Person(s) Contacted _____ By _____
Date _____
Spud date _____
Type Rig _____ Rotary _____ Cable _____ Present Operations _____
Samples _____
Pipe _____ Drilling with Air _____ Mud _____
Water Zones _____ Size Hole _____
Lost Circ. Zones _____ Size Drill Pipe _____
Formation Tops _____ Type Bit _____
Cores, Logs, DST _____ No. Bit _____ Drilling Rate _____
Formation _____
Crews _____ Lithology _____

REMARKS, PHOTO, MAP

WELL NAME _____

Permit No. _____
Confidential: Yes No



PERMIT TO DRILL

This constitutes the permission and authority from the
OIL AND GAS CONSERVATION COMMISSION,
STATE OF ARIZONA,

To: BASIN PETROLEUM CORP.
(OPERATOR)

to drill a well to be known as

BASIN PETROLEUM #1 Davis-Clark
(WELL NAME)

located 884' FNL and 660' FEL (NE NE)

Section 5 Township 21S Range 24E, Cochise County, Arizona.

The E/2 NE/4 of said

Section, Township and Range is dedicated to this well.

Said well is to be drilled substantially as outlined in the attached Application and must be drilled in full compliance with all applicable laws, statutes, rules and regulations of the State of Arizona.

Issued this 4th day of March, 1968.

OIL AND GAS CONSERVATION COMMISSION

By John Binnister
EXECUTIVE SECRETARY

PERMIT

Nº

456

RECEIPT NO. 9540

API No. 02-003-~~20001~~ ⁰⁵⁰³⁷⁻⁰¹

State of Arizona
Oil & Gas Conservation Commission

Permit to Drill

FORM NO. 27

APPLICATION FOR PERMIT TO DRILL OR RE-ENTER

APPLICATION TO DRILL

RE-ENTER OLD WELL


NAME OF COMPANY OR OPERATOR BASIN PETROLEUM CORP.		
Address 545 First National Building, Oklahoma City, Oklahoma 73102		
Drilling Contractor Beckman, Inc. (Frank A. Denker, Vice-President)		
Address P. O. Box 3388, Odessa, Texas 79760		
DESCRIPTION OF WELL AND LEASE		
Federal, State or Indian Lease Number, or if fee lease, name of lessor Fee Lease Davis-Clark	Well number No. 1	Elevation (ground) 4595
Nearest distance from proposed location to property or lease line: 660' FEL feet	Distance from proposed location to nearest drilling completed or applied—for well on the same lease: -0- feet	
Number of acres in lease: 1,431.84 Acres	Number of wells on lease, including this well, completed in or drilling to this reservoir: None	
If lease, purchased with one or more wells drilled, from whom purchased: Jack H. Choate from Southwest Oil Co., a Corporation, Casa Grande, Arizona.		
Well location (give footage from section lines) 660' FEL, 884' FNL	Section—township—range or block and survey Sec. 5, T21S, R24E, G&SRM	Dedication (Comply with Rule 105) E/2 NE/4
Field and reservoir (if wildcat, so state) Wildcat	County Cochise	
Distance, in miles, and direction from nearest town or post office 12 Miles southeast of Tombstone, Arizona.		
Proposed depth: Wash Down 3000'	Rotary or cable tools Rotary	Approx. date work will start March 5, 1968
Bond Status: On File	Organization Report On file Or attached <input checked="" type="checkbox"/>	Filing Fee of \$25.00 Attached <input checked="" type="checkbox"/>
Amount: \$5,000.00		
Remarks:		
<p>CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the President of the BASIN PETROLEUM CORP. (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.</p> <p style="text-align: right;"><i>Carl W. Swan</i> Signature Carl W. Swan</p> <p style="text-align: right;">Date February 29, 1968</p>		
Permit Number: 456	<p>STATE OF ARIZONA OIL & GAS CONSERVATION COMMISSION Application to Drill or Re-enter File Two Copies</p>	
Approval Date: 3-4-68		
Approved By: <i>John Bannister</i>		
<p>Notice: Before sending in this form be sure that you have given all information requested. Much unnecessary correspondence will thus be avoided.</p>		
Form No. 3		

1. Operator shall outline the dedicated acreage for both oil and gas wells on the plat.
2. A registered professional engineer or land surveyor registered in the State of Arizona or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
3. All distances shown on the plat must be from the outer boundaries of the Section.
4. Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES _____ NO XX
5. If the answer to question four is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? YES X NO _____ If answer is "yes," Type of Consolidation Farmout Agreement
6. If the answer to question four is "no," list all the owners and their respective interests below:

Owner BASIN PETROLEUM CORP. (Fee owner: Davis-Clark)	Land Description Re-entry located in NE NE Sec. 5-21S-24E Farmout of lands in Sec. 4, 5, 6, 7, 8 & 18, 21S-24E, Cochise County, Arizona
	<p style="text-align: center;">CERTIFICATION</p> <p>I hereby certify that the information above is true and complete to the best of my knowledge and belief.</p> <p>Name <u>Carl W. Swan</u></p> <p>Position Carl W. Swan, President</p> <p>Company BASIN PETROLEUM CORP.</p> <p>Date February 29, 1968</p> <p>I hereby certify that the well location shown on the plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.</p> <p>Date Surveyed See File #34</p> <p>Registered Professional Engineer and/or Land Surveyor</p> <p>Certificate No. _____</p>

PROPOSED CASING PROGRAM

Size of Casing	Weight	Grade & Type	Top	Bottom	Cementing Depths	Sacks Cement
See File #34						





Fife Symington
Governor

State of Arizona
Arizona Geological Survey

416 W. Congress, Suite 100
Tucson, Arizona 85701
(520) 770-3500



Larry D. Fellows
Director and State Geologist

September 21, 1995

Mr. John H. Buzard
1416 East Blacklidge Drive
Tucson, Arizona 85719

456

Dear John:

It was interesting that you called about the oil wells shown on the Hay Mountain 7.5 topo sheet, especially since I had a similar inquiry several months ago. After the first inquiry, a local consulting geologist and I went into the field to check it out. I recorded the results of that field check in a memo, which I have enclosed with this note. The "oil well" in section 30 is a flagpole! A copy of the topo sheet with my notes and a 1959 summary of the Southwest Oil Company well in ne ne section 5 by Kenneth G. Smith are also enclosed.

Mr. Kenneth G. Smith is listed as an independent in the 1994 AAPG membership directory. His address is 3883 Turtle Creek Blvd, Suite 1904, Dallas TX 75219-4403, phone (214) 669-8171.

Don't hesitate to contact me if I may be of further assistance.

Sincerely,

Steven L. Rauzi
Oil & Gas Program Administrator

Enclosures

MEMORANDUM TO FILE

DATE: May 5, 1995

FROM: Steven L. Rauzi ^{Sec}
Oil and Gas Program Administrator

SUBJECT: Oil well shown on 1957 Hay Mountain 7.5-minute topographic map
NE NE SW Sec. 30, T. 20 S., R. 24 E., Cochise County

Ed Heylman and I field checked this "oil well" on May 4, 1995. What is shown as an "oil well" on the 7.5-minute Hay Mountain topographic map is in reality a 20-foot flagpole.

The Southwest Oil Co. 1 Davis-Clark was drilled in 1956-57 in section 5, T. 21 S., R. 24 E., about 2 miles southeast of the flagpole. This well was drilled on a 4,000-acre drilling block and it is possible the flagpole marked a location for a second well.

Topography of the 1957 Hay Mountain Quadrangle was taken from aerial photographs taken in 1956 and field checked in 1957. Since the Southwest Oil Co. 1 Davis-Clark was drilled in 1956-57, it is possible the USGS was advised that the flagpole marked a second well location or the USGS mistook the flagpole as an oil well based on activity at the Southwest Oil Co. 1 Davis-Clark well 2 miles to the southwest.

In any event, what is shown as an "oil well" on the 1957 Hay Mountain 7.5-minute topographic quadrangle map is in reality a 20-foot flagpole.

456

January 24, 1969

Ms. Bernice M. Schaefer
Hartford Insurance Group
Phoenix Regional Office
111 West Monroe Street
Phoenix, Arizona 85003

Re: Basin Petroleum #1 Davis-Clark
T21S, R24E, G & SRM
Sec. 5: NE/4 NE/4
Cochise County, Arizona
Permit #456
Bond #N3836987

Dear Ms. Schaefer:

Records of this office indicate that on 1-24-69 Basin Petroleum Corporation fulfilled its obligation to the State of Arizona as to the requirements pertaining to the captioned well. We authorize termination of the captioned bond effective this date.

Yours truly,

John Bannister
Executive Secretary

JAL:jf

cc: Basin Petroleum Corporation

456

EXECUTED IN DUPLICATE

PERFORMANCE BOND

KNOW ALL MEN BY THESE PRESENTS

Bond Serial No. N-3836987

That we: Basin Petroleum Corp., Oklahoma City

of the County of Oklahoma in the State of Oklahoma

as principal, and Hartford Accident and Indemnity Company

of Hartford, Connecticut

AUTHORIZED TO DO BUSINESS WITHIN the State of Arizona.

as surety, are held and firmly bound unto the State of Arizona and the Oil and Gas Conservation Commission, hereinafter referred to as the "Commission", in the penal sum of - - Five Thousand and No/100 - - (\$5,000.00) Dollars lawful money of the United States, for which payment, well and truly to be made, we bind ourselves, and each of us, and each of our heirs, executors, administrators or successors, and assigns jointly and severally, firmly by these presents.

The conditions of this obligation are that, whereas the above bounden principal proposes to drill a well or wells for oil, gas or stratigraphic purposes in and upon the following described land situated within the State, to-wit:

One Well in Cochise County, Arizona

(May be used as blanket bond or for single well)

NOW, THEREFORE, if the above bounden principal shall comply with all the provisions of the Laws of this State and the rules, regulations and orders of the Commission, especially with reference to the requirements of A.R.S. §27-516, providing for the proper drilling, casing and plugging of said well or wells, and filing with the Oil and Gas Conservation Commission all notices and records required by said Commission, then in the event said well or wells do not produce oil or gas in commercial quantities, or cease to produce oil or gas in commercial quantities, this obligation is void; otherwise it shall remain in full force and effect.

Whenever the principal shall be, and declared by the Oil and Gas Conservation Commission in violation of the Laws of this State and the rules, regulations and orders of the Commission, the surety shall promptly:

1. Remedy the violation by its own efforts, or
2. Obtain a bid or bids for submission to the Commission to remedy the violation, and upon determination by the Commission and the Surety of the lowest responsible bidder, arrange for a contract between such bidder and the Commission, and make available as work progresses sufficient funds to pay the cost of remedying the violation; but not exceeding, including other costs and damages for which the surety may be liable hereunder, the amount set forth in the first paragraph hereof.

Liability under this bond may not be terminated without written permission of this Commission.

WITNESS our hands and seals, this 6th day of February, 1968

ATTEST: *Marie Anne Helman*
Asst. Secretary

BASIN PETROLEUM CORP.

BY: *Carl W. Swan* 1-24-69
Principal

Carl W. Swan - President

WITNESS our hands and seals this 6th day of February, 1968

HARTFORD ACCIDENT AND INDEMNITY COMPANY

BY: *John W. James*
John W. James, Attorney-in-Fact

XXX Surety, Resident Arizona Agent
If issued in a state other than Arizona

(If the principal is a corporation, the bond should be executed by its duly authorized officers, with the seal of the corporation affixed. When not done, the surety executes this bond by agent, power of attorney or other evidence of authority must accompany the bond.)

Approved Date: 2-13-68
STATE OF ARIZONA
OIL & GAS CONSERVATION COMMISSION
By: *John W. James*

STATE OF ARIZONA
OIL & GAS CONSERVATION COMMISSION
Bond
File Two Copies
Form No. 2

Permit No. 456



Hartford Accident and Indemnity Company

HARTFORD, CONNECTICUT

POWER OF ATTORNEY

Know all men by these Presents, That the HARTFORD ACCIDENT AND INDEMNITY COMPANY, a corporation duly organized under the laws of the State of Connecticut, and having its principal office in the City of Hartford, County of Hartford, State of Connecticut, does hereby make, constitute and appoint

JOHN W. JAMES, of OKLAHOMA CITY, OKLAHOMA,

its true and lawful Attorney(s)-in-fact, with full power and authority to each of said Attorney(s)-in-fact, in their separate capacity if more than one is named above, to sign, execute and acknowledge any and all bonds and undertakings and other writings obligatory in the nature thereof on behalf of the company in its business of guaranteeing the fidelity of persons holding places of public or private trust; guaranteeing the performance of contracts other than insurance policies; guaranteeing the performance of insurance contracts where surety bonds are accepted by states and municipalities, and executing or guaranteeing bonds and undertakings required or permitted in all actions or proceedings or by law allowed.

in penalties not exceeding the sum of SEVEN HUNDRED FIFTY THOUSAND DOLLARS (\$750,000.00) each,

and to bind the HARTFORD ACCIDENT AND INDEMNITY COMPANY thereby as fully and to the same extent as if such bonds and undertakings and other writings obligatory in the nature thereof were signed by an Executive Officer of the HARTFORD ACCIDENT AND INDEMNITY COMPANY and sealed and attested by one other of such officers, and hereby ratifies and confirms all that its said Attorney(s)-in-fact may do in pursuance hereof.

This power of attorney is granted under and by authority of the following By-Law adopted by the Stockholders of the HARTFORD ACCIDENT AND INDEMNITY COMPANY at a meeting duly called and held on the 10th day of February, 1943.

ARTICLE IV

SECTION 8. The President or any Vice-President, acting with any Secretary or Assistant Secretary, shall have power and authority to appoint, for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, one or more Resident Vice-Presidents, Resident Assistant Secretaries and Attorneys-in-fact and at any time to remove any such Resident Vice-President, Resident Assistant Secretary, or Attorney-in-fact, and revoke the power and authority given to him.

SECTION 11. Attorneys-in-fact shall have power and authority, subject to the terms and limitations of the power of attorney issued to them, to execute and deliver on behalf of the Company and to attach the seal of the Company thereto any and all bonds and undertakings, and other writings obligatory in the nature thereof, and any such instrument executed by any such Attorney-in-fact shall be as binding upon the Company as if signed by an Executive Officer and sealed and attested by one other of such Officers.

This power of attorney is signed and sealed by facsimile under and by the authority of the following Resolution adopted by the Directors of the HARTFORD ACCIDENT AND INDEMNITY COMPANY at a meeting duly called and held on the 13th day of March, 1956.

RESOLVED, that, whereas the President or any Vice-President, acting with any Secretary or Assistant Secretary, has the power and authority to appoint by a power of attorney, for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, one or more Resident Vice-Presidents, Assistant Secretaries and Attorneys-in-fact;

Now therefore the signatures of such officers and the seal of the Company may be affixed to any such power of attorney or to any certificate relating thereto by facsimile, and any such power of attorney or certificate bearing such facsimile signatures or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by facsimile signatures and facsimile seal shall be valid and binding upon the Company in the future with respect to any bond or undertaking to which it is attached.

In Witness Whereof, the HARTFORD ACCIDENT AND INDEMNITY COMPANY has caused these presents to be signed by its Vice-President, and its corporate seal to be hereto affixed, duly attested by its Secretary, this 3rd day of March, 1966.

Attest:

HARTFORD ACCIDENT AND INDEMNITY COMPANY

Royce H. San
Secretary



C. M. O'Dowd
Vice-President

STATE OF CONNECTICUT, }
COUNTY OF HARTFORD, } ss.

On this 3rd day of March, A. D. 1966, before me personally came C. M. O'Dowd, to me known, who being by me duly sworn, did depose and say: that he resides in the County of Hartford, State of Connecticut; that he is the Vice-President of the HARTFORD ACCIDENT AND INDEMNITY COMPANY, the corporation described in and which executed the above instrument; that he knows the seal of the said corporation; that the seal affixed to the said instrument is such corporate seal; that it was so affixed by order of the Board of Directors of said corporation and that he signed his name thereto by like order.

STATE OF CONNECTICUT, }
COUNTY OF HARTFORD, } ss.



Robert P. Phoen
Notary Public
My commission expires March 31, 1972

CERTIFICATE

I, the undersigned, Assistant Secretary of the HARTFORD ACCIDENT AND INDEMNITY COMPANY, a Connecticut Corporation, DO HEREBY CERTIFY that the foregoing and attached POWER OF ATTORNEY remains in full force and has not been revoked; and furthermore, that Article IV, Sections 8 and 11, of the By-Laws of the Company, and the Resolution of the Board of Directors, set forth in the Power of Attorney, is now in force.

Signed and sealed at the City of Hartford. Dated the 6th day of February 1968

459



J. Hoyle
Assistant Secretary

February 6, 1968


TO: Hartford A & I Agent

This will introduce Mr. Carl W. Swan or his representative.

Will you do this agency the favor of countersigning his bond and send your invoice for any counter signature fee to my attention, 411 City National Building, Oklahoma City, Oklahoma.

INSURANCE ASSOCIATES, INC.

ROBERT C. McFARLANE AGENCY


Robert C. McFarlane



HARTFORD FIRE INSURANCE COMPANY
HARTFORD ACCIDENT AND INDEMNITY COMPANY
HARTFORD LIFE INSURANCE COMPANY

CITIZENS INSURANCE COMPANY OF NEW JERSEY
NEW YORK UNDERWRITERS INSURANCE COMPANY
TWIN CITY FIRE INSURANCE COMPANY



THE HARTFORD INSURANCE GROUP

HARTFORD, CONNECTICUT 06115
PHOENIX REGIONAL OFFICE
111 WEST MONROE STREET, PHOENIX, ARIZONA 85003

TELEPHONE:
258-1681

March 1, 1968

Arizona Oil & Gas Conservation Commission
1624 West Adams
Room 202 State Office Building
Phoenix, Arizona 85007

ATTN: Mr. John Bannister

RE: Bond 3836987
Basin Petroleum Co.

Signature of Resident Agent

Dear Mr. Bannister,

The Hartford Insurance Group does not issue Power of Attorney to their Resident Agents.

Mr. Leroy Pearl, Jr. who signed as Resident Agent on the above captioned bond is registered with the state of Arizona. Service Report Number 8121 which expires on the 30th of June, 1968.


If anything further is needed, please feel free to call.

Very truly yours,

Bernice M. Schaefer
Bernice M. Schaefer
Phoenix Bond Dept.



456



BASIN PETROLEUM CORP.

545 FIRST NATIONAL BUILDING • AC 405 235-8461 • OKLAHOMA CITY, OKLAHOMA 73102

January 21, 1969

Mr. James A. Lambert
Administrative Assistant
Oil & Gas Conservation Commission
State of Arizona
Room 202, 1624 West Adams
Phoenix, Arizona 85007

RE: Davis-Clark No. 5-1
NE/4 NE/4
SECTION 5-21S-24E G & SRM
COCHISE COUNTY, ARIZONA
Permit #456

Dear Mr. Lambert:

In reference to your letter dated January 14, 1969, stating a written request to release Basin bond #N-3836987 with the Hartford Accident and Indemnity Company on the above well, it is our desire to release the bond.

Thank you for your consideration and patience in handling the necessary forms required by the State of Arizona.

Sincerely yours,

Jan Martin

Jan Martin
Production Secretary

jm



456

January 14, 1969

Mr. Jan Martin
Basin Petroleum Corporation
545 First National Building
Oklahoma City, Oklahoma 73102

Re: Basin Petroleum #1 Davis-Clark
T21S, R24E, G & SRM
Sec. 5: NE/4 NE/4
Cochise County, Arizona
Permit #456

Dear Mr. Martin:

This is to inform you that our records indicate that we will be willing to release your bond #N-3836987 with the Hartford Accident and Indemnity Company on the captioned well at your written request.

Thank you for your cooperation during the drilling of this well.

Yours truly,

James A. Lambert
Administrative Assistant

jf

456

December 24, 1968

Mr. Jan Martin
Basin Petroleum Corporation
545 First National Building
Oklahoma City, Oklahoma 73102

Re: Davis-Clark #1
T21S, R24E, G & SRM
Sec. 5: NE/4 NE/4
Cochise County, Arizona
Permit #456

Dear Mr. Martin:

Enclosed please find Form #4 which we are returning as incomplete. Please fill out the reverse side and return to this office at your earliest convenience.

Yours truly,

James A. Lambert
Administrative Assistant

jf
Enc.

456



BASIN PETROLEUM CORP.

545 FIRST NATIONAL BUILDING • AC 405 235-8461 • OKLAHOMA CITY, OKLAHOMA 73102

December 23, 1968

Mr. James A. Lambert, Administrative Assistant
Oil & Gas Conservation Commission
State of Arizona
Room 202, 1624 West Adams
Phoenix, Arizona 85007

RE: Davis-Clark No. 1
NE/4 NE/4
Section 5-21S-24E
Cochise County, Arizona
Permit #456

Dear Mr. Lambert:


Please find enclosed Form #4 and the logs as requested in your letter dated December 18, 1968.

If any further information is needed, please let me know.

Sincerely yours,
Jan Martin
Jan Martin
Production Secretary

jm

Enclosures



December 18, 1968

Mr. Clyde D. Towery, Production Manager
Basin Petroleum Corporation
545 First National Building
Oklahoma City, Oklahoma 73102

Re: Basin Petroleum #1 Davis-Clark
T21S, T24E, G & SRM
Sec. 5: NE/4 NE/4
Cochise County, Arizona
Permit #456

Dear Mr. Towery:

Thank you for submitting Forms 10 and 26 and the letter of explanation of plugging operations. Our records indicate, however, that in order to make the file on the captioned well complete, we do need a Well Completion or Recompletion Report, our Form #4. This form is enclosed for your convenience.

Thank you for your cooperation.

Yours truly,

James A. Lambert
Administrative Assistant

jf
Enc.

456



BASIN PETROLEUM CORP.

545 FIRST NATIONAL BUILDING • AC 405 235-8461 • OKLAHOMA CITY, OKLAHOMA 73102

December 16, 1968

Mr. James Scurlock, Geologist
Arizona Oil & Gas Conservation Commission
1624 West Adams
Phoenix, Arizona

RE: Basin Petroleum Corp.
Davis - Clark No. 1
Cochise County, Arizona
Permit #456

Dear Mr. Scurlock:

Attached, herewith, are forms No. 10 and No. 26 which cover the plugging and releasing of the Davis-Clark No. 1 to Mr. Houston Davis, Box 368, Tombstone, Arizona.

Plugging operations were started on December 11, 1968. The pumping rod string was pulled and also the 2 7/8" tubing with the Halliburton packers. An attempt was made at pulling the 4 1/2" production casing, but the unit we had over the hole was not large enough to handle the casing. Consequently, the well is still equipped with a full string of 4 1/2" casing. (2010)

Mr. Houston Davis was contacted and he did want to take over the abandoned well and in the future, will use it as a water well for irrigation or for stock watering purposes.

If what we have filed does not clear or bring your records up to date, please advise.

Wish I could have seen you while I was that close, but time wasn't permitting.

Thanks, once again, for your cooperation and assistance in plugging this well.

Yours truly,


Clyde D. Towery
Clyde D. Towery
Production Manager



CDT:jm

Enclosure

456



BASIN PETROLEUM CORP.

545 FIRST NATIONAL BUILDING • AC 405 235-8461 • OKLAHOMA CITY, OKLAHOMA 73102

December 9, 1968

Mr. James Scurlock, Geologist
Oil & Gas Conservation Commission
State of Arizona
Room 202, 1624 West Adams
Phoenix, Arizona 85007

Dear Mr. Scurlock:

Please find enclosed Form No. 9, Application To Abandon And Plug, on the Basin Davis-Clark No. 1 located in Cochise County, Arizona.

If you should need any further information, please let us know.


Sincerely yours,

Jan Martin

Jan Martin
Production Secretary

jm

Enclosure



456

December 5, 1968

Mr. Clyde D. Towery, Production Manager
Basin Petroleum Corporation
545 First National Building
Oklahoma City, Oklahoma 73102

Re: Basin Petroleum #1 Davis-Clark
T21S, R24E, G & SRM
Sec. 5: NE/4 NE/4
Cochise County, Arizona
Permit #456

Dear Mr. Towery:

The Water Well Acceptance Forms that you requested for the above well are in the mail. After sending them, it has occurred to me that perhaps you should tell us what your proposed program is on this well by way of pulling rods, casing, etc. so that we will have an idea of what shape you will leave the well which will be converted to a water well.

Yours truly,

James Scurlock
Geologist

JS:jf

456

November 7, 1968

Mr. Clyde D. Towery, Production Manager
Basin Petroleum Corporation
545 First National Building
Oklahoma City, Oklahoma 73102

Re: Basin Petroleum #1 Davis-Clark
Cochise County
Permit #456

Dear Mr. Towery:

Thank you for bringing us up to date on the operations of the subject well.

In order to keep our records clear and to abide by our regulations, would you please send also a request to place this well on temporarily abandon status.

Hope to see you back in these parts again soon.

Yours truly,

James Scurlock
Geologist

JS:jf

sent water well acceptance form - 12-4-68.

456 Mr. Harold Davis is land-owner.

BASIN PETROLEUM CORP.

Suite 1406
375 Park Avenue
212-759-9740
New York, New York 10022

545 First National Bldg.
405-235-8461
Oklahoma City, Okla. 73102

September 30, 1968

Mr. James A. Lambert, Administrative Assistant
Oil & Gas Conservation Commission
State of Arizona
Room 202, 1624 West Adams
Phoenix, Arizona

RE: Basin Petroleum Corp.
Davis-Clark No. 1
C NE NE SECTION 5-21S-24E
Cochise County, Arizona

Dear James:

Mr. Bob Hunt of Basin Petroleum Corp. has turned your letter of September 23, 1968, over to me to be answered.

Enclosed, you will find Form No. 25 bringing the status of the well up to date.

If you should need any additional information, please let me know and I will assist you.

Yours truly,

Clyde D. Towery
Clyde D. Towery
Production Manager

CDT:jm

Enclosure

4^u

456



September 23, 1968

Mr. Robert Hunt
Basin Petroleum Corporation
545 First National Building
Oklahoma City, Oklahoma 73102

Re: Basin Petroleum #1 Davis-Clark
T21S, R24E, G & SWM
Sec. 5: NE/4 NE/4
Cochise County, Arizona
Permit #456

Dear Bob:

On studying over the file, I see by your August 30 sundry notice that you marked you had intention of perforating casing; and that since the July 29 report you had fractured, acidized, and altered casing without elaborating or giving any pertinent details and dates as to this work. Now the Commission is entitled to this information if the work was done. If the Form 25 dated August 30 was erroneously marked, you should inform us. Be assured that this office must have factual information; but it is not our motive to unnecessarily burden the operator report-wise. Let's back up and start again. Please submit a Form 25 bearing a September date that does bring this office up to date on what has been done.

Thanks for your concern manifested by the telephone call.

Yours truly,

James A. Lambert
Administrative Assistant

JAL:jf

Memo: File
From: J. Lambert

9-23-68
Time: 3:00 p.m.

Re: Basin Petroleum #1 Davis-Clark
T21S, R24E, G & SRM
Sec. 5: NE/4 NE/4
Cochise County, Arizona
Permit #456

Bob Hunt, engineer with Basin Petroleum, called this date. Basin Petroleum is distressed because of our letter dated September 20 and pointed out that all of the information requested in our September 4 letter has been furnished. I find in the file a summary of their daily drilling log we suggested they furnish us. It details the number and intervals of perforations and other pertinent data we requested. They mentioned the Sundry Report due at this time as being a "no change" report. They still have not decided exactly what they will do with this well and are optimistic that they may be able to induce others to drill wells in this area. Should they be unsuccessful, they will offer the well to the land owner as a water well, and lastly would plug and abandon the well. Encouraged them to use their best efforts to encourage further drilling in the State of Arizona.

Reviewed file and decided to write Basin requesting a current Form 25 that will delineate work accomplished and not clearly reported.

Per 7-29 letter: Ran tubing and set stratapackers on 6-26-68.
Zone of best porosity: 2615' - 2548'.
Per 8/26 letter: Informs us that pump unit was ordered to be removed from well.

September 20, 1968

Mr. Carl W. Swan, President
Basin Petroleum Corporation
545 First National Building
Oklahoma City, Oklahoma 73102

Re: Basin Petroleum #1 Davis-Clark
NE NE 5-21E-24E Cochise County, Arizona
Permit 456

Dear Carl:

To date we have not received the information
requested in my letter of 9-4-68.

May we please have this at your earliest con-
venience?

Very truly yours,

John Bannister
Executive Secretary

ji

September 4, 1968

Mr. Carl W. Swan, President
Basin Petroleum Corporation
545 First National Building
Oklahoma City, Oklahoma 73102

Re: Basin Petroleum #1 Davis-Clark
NE NE 5-21S-24E Cochise County, Arizona
Permit 456

Dear Carl:

In the sundry report submitted to us on August 30, 1968 you indicated that you are preparing to perforate the casing. However, you failed to furnish any information other than you were planning. In the subsequent reporting we should be brought up to date.

As you are aware, we do not wish to burden operators with needless paper work. However, you are again requested to detail your operations, specifically interval of perforations, number, etc., results of your shooting and acidizing, and other pertinent data. May operators have found it more convenient to submit copies of daily drilling logs showing this information.

As you are aware, our Rule 202.B provides that when operations have been suspended in excess of sixty days the well must be plugged and abandoned, unless permission to the contrary is granted by the Commission. In order to prevent premature plugging of this well it is requested that you keep us currently advised as to the progress of your operations.

I appreciate your cooperation.

Very truly yours,

John Bannister
Executive Secretary
mr

August 27, 1968

Mr. Carl W. Swan
Basin Petroleum Corporation
545 First National Building
Oklahoma City, Oklahoma 73102

Re: Basin Petroleum #1 Davis-Clark
T21S, R24E, G & SRM
Sec. NE/4 NE/4
Cochise County, Arizona
Permit #456

Dear Mr. Swan:

Please submit our form No. 25 bearing an August date pertaining to the captioned well. We will expect a sundry report pertaining to the captioned well bearing a September, 1968, date also.

Enclosed are forms you might wish to use should the land owner wish to accept your well as a water well. We also enclose form 9 which should be completed and approved prior to plugging and abandoning subject well.

We read your letter with interest. The last paragraph is encouraging to this office. We hope that you are successful, and that another well shall be drilled in this area.

Yours truly,

James A. Lambert
Administrative Assistant

JAL:jf
Enclosures

BASIN PETROLEUM CORP.

Suite 1406
375 Park Avenue
212-759-9740
New York, New York 10022

REPLY TO:
545 First National Bldg.
405-235-8461
Oklahoma City, Okla. 73102

August 26, 1968

Mr. John Bannister
Executive Secretary
Oil and Gas Conservation Commission
State of Arizona
Room 202, 1624 West Adams
Phoenix, Arizona 85007

RE: Basin Petroleum #1 Davis-Clark
NE NE, 5-21S-24E
Cochise County, Arizona

Dear Mr. Bannister:

The purpose of this letter is bring you up to date on the activities of the Davis-Clark well. We called a service company last week and told them to remove the pumping unit from this well. ~~We have not had any significant shows since my letter to you on July 29.~~ In fact, since that date, we have pumped nothing but fresh water. We will in the near future arrange to move in a pulling unit and remove the rods and tubing from the hole. At that time, we will contact your office so to be sure to comply with all regulations of the State of Arizona in the plugging and abandonment of this well.

I received a letter from James A. Lambert, along with two forms No. 25, which I understand we are to file with your office prior to commencing any plugging operations.

We are presently working with some other people hoping to cause another well to be drilled in this area. We will keep you posted if we are successful in this endeavor.


Sincerely yours,



Carl W. Swan

CWS:das

cc: Mr. James A. Lambert



August 13, 1968

Mr. Carl W. Swan
Basin Petroleum Corporation
545 First National Building
Oklahoma City, Oklahoma 73102

Dear Sir:

Pursuant to your letter dated July 29, 1968, we expected to have received additional status report in the interim. Enclosed is form No. 25. Please keep this office advised as to the status of this well.

Yours truly,

James A. Lambert
Administrative Assistant

JAL:jf
Enc.

BASIN PETROLEUM CORP.

Suite 1406
375 Park Avenue
212-759-9740
New York, New York 10022

July 29, 1968

REPLY TO:
545 First National Bldg.
405-235-8461
Oklahoma City, Okla. 73102

Mr. John Bannister, Executive Secretary
Oil and Gas Conservation Commission
State of Arizona
Room 202, 1624 West Adams
Phoenix, Arizona 85007

RE: Basin Petroleum #1 Davis-Clark (PERMIT 456)
NE NE, 5-21S-24E, Cochise County, Arizona

Dear Mr. Bannister:

In reply to your letter of July 24, I want to start off by apologizing for the poor way we have not kept you informed on what has been going on at our Davis-Clark well located in Cochise County, Arizona. The following should bring you up to date.

On June 26, 1968, we moved DA&S Oil Well Servicing Unit from Hobbs, New Mexico, to the Davis-Clark. Ran tubing and attempted to isolate the zone of best porosity from 2615' to 2548' with stratipackers. Up to this time we have been unable to lower the fluid level below 400' from surface by swabbing. After setting packers at the above mentioned level, we could swab 10 barrels water per hour and lower the fluid level. Prior to this, we were swabbing 50 to 70 barrels per hour of fresh water. We had a very slight show oil, and decided to put the well on pump. We started pumping the well on July 3, and since that time the little show of oil that we had has deminished. The well is presently making approximately 300 barrels fresh water per day, on pump.

Our plans are to continue pumping approximately one more week and if we have had no change by that time, we will commence operations to plug and abandon. We will keep you informed in order to comply with the rules and regulations of the State of Arizona. Again, I apologize for not keeping you better informed.

Very truly yours,

Carl W. Swan
Carl W. Swan

CWS:das

456

July 24, 1968

Basin Petroleum Corp.
545 First National Bldg.
Oklahoma City, Okla. 73102

Attention: Mr. Carl W. Swan, President

Re: Basin Petroleum #1 Davis-Clark
NE NE 5-21S-24E Cochise County, Arizona
Permit 456

Gentlemen:

This Commission approved temporary abandoned status for captioned well to expire July 10, 1968.

To date we have heard nothing further from you concerning your operations on this well.

It will be necessary that this well be plugged and abandoned unless we hear from you immediately detailing your plans for resuming operations on this well in the near future.

Very truly yours,

John Bannister
Executive Secretary
mj

May 10, 1968

Oil and Gas Conservation Commission
1624 W. Adams
Phoenix, Arizona 85007

Re: Basin Petroleum #1 Davis-Clark
NE NE 5-21S-24E, Chocise County
Permit 456

Gentlemen:

Operations on captioned well have been temporarily suspended. Permission is requested to continue this well in a temporarily abandoned status to enable us to complete arrangements to do some further temperature logging and testing and completion.

Very truly yours,

Tom B Dillingham

Tom Dillingham, for
Basin Petroleum Corporation

APPROVED

To expire July 10, 1968

By *John R. Kinnister*

Date 5-10-68

OIL & GAS CONSERVATION COMMISSION
STATE OF ARIZONA
1624 WEST ADAMS - SUITE 202
TELEPHONE: 271-5161
PHOENIX, ARIZONA, 85007

BASIN PETROLEUM CORP.

Suite 1406
375 Park Avenue
212-759-9740
New York, New York 10022

545 First National Bldg.
405-235-8461
Oklahoma City, Okla. 73102

April 4, 1968

Oil & Gas Conservation Commission
State of Arizona
Room 202, 1624 West Adams
Phoenix, Arizona 85007

RE: Davis - Clark No. 1
NE-NE SECTION 5-21S-24E
Cochise County, Arizona
Permit 456

Gentlemen:

Please find enclosed the information that you requested in your letter dated March 25, 1968 on the above captioned well.

At this time, we desire to keep this information confidential until further study is done on this well. Also, you will be notified as to our intentions concerning the Davis-Clark No. 1 and will be mailed any correspondence relating to it.


Sincerely yours,

Jan Martin

Jan Martin
Production Secretary

Jm

Enclosures



456

March 25, 1968

Basin Petroleum Corp.
545 First National Bldg.
Oklahoma City, Okla. 73102

Attention: Mr. Carl W. Swan, President

Re: Basin Petroleum #1 Davis-Clark
NE NE 5-21S-24E, Cochise County, Arizona
Permit 456

Gentlemen:

This Commission of course is to be kept currently informed as to the progress of your operations on captioned well. We should be informed when a well is spudded, when logging or testing operations are conducted and the results thereof, or when operations are suspended for whatever reason.

By telephone we were informed that the hole was re-entered on March 8, 1968. We have heard nothing further, although we have received copies of your logs.

To keep this Commission informed of your operations, we are enclosing a supply of Form 25 should these be convenient for your use. It may be more convenient, however, for you to send us periodically copies of your daily drilling log. At any rate, we must have some reporting from you as soon as possible. (We also call your attention to Rule 202.B.)

By telephone you also indicated that you wished your operations to be kept confidential. This too should be in writing. Of course any information we then receive will be retained by us in a confidential status.

Very truly yours,

John Bannister
Executive Secretary
mr
enc

BASIN PETROLEUM CORP.

Suite 1406
375 Park Avenue
212-759-9740
New York, New York 10022

545 First National Bldg.
405-235-8461
Oklahoma City, Okla. 73102

February 29, 1968

State of Arizona
Oil & Gas Conservation Commission
Capitol Building
Phoenix, Arizona


Attention: Mr. John Banister.

Gentlemen:

As discussed by telephone today with your secretary, enclosed is Basin Petroleum Corp.'s Application for Permit to Re-Enter Old Well in Section 5-21S-24E, Cochise County, Arizona.

Also enclosed is your Form No. 1, Organization Report.

Very truly yours,


Carl W. Swan, President

CWS:das

Encls.

456