

AGCO

KERR-McGEE ~~25~~ *Nav.*  
NE NW 31-36N-30E APACHE CO.

719



**WELL COMPLETION OR RECOMPLETION REPORT AND WELL LOG**

DESIGNATE TYPE OF COMPLETION:

New Well  Work-Over  Deepen  Plug Back  Same Reservoir  Different Reservoir  Oil  Gas  Dry

DESCRIPTION OF WELL AND LEASE

Operator: Kerr-McGee Corporation Address: P.O. Box 250, Amarillo, Texas 79189

Federal, State or Indian Lease Number or name of lessor if fee lease: Navajo #14-20-0603-8823 Well Number: 25 Field & Reservoir: Dineh-Bi-Keyah RECEIVED

Location: 1140' FNL & 2090' FWL (NE/4, NW/4) County: Apache Date: OCT 22 1981

Sec. TWP-Range or Block & Survey: Sec. 31, T-36-N, R-30-E O & G CONS. COMM.

Date spudded: 8/26/81 Date total depth reached: 9/08/81 Date completed, ready to produce: 10/10/81 Elevation (DF, RKB, RT or Gr.): 8510 feet Elevation of casing hd. flange: 8498 feet

Total depth: 4024' RKB P.B.T.D.: 3987' RKB Single, dual or triple completion?: Single If this is a dual or triple completion, furnish separate report for each completion.

Producing interval (s) for this completion: Hermosa Sill 3826' to 3936' Rotary tools used (interval): All Cable tools used (interval): None

Was this well directionally drilled?: No Was directional survey made?: No Was copy of directional survey filed?: No Date filed:

Type of electrical or other logs run (check logs filed with the commission): GR-CCL-CBL; GR-CFDL Date filed: 10/13/81

CASING RECORD

Casing (report all strings set in well—conductor, surface, intermediate, producing, etc.)						
Purpose	Size hole drilled	Size casing set	Weight (lb./ft.)	Depth set	Sacks cement	Amt. pulled
Surface	12 1/4"	8 5/8"	24#/ft.	403'	350sx "H"	0
Production	7 7/8"	5 1/2"	15.5#/ft.	4024'	250sx "H"	0

TUBING RECORD

LINER RECORD

Size	Depth set	Packer set at	Size	Top	Bottom	Sacks cement	Screen (ft.)
2 3/8 in.	3943 ft.	None ft.	in.	ft.	ft.		

PERFORATION RECORD

ACID, SHOT, FRACTURE, CEMENT SQUEEZE RECORD

Number per ft.	Size & type	Depth Interval	Am't. & kind of material used	Depth Interval
2 SPF	22 gr., 0.5	3936' to 3826'	40M gal. Maxi-Oil	3826' to 3936'
217 Total	entry hole		74 & 60M#10/20 sd.	

SS II

INITIAL PRODUCTION

Date of first production: 10/11/81 Producing method (indicate if flowing, gas lift or pumping—if pumping, show size & type of pump): pumping 2 1/2" x 2" x 16' RWAC

Date of test: 10/18/81 Hrs. tested: 24 Choke size: none Oil prod. during test: 109 bbls. Gas prod. during test: 13.1 MCF Water prod. during test: 0 bbls. Oil gravity: 39.4 API (Corr)

Tubing pressure: 0 Casing pressure: 0 Cal'ted rate of Production per 24 hrs.: 109 bbls. Oil Gas Water Gas-oil ratio: 120:1

Disposition of gas (state whether vented, used for fuel or sold): vented

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the Sr. Engineering Assistant of the Kerr-McGee Corporation (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

Date: October 20, 1981

Signature: Kelley Eisenberg  
Kelley Eisenberg

Permit No. 719

STATE OF ARIZONA  
OIL & GAS CONSERVATION COMMISSION  
Well Completion or Recompletion Report and Well Log  
Form No. 4 File One Copy

**DETAIL OF FORMATIONS PENETRATED**

Formation	Top	Bottom	Description*
Cocanino	1518'	3330'	
Hermosa	3330'	3800'	
Black Shale	3800'	3828'	
Intrusive	3828'	3940'	Plutonic Syenite

\* Show all important zones of porosity, detail of all cores, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

**INSTRUCTIONS:**

Attach drillers log or other acceptable log of well.

This Well Completion or Recompletion report and well log shall be filed with the State of Arizona Oil & Gas Conservation Commission not later than thirty days after project completion.

Form No. 4

**OPERATOR'S CERTIFICATE OF COMPLIANCE AND AUTHORIZATION  
TO TRANSPORT OIL OR GAS FROM LEASE**

Federal, State or Indian Lease Number, or lessor's name if fee lease <u>14-20-0603-8823</u>	Field <u>Dineh-BI-Keyah</u>	Reservoir <u>Hermosa</u>
Survey or Sec-Twp-Rge <u>Sec 29, 30, 31, 32 T-36N-R30E</u>	County <u>Apache</u>	State <u>AZ</u>
Operator <u>Mountain States Petroleum Corp.</u>		
ADDRESS ALL CORRESPONDENCE CONCERNING THIS FORM TO:		
Street <u>P O Bx 1936</u>	City <u>Roswell,</u>	State <u>New Mexico 88202</u>
Above named operator authorizes (name of transporter) <u>Giant Industries</u>		
Transporter's street address <u>P O Bx 12999</u>	City <u>Scottsdale,</u>	State <u>AZ</u>
Field address <u>P O Bx 256 (Bloomfield Hwy) Farmington, N M 87499</u>		
Oil, condensate, gas well gas, casinghead gas		
To transport	<u>100% of the</u>	<u>oil</u> from said lease.
OTHER GATHERERS TRANSPORTING FROM THIS LEASE ARE AS FOLLOWS:		
Name of gatherer	% transported	Product transported
Indicate whether or not this certificate is for a new lease. If not a new lease, indicate whether or not it is a change of operator, change of lease name, change of gatherer, or a consolidation or subdivision of leases and give effective date of change.  <u>Change of Oper.</u>		

The undersigned certifies that the rules and regulations of the State of Arizona Oil & Gas Conservation Commission have been complied with in drilling and producing operations on this lease, except as noted above, and that the above transporter is authorized to transport the above specified percentage of the allowable oil or gas produced from the above described property, and that this authorization will be valid until further notice or until cancelled by the State of Arizona Oil & Gas Conservation Commission.

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the Secretary of the Mountain States Petro. Corp. (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

Date Aug. 11, 1995

Ruby Wickersham  
Signature

Date approved: AUG 16 1995

STATE OF ARIZONA  
OIL & GAS CONSERVATION COMMISSION

By: Steven L. Rainy

Permit No. 719

STATE OF ARIZONA  
OIL & GAS CONSERVATION COMMISSION  
Operator's Certificate of Compliance & Authorization to  
Transport Oil or Gas from Lease  
File Two Copies  
Form No. 8

**OPERATOR'S CERTIFICATE OF COMPLIANCE AND AUTHORIZATION  
TO TRANSPORT OIL OR GAS FROM LEASE**

Federal, State or Indian Lease Number, or lessor's name if fee lease <b>14-20-0603-8823 Navajo</b>	Field <b>Dineh-Bi-Keyah</b>	Reservoir <b>Hermosa</b>
Survey or Sec-Twp-Rge <b>Several - T 36 N, R 30 E</b>	County <b>Apache</b>	State <b>Arizona</b>
Operator <b>Kerr-McGee Corporation</b>		
ADDRESS ALL CORRESPONDENCE CONCERNING THIS FORM TO:		
Street <b>P. O. Box 250</b>	City <b>Amarillo</b>	State <b>Texas, 79189</b>
Above named operator authorizes (name of transporter) <b>Gary-Williams Energy</b>		
Transporter's street address <b>370 17th St., Suite 5300</b>	City <b>Denver</b>	State <b>Colorado, 80202</b>
Field address <b>P. O. Box 159, Bloomfield, NM 87413</b>		
Oil, condensate, gas well gas, casinghead gas		
To transport	<b>100% of the Oil</b>	from said lease.
OTHER GATHERERS TRANSPORTING FROM THIS LEASE ARE AS FOLLOWS:		
Name of gatherer	% transported	Product transported
Indicate whether or not this certificate is for a new lease. If not a new lease, indicate whether or not it is a change of operator, change of lease name, change of gatherer, or a consolidation or subdivision of leases and give effective date of change.		

The undersigned certifies that the rules and regulations of the State of Arizona Oil & Gas Conservation Commission have been complied with in drilling and producing operations on this lease, except as noted above, and that the above transporter is authorized to transport the above specified percentage of the allowable oil or gas produced from the above described property, and that this authorization will be valid until further notice or until cancelled by the State of Arizona Oil & Gas Conservation Commission.

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the Area Manager of the Kerr-McGee Corporation (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

Date 8/18/92

Signature H. H. Rice H.H. Rice

Date approved: 8-21-92

STATE OF ARIZONA  
OIL & GAS CONSERVATION COMMISSION

By: Steven L. Rain

Permit No. \_\_\_\_\_

STATE OF ARIZONA  
OIL & GAS CONSERVATION COMMISSION  
Operator's Certificate of Compliance & Authorization to  
Transport Oil or Gas from Lease  
File Two Copies  
Form No. 8

SUNDRY NOTICES AND REPORTS ON WELLS

RECEIVED

DEC 12 1983

O & G CONS. COMM.

1. Name of Operator Kerr-McGee Corporation

2. Oil WELL  GAS WELL  OTHER  (Specify) \_\_\_\_\_

3. Well Name Navajo #25

Location 1140' FNL & 2090' FWL

Sec. 31 Twp. 36N Rgn. 30E County Apache Arizona.

4. Federal, State or Indian Lease Number, or lessor's name if fee lease Navajo Lease ID# 14-20-0603-8823

5. Field or Pool Name Dineh-Bi-Keyah

6. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	MONTHLY PROGRESS <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	DIRECTIONAL DRILL <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	PERFORATE CASING <input type="checkbox"/>	SHOOTING OR ACIDIZING <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(OTHER) <input type="checkbox"/>	ABANDONMENT <input type="checkbox"/>

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

7. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

11/16/83 Pumped 500 gallons of a 15% HCl Xylene 50/50 mix down annulus at 0 psi, 5 BPM. Additives in acid were:

1 gal/1000gal: iron control agent  
 " " clay stabilizer  
 " " iron scale inhibitor  
 " " surfactant-non emulsifier  
 " " corrosion inhibitor


8. I hereby certify that the foregoing is true and correct.

Signed Baron Regan Title Engineering Assist. Date 12/09/83

Permit No. \_\_\_\_\_

STATE OF ARIZONA  
 OIL & GAS CONSERVATION COMMISSION  
 Sundry Notices and Reports On Wells  
 File Two Copies  
 Form No. 28

RECEIVED  
OCT 22 1981  
O & G CONS. COMM.



Kerr-McGee NAVAJO 88 LEASE

Kerr-McGee NAVAJO LEASE  
2533 TOTAL LEASE ACRES

Kerr McGee NAVAJO 138 LEASE

138-3

KERR-McGEE CORPORATION'S  
NAVAJO LEASE WELL NO. 25  
1140' FNL & 2090' FWL (NE/4 NW/4)  
SEC. 31, T-36-N, R-30-E  
APACHE COUNTY, ARIZONA  
DINEH-BI-KEYAH FIELD

*Kelley Eisemberg* as an  
authorized representative of Kerr-McGee Corporation  
certify that to the best of my knowledge this plat is true  
and correct.

1"=1000'

POTENTIAL TEST AND REQUEST FOR ALLOWABLE OIL WELLS

DESIGNATE TYPE OF COMPLETION:

New Well  Work-over  Deepen  Plug Back  Same Reservoir  Different Reservoir

Other Reason For Filing:

RECEIVED  
OCT 22 1981

Operator  
Kerr-McGee Corporation O & G CONS. COMM.

Address  
P.O. Box 250, Amarillo, Texas 79189

DESCRIPTION OF WELL AND LEASE

Federal, State or Indian Lease Number, or Lessor's Name if Fee Lease	Well Name	County
Navajo #14-20-0603-8823	Navajo #25	Apache

Footage Location  
1140' FNL & 2090' FWL (NE/4, NW/4)

Sec. Twp. Rge.  
Sec. 31, T-36-N, R-30-E

Date spudded	Date completed, ready to produce	Total depth	P.B.T.D.
8/26/81	10/10/81	4024'	3987'
Field and reservoir	Top of pay	Producing interval	
Dineh-Bi-Keyah	3822'	3936' - 3826'	

TEST DATA

Date of first production	Date of test	Length of test	Producing method (flow pump, gas lift)	Amount of load oil injected if any.
10/11/81	10/18/81	24 hrs.	pumping	40M gal.
Number of barrels of oil produced from completion or recompletion date to test date		If well is produced by pumping, give pump size, length of stroke and strokes per minute.		
None (After load)		2 1/2" x 2" x 16' RWAC 63" SL 13.5 SPM		
Tubing pressure	Casing pressure	Choke size		
0	0	None		
*Actual production during test:	Oil (bbls)	Water (bbls)	Gas (MCF)	
	109	0	13.1	

\*Production must actually equal or exceed wells daily allowable or test must be for full 24 hours

Gas-oil ratio	Oil gravity	Name of transporter of oil
120:1	39.4 * A.P.I. corrected	Kerr-McGee Corporation

Number of acres attributed to this well	Number of producing wells in this reservoir on this lease, including this well	Single, dual or triple completion?	Daily allowable requested (bbls)
40	20	Single	110 bbls

Plat showing acreage attached—plat should show leases, offset wells, distance from this well to the nearest well on the same lease completed in or drilling to the same reservoir, and the boundaries of drilling and producing, or proration, units attributed to this well and other wells on the same lease completed in or drilling to the same reservoir, the number of acres in each unit and the number of acres in the lease.

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the Sr. Engineering Assistant of the Kerr-McGee Corporation (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

October 20, 1981  
Date

Kelley Eisenberg  
Signature Kelley Eisenberg

Witnessed by: \_\_\_\_\_  
Organization \_\_\_\_\_  
Signature \_\_\_\_\_  
Date \_\_\_\_\_

Permit No. 719  
721

STATE OF ARIZONA  
OIL & GAS CONSERVATION COMMISSION

Potential Test & Request for Allowable—Oil Wells

File One Copy

Form No. 6

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well  gas well  other

2. NAME OF OPERATOR  
Kerr-McGee Corporation

3. ADDRESS OF OPERATOR  
P.O. Box 250 Amarillo, Texas 79189

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
(NE/4 NW/4)  
AT SURFACE: 1140' FNL & 2090' FWL  
AT TOP PROD. INTERVAL: 1140', FNL & 2090' FWL  
AT TOTAL DEPTH: 1140' FNL & 2090' FWL

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>

(other) weekly drilling & completion report

5. LEASE  
Navajo #14-20-0603-8823

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
Navajo

7. UNIT AGREEMENT NAME  
None

8. FARM OR LEASE NAME  
Navajo

9. WELL NO.  
25

10. FIELD OR WILDCAT NAME  
Dineh-Bi-Keyah

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec 31, T-36-N, R-30-E

12. COUNTY OR PARISH  
Apache

13. STATE  
Arizona

14. API NO.  
02-001-20249

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
8501' Ungraded GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

10/08/81 Ran 129 jts 2 7/8", 8rd tbg, SN @ 3912'; Btm jt @ 3943'.  
PBD @ 3986'; Btm perf @ 3936'; Top perf @ 3836'. Ru & TIH  
w/2 1/2" x 2" x 16' RWAC pump. Ran rods.

10/09/81 Pmp well up.

10/10/81 Put well on pmp @ 13 1/2 SPM & 63" SL.

10/11/81 Recover frac load.

10/12/81 Recover frac load.

10/13/81 Recover frac load.

10/14/81 Recover frac load.

RECEIVED

OCT 15 1981

O & G CONS. COMM.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Kelley Eisenberg TITLE Sr. Eng. Ass't. DATE October 16, 1981

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

719

AKT

RECEIVED

OCT 9 1981

*AKA*

Form 9-331  
Dec. 1973

O & G CONS. COMM. Form Approved.  
Budget Bureau No. 42-R1424

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well  gas well  other

2. NAME OF OPERATOR  
Kerr-McGee Corporation

3. ADDRESS OF OPERATOR  
P.O. Box 250 Amarillo, Texas 79189

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
(NE/4 NW/4)  
AT SURFACE: 1140' FNL & 2090' FWL  
AT TOP PROD. INTERVAL: 1140', FNL & 2090' FWL  
AT TOTAL DEPTH: 1140' FNL & 2090' FWL

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>		<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>		<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>		<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>		<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>		<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>		<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>		<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>		<input type="checkbox"/>
(other) Weekly progress report			

5. LEASE  
Navajo #14-20-0603-8823

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
Navajo

7. UNIT AGREEMENT NAME  
None

8. FARM OR LEASE NAME  
Navajo

9. WELL NO.  
25

10. FIELD OR WILDCAT NAME  
Dineh-Bi-Keyah

11. SEC., T., R., M. OR BLK. AND SURVEY OR AREA  
Sec 31, T-36-N, R-30-E

12. COUNTY OR PARISH  
Apache

13. STATE  
Arizona

14. API NO.  
02-001-20249

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
8501' Ungraded GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

- 10-1-81 Clean out frac sd.
- 10-2-81 Clean out frac sd.
- 10-3-81 Clean out frac sd. RU to Swab
- 10-4-81 Swabbing well
- 10-5-81 Swab, Recovered 80 Bbls. Tag sd. @ 3930'; BTM Perf @ 3936'; PBD 3986', Set BHP Inst. @ 3882' (mid perf)
- 10-6-81 TOH w/BHP Surv. Min BHP 235 psi. Max build up 246 psi. TIH to Swab. Rec 23Bbls. Load oil.
- 10-7-81 TIH w/sd. pmp. TOH w/sd pmp. TIH w/30 jts 2 7/8" tbg, 2 7/8" S.N.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Kelley Eisenberg TITLE Sr. Eng. Ass't. DATE October 9, 1981

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL IF ANY:

719

RECEIVED

OCT 5 1981

AKS

Form 9-331  
Dec. 1973

O & G CONS. COMM.

Form Approved  
Budget Bureau No. 42-R1424

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well  gas well  other

2. NAME OF OPERATOR  
Kerr-McGee Corporation

3. ADDRESS OF OPERATOR  
P.O. Box 250 Amarillo, Texas 79189

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
(NE/4 NW/4)  
AT SURFACE: 1140' FNL & 2090' FWL  
AT TOP PROD. INTERVAL: 1140', FNL & 2090' FWL  
AT TOTAL DEPTH: 1140' FNL & 2090' FWL

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input checked="" type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input checked="" type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>
(other) Completion <input type="checkbox"/>	<input type="checkbox"/>

5. LEASE  
Navajo #14-20-0603-8823

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
Navajo

7. UNIT AGREEMENT NAME  
None

8. FARM OR LEASE NAME  
Navajo

9. WELL NO.  
25

10. FIELD OR WILDCAT NAME  
Dineh-Bi-Keyah

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec 31, T-36-N, R-30-E

12. COUNTY OR PARISH  
Apache

13. STATE  
Arizona

14. API NO.  
02-001-20249

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
8501' Ungraded GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

- 9-24-81 Perf. Hermosa Sill w/22 gr. 0.5" entry hole SS-II 2SPF from 3886' to 3828'. Total of 217 holes. Loaded hole w/ 125 Centipoise vis, gelled oil. Form broke down w/500psi & 62 BBL treated crude. Frac well w/ 40M gal. Maxi Oil 74, 60M #10/20 sd. Pmp 10M gal. Maxi Oil 74 pad, 47 BPM & 450-500 psi. Pmp 10M gal frac fluid w/PPG Sd., 50 BPM, 500-600 psi. Pmp 10M gal frac fluid w/3 PPG Sd. 48 BPM, 600-650 psi. Flushed w/1800 gal crude @ 48BPM & 600 psi. ISIP Vacuum. Ave. rate 49 EPM, Ave. pres 550 psi. Total of 1101 Bbls. pmped.
- 9-25-81 TIH w/ 2 7/8" tbg. & bailer. TO Sd @ 3828' RKB. Pipe stuck.
- 9-26-81 Free tbg. & TOH w/ 127 jts. Unloaded 19 jts. of Sd.
- 9-27-81 TIH w/ tbg. & bailer
- 9-28-81 TO Sd. @ 3864, cont. cleaning out Sd.
- 9-29-81 TIH w/Sd. Pmp .  
Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Kelley Eisenberg TITLE Sr. Eng. Ass't. DATE October 1, 1981  
Kelley Eisenberg  
(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL IF ANY:

9-30-81 Cont. pmping sd.out of hole.

719

RECEIVED  
SEP 28 1981

*AKS*

Form 9-331  
Dec. 1973

O & G CONS. COMM.

Form Approved.  
Budget Bureau No. 42-R1424

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well  gas well  other

2. NAME OF OPERATOR  
Kerr-McGee Corporation

3. ADDRESS OF OPERATOR  
P.O. Box 250 Amarillo, Texas 79189

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
(NE/4 NW/4)  
AT SURFACE: 1140' FNL & 2090' FWL  
AT TOP PROD. INTERVAL: 1140', FNL & 2090' FWL  
AT TOTAL DEPTH: 1140' FNL & 2090' FWL

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>
(other) Weekly drilling & comp. reports	

5. LEASE  
Navajo #14-20-0603-8823

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
Navajo

7. UNIT AGREEMENT NAME  
None

8. FARM OR LEASE NAME  
Navajo

9. WELL NO.  
25

10. FIELD OR WILDCAT NAME  
Dineh-Bi-Keyah

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec 31, T-36-N, R-30-E

12. COUNTY OR PARISH  
Apache

13. STATE  
Arizona

14. API NO.  
02-001-20249

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
8501' Ungraded GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

- 9-17-81 WO Comp. Rig
- 9-18-81 RU Welex to run CBL; Set up Western frac. tanks
- 9-19-81 TIH w/ GR-CBL-CCL Log. RD Welex
- 9-20-81 RU Reverse Unit; TIH w/ 4 3/4" bit & 5 1/2" csg scraper
- 9-21-81 Drill to 3966'; circ hole for 40 min.
- 9-22-81 Tag TOC @ 3966' RKB. Drld to 3986' RKB; circ hole for 40 min. RU Welex & ran GR-CBL-CCL PBD 3987' RDB RD Welex
- 9-23-81 Pres. csg to 3000 psi. RU Welex & perf Hermosa Sill from 3828' to 3936' RKB w/ SSII chrg. 22gr, 0.5" hole. Perf w/ same from 3936' to 3886'.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Kelley Eisenberg TITLE Sr. Eng. Ass't. DATE 9-25-81  
Kelley Eisenberg

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

119

RECEIVED

SEP 24 1981

Form 9-331  
Dec. 1973

Form Approved.  
Budget Bureau No. 42-R1424

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

O & G CONS. COMM. 5. LEASE

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well  gas well  other

2. NAME OF OPERATOR  
Kerr-McGee Corporation

3. ADDRESS OF OPERATOR  
P.O. Box 250 Amarillo, Texas 79189

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 1140' FNL & 2090' FWL (NE/4 NW/4)  
AT TOP PROD. INTERVAL: 1140', FNL & 2090' FWL  
AT TOTAL DEPTH: 1140' FNL & 2090' FWL

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>
(other) Weekly Status Report <input type="checkbox"/>	<input type="checkbox"/>

Navajo #14-20-0603-8823

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
Navajo

7. UNIT AGREEMENT NAME  
None

8. FARM OR LEASE NAME  
Navajo

9. WELL NO.  
25

10. FIELD OR WILDCAT NAME  
Dineh-Bi-Keyah

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec 31, T-36-N, R-30-E

12. COUNTY OR PARISH 13. STATE  
Apache Arizona

14. API NO.  
02-001-20249

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
8501' Ungraded GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

- 9-10-81 MORT
- 9-11-81 Clean location.
- 9-12-81 SD over weekend.
- 9-13-81 Set American 228 Pumping Unit.
- 9-14-81 Set Base & Pulling Unit
- 9-15-81 WO Orders.
- 9-16-81 WO Completion Orders.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Kelley Eisenberg TITLE St. Eng. Ass't DATE September 22, 1981  
Kelley Eisenberg  
(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

719

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well  gas well  other

2. NAME OF OPERATOR  
Kerr-McGee Corporation

3. ADDRESS OF OPERATOR  
P.O. Box 250 Amarillo, Texas 79189

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
(NE/4 NW/4)  
AT SURFACE: 1140' FNL & 2090' FWL  
AT TOP PROD. INTERVAL: 1140', FNL & 2090' FWL  
AT TOTAL DEPTH: 1140' FNL & 2090' FWL

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>
(other) <u>weekly drilling &amp; completion report</u>	

5. LEASE  
Navajo #14-20-0603-8823

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
Navajo

7. UNIT AGREEMENT NAME  
None

8. FARM OR LEASE NAME  
SEP 16 1981

9. WELL NO.  
25 **O & G CONS. COMM.**

10. FIELD OR WILDCAT NAME  
Dineh-Bi-Keyah

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec 31, T-36-N, R-30-E

12. COUNTY OR PARISH  
Apache 13. STATE  
Arizona

14. API NO.  
02-001-20249

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
8871' Ungraded G.L.

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

9/3/81 Drld from 2708'-2970'; Form SH; Drld 262'; Mud wt 9.0

9/4/81 Drld from 2970'-3170'; Form SH; Drld 200'; Mud wt 9.0

9/5/81 Drld from 3170'-3390'; Form SD & SH; Drld 220'; Mud wt 9.0

9/6/81 Drld from 3390'-3566'; Form SD & SH; Drld 176'; Mud wt 9.1

9/7/81 drld from 3566'-3570'; Form SD & SH, Drld 184'; Mud wt 9.1

9/8/81 Drld from 3750'-4024'; Form SH; Drld 274'; Mud wt 9.3

9/9/81 RD RT. RU Schlum & run logs. Ran 98 jts 5 1/2@ 15.5#, K-55 csg to 4024'. Cmt w/ 250 sx Cl "H" cmt. Flush w/ 95 bbls FW. Bump plug w/ 1500#, release rig.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Kelley Eisenberg TITLE St. Eng. Ass't. DATE September 14, 1981  
Kelley Eisenberg  
(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL IF ANY:

719

RECEIVED

SEP 6 1981

Form 9-331  
Dec. 1973

Form Approved  
Budget Bureau No. 42-R1424

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

O & G CONS. COM.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well  gas well  other

2. NAME OF OPERATOR  
Kerr-McGee Corporation

3. ADDRESS OF OPERATOR  
P.O. Box 250 Amarillo, Texas 79189

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
(NE/4 NW/4)  
AT SURFACE: 1140' FNL & 2090' FWL  
AT TOP PROD. INTERVAL: 1140', FNL & 2090' FWL  
AT TOTAL DEPTH: 1140' FNL & 2090' FWL

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:      SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF      

FRACTURE TREAT      

SHOOT OR ACIDIZE      

REPAIR WELL      

PULL OR ALTER CASING      

MULTIPLE COMPLETE      

CHANGE ZONES      

ABANDON\*      

(other) Progress Report

5. LEASE  
Navajo #14-20-0603-8823

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
Navajo

7. UNIT AGREEMENT NAME  
None

8. FARM OR LEASE NAME  
Navajo

9. WELL NO.  
25

10. FIELD OR WILDCAT NAME  
Dineh-Bi-Keyah

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec 31, T-36-N, R-30-E

12. COUNTY OR PARISH      13. STATE  
Apache      Arizona

14. API NO.  
02-001-20249

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
8871' ungraded GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)
- 8-27-81 Drld from 40' to 420'; Form. Red Beds; Drld 380'; Mud wt 9.3#; Bit No. 2, HTCO 12 1/2" in @ 40'.
  - 8-28-81 Drld from 420' to 740'; Form. Red Bed, Sd & Sh; Drld 320'; Mud wt 8.3#; Bit No. 3, 7 7/8" in @ 420'.  
Ran 10 jts 8 5/8", 24#, K-55 csg. GS @ 403'; FC @ 369'; cmt w/ 350 sx cl. "H" w/1/4# flocele/sack & 2% Ca Cl<sub>2</sub> Disp w/23 bbls water. Circ 15 sx to surface.
  - 8-29-81 Drld from 740' to 1434'; Form. Sd & Sh; Drld 690'; Mud Wt. 8.9#.
  - 8-30-81 Drld from 1434' to 2082'; Form. Sh; Drld 648'; Mud Wt. 9.0#.
  - 8-31-81 Drld from 2082' to 2392'; Form Sh; Drld 310'; Mud Wt. 8.9#.
  - 9-01-81 Drld from 2392' to 2560'; Form Sh; Drld 168'; Mud Wt. 8.9#.
  - 9-02-81 Drld from 2560' to 2708'; Form Sh; Drld 148'; Mud Wt. 8.9#. Bit No. 4, STC 7 7/8" in @ 2560'.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Kelley Eisenberg TITLE Sr. Eng. Ass't. DATE September 4, 1981

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

719

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well  gas well  other

2. NAME OF OPERATOR  
Kerr-McGee Corporation

3. ADDRESS OF OPERATOR  
P.O. Box 250 Amarillo, Texas 79189

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
(NE/4 NW/4)  
AT SURFACE: 1140' FNL & 2090' FWL  
AT TOP PROD. INTERVAL: 1140', FNL & 2090' FWL  
AT TOTAL DEPTH: 1140' FNL & 2090' FWL

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>
(other) Spud <input type="checkbox"/>	

5. LEASE  
Navajo #14-20-0603-8823

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
Navajo

7. UNIT AGREEMENT NAME  
None

8. FARM OR LEASE NAME  
None

9. WELL NO.  
25

10. FIELD OR WILDCAT NAME  
Dineh-Bi-Kevah

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec 31, T-36-N, R-30-E

12. COUNTY OR PARISH  
Apache

13. STATE  
Arizona

14. API NO.  
02-001-20249

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
8871' ungraded GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

8-26-81 Spud @ 6 PM  
Drld from 0 to 40', Form GR Rock; Drld 40', Mud wt 9.2

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Kelley Eisenberg TITLE St. Eng. Ass't. DATE August 28, 1981  
Kelley Eisenberg  
(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK  
 DRILL  DEEPEN  PLUG BACK

b. TYPE OF WELL  
 OIL WELL  GAS WELL  OTHER   
 SINGLE ZONE  MULTIPLE ZONE

2. NAME OF OPERATOR  
 Kerr-McGee Corporation

3. ADDRESS OF OPERATOR  
 O & G CONS. COMM.,  
 P. O. Box 250, Amarillo, Texas 79189

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)  
 At surface 1140' FNL & 2090' FWL  
 At proposed prod. zone 1140' FNL & 2090' FWL

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*  
 13.5 miles Southwest from Red Rock, Arizona

15. DISTANCE FROM PROPOSED LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT.  
 (Also to nearest drlg. unit lne, if any) 2090

18. DISTANCE FROM PROPOSED LOCATION TO NEAREST WELL, DRILLING COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.  
 880.5

19. PROPOSED DEPTH  
 4000'

20. ROTARY OR CABLE TOOLS  
 Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)  
 8501' Ungraded ground

22. APPROX. DATE WORK WILL START\*  
 May 1, 1981

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
24"	20"	94#	100'	12 yds Redimix
12 1/4"	8 5/8"	24#	400'	300 sx.
7 7/8"	5 1/2"	14#	4000'	300 sx.

1. Drill 24" surface hole and set 20" conductor casing to 100' and cement.
2. Drill 12 1/4" hole and set 8 5/8" surface casing to 400' w/good returns.
3. Log B.O.P. checks in daily drill reports and drill 7 7/8" hole to T.D.
4. Run logs and run 5 1/2" casing if well is productive.
5. Run other logs as needed and perforate and stimulate as needed.

EXHIBITS ATTACHED

- A Location & Elevation Plat
- B Ten-Point Compliance Program
- C Blowout Preventer Diagram
- D The Multi-Point Requirements for A.P.D.
- E Access Road Map onto Location
- E<sub>1</sub> Access Road Map onto Location
- F Radius Map of Field
- G Drill Pad Layout Contours, and Cut & Fill Section
- H Drill Rig & Production Facilities Layout
- I Archaeology Report
- J Rehabilitation Plan

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED Kelley Eisenberg TITLE Engineering Assistant DATE February 13, 1981  
 (This space for Federal or State office use)

PERMIT NO. \_\_\_\_\_ APPROVAL DATE \_\_\_\_\_

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_  
 CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions On Reverse Side

5. LEASE DESIGNATION AND SERIAL NO.  
 14-20-0603-8823 Navajo

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
 Navajo

7. UNIT AGREEMENT NAME  
 Navajo

8. FARM OR LEASE NAME  
 Navajo

9. WELL NO.  
 25

10. FIELD AND POOL, OR WILDCAT  
 Dineh-Bi-Keyah


11. SEC. T. R. M. OR BLK. AND SURVEY OR AREA  
 Sec. 31, T36N, R30E

12. COUNTY OR PARISH  
 Apache


13. STATE  
 Arizona

16. NO. OF ACRES ASSIGNED TO THIS WELL  
 40

17. NO. OF ACRES ASSIGNED TO THIS WELL  
 40



This action is subject to compliance with special provision of 30 CFR 250.11




719

Arizona Oil & Gas Cons. Comm.

EXHIBIT "A"

Location & Elevation Plat

COMPANY KERR-McGEE CORPORATION  
LEASE NAVAJO WELL NO. 25  
SEC. 31, T. 36N, R. 30E  
APACHE COUNTY, ARIZONA  
LOCATION 1110' FNL 2090' FJL  
ELEVATION 8501 ungraded ground



SCALE—4 INCHES EQUALS 1 MILE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTE OF ACTUAL SURVEYS MADE BY ME UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

*Fred B. Kerr Jr.*  
Fred B. Kerr Jr.

SEAL:

#3950 Registered Land Surveyor.

SURVEYED December 6, 1980

FARMINGTON, N. M.

EXHIBIT "B"

TEN-POINT COMPLIANCE PROGRAM  
OF NTL-6 APPROVAL OF OPERATIONS

1. The Geologic Surface Formation

The surface formation is the Chuska.

2. Estimated Tops of Important Geologic Markers

Chuska	Surface
Coconina	1036'
Hermosa	3115'
Black Shale	3344'
Intrusive	3349'

3. Estimated Depths of Anticipated Water, Oil, Gas, or Minerals

Intrusive	3349'	Oil
-----------	-------	-----

4. The Proposed Casing Program

- (a) Conductor casing: Set 20", 94#/ft., H-40 ST&C, new casing to 100' in 24" surface hole; cement with 12 yards of redimix.
- (b) Surface casing: Set 8 5/8", 24#/ft., K-55 ST&C, new casing to 400' in 12 1/4" surface hole; cement with 300 sacks Class "B" with 2% CaCl and 1/4 lb. flocele per sack.
- (c) Production casing: Set 5 1/2" 14#/ft., K-55 ST&C, new casing to TD in 7 7/8" hole; cement with 300 sacks Class "B" with 1/4 lb. flocele per sack.

5. The Operator's Minimum Specifications for Pressure Control

EXHIBIT "C" is a schematic diagram of the blowout preventer equipment. The BOP's will be hydraulically tested to the full working pressure after nipping up and after any use under pressure. Pipe rams will be operationally checked each 24-hour period, as will blind rams each time pipe is pulled out of the hole. Such checks of BOP will be noted on daily drilling reports.

Exhibit "B"  
Ten-Point Compliance Program  
February 2, 1981  
Page -2-

Accessories to BOP will include an upper kelly cock, and choke manifold with pressure rating equivalent to the BOP stack. (API Series 900)

6. The Type and Characteristics of the Proposed Circulating Muds

Mud system will be water-gel with adequate stocks of sorptive agents and other materials on site to handle any anticipated downhole problems as well as possible spills of fuel and oil on the surface. Heavier muds will be added if required.

- (a) 0' - 350' Water, gel and lime to drill surface hole.  
Weight of mud: 8.9 to 9.0 ppg
- (b) 350' - T.D. Fresh water-gel  
Weight of mud: 8.9 to 9.0 ppg  
Viscosity: 38 to 48 sec.  
Water loss: 8 to 10 cc

7. The Auxiliary Equipment to be Used

No auxiliary equipment will be used. The mud program will be monitored visually.

8. The Testing, Logging and Coring Programs to be Followed

- (a) No tests are anticipated.
- (b) The logging program will consist of Compensated Formation Density - Gamma Ray - Caliper Logs from total depth to bottom of surface casing. Run Gamma Ray from bottom of surface casing to surface.
- (c) No coring is anticipated.
- (d) Samples will be caught at 10' intervals from bottom of surface casing to total depth.

9. Any Anticipated Abnormal Pressures or Temperatures

No abnormal pressures or temperatures have been noted or reported in wells drilled in the area nor at the depths anticipated in this well.


No hydrogen sulfide or other hazardous fluids or gases have been found, reported or known to exist at these depths in the area.

10. Anticipated Starting Date and Duration of the Operations

The anticipated starting date is set for May 1, 1981, or as soon as possible after examination and approval of drilling requirements. Operations should be completed within 30 days after spudding the well and drilling to casing point.

EXHIBIT "C"

Blowout Preventer Diagram



8" 900 Series  
Blowout  
Preventer

8" Series 900  
Spool

8 5/8" Series 900  
Casinghead

PRESSURE CONTROL EQUIPMENT  
KERR MCGEE CORPORATION  
NAVAJO LEASE  
DINEH-BI-KEYAH FIELD  
APACHE COUNTY, ARIZONA

**KERR-MCGEE CORPORATION**

EXHIBIT "D"

MULTI-POINT SURFACE USE AND OPERATIONS PLAN

Attached to Form 9-331C  
Kerr-McGee Corporation  
Navajo #25  
1140' FNL & 2090' FWL  
NE NW Sec. 31, T36N, R30E  
Apache County, Arizona

1. Existing Roads

- A. The proposed well site and elevation plat is shown as EXHIBIT "A".
- B. The distance from Shiprock, New Mexico, is 5 miles south on Highway 666. Turn right (west) on Navajo Road No. 13 and proceed 20 miles to Red Rock, Arizona. Continue south on dirt road (Lukachukai Road) for 4 miles to "Y" in road. Take right hand fork (west) and proceed 3 miles to Kerr-McGee Warehouse. The Navajo #25 is located approximately 1.73 miles S 52° of the warehouse as shown on attached map (Exhibits E & E<sub>1</sub>).
- C. All roads are labeled into location. No new access road is needed. The logging trail needs minor improvement.
- D. N/A
- E. This is a development well. All existing roads within a one-mile radius are shown on EXHIBIT "E".
- F. The existing roads need no improvement except for the logging road which needs minor improvement.

2. Planned Access Roads

Map showing all necessary access roads to be constructed or reconstructed is shown as EXHIBIT "E" for the following:

- (1) The maximum width of the running surface of the 435 feet of access road as you leave the existing graded road will be 18'.
- (2) The grade will be 8% (eight percent) or less.
- (3) No turn outs are planned.
- (4) Appropriate water bars will be constructed to assure drainage off location to conform with the natural drainage pattern.
- (5) One (1) 15" culvert will be necessary approximately 100' North of the existing road. (See Exhibit "F")

- (6) Surfacing materials will be native soil.
- (7) No gates, cattle guards, or fence cuts are needed.
- (8) Reconstructed road is centerline-flagged.

3. Location of Existing Wells

For all existing wells within a one mile radius of development well, see EXHIBIT "F".

- A. The number of water wells within a one mile radius of this location is none.
- B. The number of abandoned wells in this one mile radius is two.
- C. There are no temporarily abandoned wells.
- D. The number of disposal wells is one.
- E. There are no wells presently being drilled.
- F. The number of producing wells within this one mile radius is fourteen.
- G. The number of shut-in wells is two.
- H. There are no injection wells.
- I. There are no monitoring or observation wells for other uses.

4. Location of Existing and/or Proposed Facilities

- A. Within a one mile radius of location the following existing facilities are owned or controlled by lessee/operator:
  - (1) Tank Batteries: None
  - (2) Production Facilities: Fourteen flowlines (buried)
  - (3) Oil Gathering Lines: Shown on EXHIBIT "F".
  - (4) Gas Gathering Lines: None
  - (5) Injection Lines: None
  - (6) Disposal Lines: One (buried)
- B. If production is obtained, new facilities will be as follows:
  - (1) The production facilities will be flagged and composed of a flow line to be connected to existing oil gathering lines as shown on EXHIBIT "F".

(2) No new facilities needed.

(3) N/A.

(4) N/A.

C. Rehabilitation, whether well is productive or dry, will be made on all unused area in accordance with the restoration plans presented in ITEM #10 following.

5. Location and Type of Water Supply

- A. The source of water will be Standing Red Rock Creek, in the Southwest corner of Sec. 11 T30N R30E, which is running water, as shown on EXHIBIT "E".
- B. Water will be transported by truck over existing roadways.
- C. No water well is to be drilled on this lease.

6. Construction Materials

- A. No construction materials are needed for drilling or access roads into the drilling location. The surface soil materials will be sufficient.
- B. No construction materials will be taken off the Indian land.
- C. All surface soil materials for construction of access roads are sufficient.
- D. All major access roads presently exist as shown on EXHIBIT "E".

7. Handling of Waste Materials and Disposal

- A. Drill cuttings will be buried in the reserve pit and covered.
- B. Drilling fluids will be handled in the reserve pit.
- C. Any fluids produced during drilling test or while making production test will be collected in a test tank. If a test tank is not available during drilling, fluids will be handled in reserve pit. Any spills of oil, gas, salt waters, or other noxious fluids will be cleaned up and removed.

- (D) Chemical facilities will be provided for human waste.
- (E) Garbage and non-flammable waste and salts and other chemicals produced during drilling or testing will be handled in trash pit. Flammable waste will be disposed of in trash pit. Drill fluids, water, drilling mud, and tailings will be kept in reserve pit, as shown on EXHIBIT "H".
- (F) After the rig moves out, all materials will be cleaned up and no adverse materials will be left on location. Any dangerous open pit will be fenced during drilling and kept closed until such time as the pit is leveled. Reserve pit will be fenced on three sides and the fourth side fenced upon removal of the rig. The trash pit will be totally enclosed with small mesh wire.

8. Ancillary Facilities

No air strip, camp or other facilities will be built during drilling of this well.

9. Well Site Layout

- A. EXHIBIT "G" is the Drill Pad Layout as staked, with elevations, by Jim O'Leary, Field Foreman for DBK, for the Kerr-McGee Corporation. Cuts and fills have been drafted to visualize the the planned cut across the location spot and to the deepest part of the pad. Topsoil will be stockpiled per BIA specifications determined at time of pre-drill inspection.
- B. EXHIBIT "H" is a plan diagram of the proposed rig and equipment, reserve pit, burn and trash pit, pipe racks and mud tanks. No permanent living facilities are planned.
- C. EXHIBIT "H" includes rig orientation, parking areas, and access road.
- D. The reserve pits will not be lined.

10. Plans for Restoration

- A. Backfilling, leveling and contouring are planned as soon as all pits have dried. Waste disposal and spoils materials will be buried or hauled away immediately after drilling is completed. If production is obtained, the unused area will be restored as soon as possible.
- B. The soil banked material will be spread over the area. Revegetation will be accomplished by planting mixed grasses as per formula provided by the BIA. Revegetation is recommended for road area, as well as around drill pad.

- C. Three sides of the reserve pit will be fenced during drilling operations. Prior to rig release, the reserve pit will be fenced on the fourth side to prevent livestock or wildlife from becoming entrapped; and the fencing will be maintained until leveling and cleanup are accomplished.
- E. If any oil is on the pits and is not immediately removed after operations cease, the pit containing the oil or other adverse substances will be flagged overhead or covered with wire mesh.
- F. The rehabilitation operations will begin immediately after the drilling rig is removed. Removal of oil or other adverse substances will begin immediately or area will be flagged and fenced. Other cleanup will be done as needed. Planting and revegetation is considered best in September, 1981, unless requested otherwise.

11. Other Information

- A. The soil is sandy to silty. No distinguishing geological features are present. The area is covered with pine trees, oak brush, some aspen, and native grass. There are livestock, rabbits, sheep, and deer in the area. The topography is mountainous.
- B. The primary surface use is for grazing. The surface is of the Navajo Tribal lands administered by the Bureau of Indian Affairs.
- C. The closest live water is Standing Red Rock Creek, approximately 3/4 miles NW of the location, as shown on EXHIBIT "E".  
  
There are no known archaeological, historical, or cultural heritiages that will be disturbed by this drilling.  
  
The closest occupied dwelling is the Kerr-McGee office located miles from the location, in which someone is there 24 hours a day.
- D. There are no reported restrictions or reservations noted on the oil and gas lease.
- E. Drilling is planned for on or about May 1, 1981. It is anticipated that the casing point will be reached within 20 days after commencement of drilling.

12. Lessee's or Operator's Representative

C. Alan Roberts  
Kerr-McGee Corporation  
P. O. Box 250  
Amarillo, Texas 79139  
Phone (806) 359-0351

13. Certification


I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Kerr-McGee Corporation and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

2-24-81  
Date

C. Alan Roberts  
C. Alan Roberts  
District Manager  
Southwest District - N. A.

CAR/sm

EXHIBIT "E"  
Access Road onto  
Location



Kerr-McGee Corporation's  
Navajo #25  
Sec. 31 - T36N - R30E  
Apache County, Arizona

LEGEND  
— Oil Road  
— Graded Road




EXHIBIT "E"  
Access Road onto  
Location

Closest Dwelling  
Kerr-McGee Office

Closest Live Water

LEGEND  
— Graded Road  
— Existing Trail

Kerr-McGee Corporation's  
Navajo #25  
Sec. 31 - T36N - R30E  
Apache County, Arizona

T  
36  
N

R 30 E

To Red Rock

R30E

1-135 Anadarko

NAVAJO B

NAVAJO D

ROAD

Humble

Humble

Anadarko

8

9

10

8500

9200

9000

8700

9400

9200

8900

9600

9400

9100


9800

9600

EXHIBIT "F"

Radius Map of Area



Kerr-McGee Corporation  
 Navajo #25  
 NW NE Sec. 31, T36N, R30E  
 Apache County, Arizona



LEGEND


- o Location
- ◇ Dry Hole
- Oil Well
- / Abandoned Oil Well
- Flowlines
- ..... Disposal Lines
- o Disposal Well
- s/ Shut In Well
- Road

KERR-MCGEE CORPORATION  
 DINEH DI KEYAH FIELD  
 APACHE COUNTY, ARIZONA  
 ROAD SYSTEM  
 D.L.F. 2000



<b>KERR-MCGEE CORPORATION</b>		
<small>KM-4180</small>		
SCALE: HORIZ. 1"=50' VERT. 1"=20'	APPROVED BY:	DRAWN BY CKE
DATE: 2/13/81		REVISED
<b>EXHIBIT "G"</b>		
Drill Pad Layout & Cut-Fill X Section Navajo Well No. 25		DRAWING NUMBER G

EXHIBIT "H"  
Drill Rig &  
Production Facilities  
Layout




SCALE: 1" = 20'

RIG NO. 70

- (1) GROUND LEVEL TO BOTTOM OF ROTARY BEAMS : 7 FEET — 4 INCHES
- (2) GROUND LEVEL TO TOP OF ROTARY TABLE : 9 FEET
- (3) RECOMMENDED LOCATION SIZE: 225 FEET X 115 FEET
  - 100 FEET FROM CENTER OF HOLE TO FRONT
  - 125 FEET FROM CENTER OF HOLE TO BACK
  - 24 FEET FROM CENTER OF HOLE TO RESERVE PIT
  - 75 FEET FROM CENTER OF HOLE TO EDGE
  - MUD TANK IS BURIED 18 INCHES BELOW GROUND LEVEL
- (4) ABOVE LAYOUT IS SUGGESTED, HOWEVER EQUIPMENT CAN BE REARRANGED TO FIT TIGHT LOCATIONS.

RAT & MOUSE HOLE DETAIL



(SCALE: 1" = 10')

Project No. 92-8

Federal Antiquities Permit  
79-NM-178  
Navajo Nation #46

EXHIBIT "I"

An Archaeological Survey of  
6 Oil Wells and Associated Access Roads  
Apache County, Arizona

for

Kerr McGee

Locations

Kerr McGee #88-6 Navajo  
Kerr McGee Navajo #27  
Kerr McGee #25 Navajo  
Kerr McGee Navajo 88-5  
Kerr McGee #3 Navajo 138  
Kerr McGee #26 Navajo

by

Margaret A. Powers  
Supervisory Archaeologist

Submitted by  
Margaret A. Powers  
Principal Investigator

DIVISION OF CONSERVATION ARCHAEOLOGY

Contributions to Anthropology Series, No. 326  
San Juan County Archaeological Research Center and Library

December 15, 1980

ABSTRACT

On December 12, 1980, the Division of Conservation Archaeology of the San Juan County Museum Association completed an archaeological survey of six oil wells and associated access roads for Kerr McGee. The survey area is located on the Navajo Reservation, Apache County, Arizona in the Chuska Mountains and is under the jurisdiction of the Bureau of Indian Affairs and the Navajo Nation. Only isolated artifacts of recent origin were located. Since these have minimal research potential and have been documented during the survey, clearance is recommended for all locations except Kerr McGee #26 Navajo which had excessive snow cover and could not be inspected.

### INTRODUCTION

On December 12, 1980, the Division of Conservation Archaeology (DCA) of the San Juan County Museum Association conducted an archaeological survey for Kerr McGee. Mr. Victor Eaton of Atchison Construction requested the survey on December 4, 1980. Margaret A. Powers administered the project for DCA; Mr. Eaton administered the project for Kerr McGee.

In recognition of the limited, nonrenewable nature of archaeological remains, federal and state governments have enacted legislation that is designed to conserve and protect these resources. The principal federal legislation includes the Antiquities Act of 1906 (PL 52-209), the Historic Preservation Act of 1966 (PL 89-665), the National Environmental Policy Act of 1969 (PL 91-852), the 1971 Executive Order No. 11593, the Archaeological and Historical Conservation Act of 1974 (PL 93-291), and the Archaeological Act of 1979 (PL 96-95).

In addition, the states of Arizona, New Mexico, Utah, and Colorado have enacted laws to ensure compliance with federal legislation and to protect archaeological resources within their jurisdiction. Work undertaken in the course of this project is governed by the stipulations of Navajo Nation Permit #46 and Federal Antiquities Permit No. 79-NM-178 and is for purposes of compliance with these statutes.

Margaret A. Powers, DCA archaeologist, surveyed the project area for cultural remains. Dr. David Doyel, Director of the Navajo Cultural Resources Program and Dr. Barry Holt, Bureau of Indian Affairs Navajo Area Archaeologist were notified of the survey schedule prior to beginning fieldwork. The following persons were present during the field inspection: Mr. James O'Leary of Kerr McGee, Mr. Vic Eaton of Atchison Construction, and Mr. Ron Milford and Mr. Dave Bahe of the BIA Forestry Office in Fort Defiance, Arizona.

### METHODS

The area was surveyed by inspecting all snow-free patches on each pad, access road and buffer zone or by using zig-zag parallel transects spaced approximately 20m apart where snow cover was minimal. A buffer zone of 50 feet was surveyed around each pad and of 35' on each side of the proposed access roads. The archaeologist recorded all cultural remains. Those whose information potential exceeded what could be extracted during the survey phase were assigned site status. Other cultural remains were documented as isolated loci (IL). Pertinent environmental data were also recorded.

In addition to field inspection, the archaeologist conducted a search of the records at the San Juan County Archaeological Research Center and Library to determine if any sites had been

previously recorded in the project area.

#### The Environment

All proposed developments are situated on the northeastern flanks of the Chuska Mountains in the headwaters of Standing Red Rock Creek. Much of the survey area is on steeply sloping terrain. The vegetation consists of mixed forest species, predominantly Ponderosa pine (Pinus ponderosa), Douglas fir (Pseudotsuga menziesii), and aspen (Populus tremuloides). The understory is dominated by snowberry (Symphoricarpos spp.). The surface is typical of forest zones, a thick layer of matted needles and leaves, partially decayed to form a dark humic layer. Fallen trees criss-cross the forest floor and form "thickets" many square meters in area. Logging activities are evident throughout the forest in the form of logging trails and sawn tree stumps. Deer, rabbit, squirrel, and porcupine signs were found in the survey areas.

#### PROJECT AREAS

##### Kerr McGee #88-6 Navajo

Legal Description: 2000' F/SL, 1690' F/EL, Section 25, T36N, R29E,  
Salt-Gila, Apache County, Arizona

UTM Coordinates: Zone 12, 4040450N, 663850E, (center stake)

Map Source: U.S.G.S. 15' Lukachukai, Arizona (1955)

Land Jurisdiction: Navajo Nation, Bureau of Indian Affairs

Project Area: 300' X 300' (pad)  
30' X ca. 600' (road), 2.5 acres

Description: The pad lies on an east facing slope of approximately 80°, rising more steeply to the west. The access road leaves the pad on the east side and runs southeast to join an existing bladed road. Snow on the access road was patchy with about 30% coverage. The east half of the pad was snow covered by approximately 60% of the area but the west half had no more than 10% snow cover.

Cultural Resources: No artifact scatters were detected in the aspen area. No structural remains are present. Isolated artifacts may have been obscured by the patches of snow.

Recommendation: Because no significant cultural resources were evident, DCA recommends archaeological clearance.

##### Kerr McGee Navajo #27

Legal Description: 600' F/EL, 2260' F/SL, Section 31, T36N, R30E,  
Salt-Gila, Apache County, Arizona

UTM Coordinates: Zone 12, 4038975N, 665900E, (center stake)

Map Source: U.S.G.S. 15' Lukachukai, Arizona (1955)

Land Jurisdiction: Navajo Nation, Bureau of Indian Affairs

Project Area: 300' X 300' (pad)  
30' X ca. 800' (road), 2.6 acres

Description: The proposed well is located in a heavily wooded area with occasional rock outcrops. There is a knoll to the southeast of the well pad and the terrain drops steeply to the south of the pad. The access road leaves the pad on the northwest side and circles around to the southeast to join an existing graded road. Snow cover over the area was patchy, covering 30 to 40% of the project area.

Cultural Resources: No artifacts were evident in the patches of ground that were not snow covered. Some isolates may have been missed in the survey but no large sites or structural remains were present. A few carvings of dates (1969-1974) and the phase "Red Rock Property" were cut into the bark of some aspens.

Recommendation: Because of the absence of significant cultural remains, DCA recommends archaeological clearance.

Kerr McGee #25 Navajo

Legal Description: 1140' F/NL, 2090' F/WL, Section 31, T36N, R30E,  
Salt-Gila, Apache County, Arizona

UTM Coordinates: Zone 12, 4039475N, 665075E, (center stake)

Map Source: U.S.G.S. 15' Lukachukai, Arizona-New Mexico (1955)

Land Jurisdiction: Navajo Nation, Bureau of Indian Affairs

Project Area: 300' X 300' (pad)  
30' X 400' (road), 2.3 acres

Description: The proposed pad is located on a northeast facing slope that overlooks a canyon in the Standing Red Rock drainage. The gradient is gentler to the southeast where the access road departs. The access road runs southeast partially along a logging trail to intersect on existing bladed road. Snow cover was approximately 20%, with slightly heavier snow on the northeast corner of the pad.

Cultural Resources: One tire segment and one aluminum pop-top soda can were noted along the access road. Although snow may have obscured isolated artifacts, significant artifact scatters or structural remains would have been evident if present.

Recommendation: Since no significant cultural remains were present, archaeological clearance is recommended.

Kerr McGee Navajo 88-5

Legal Description: 580' F/EL, 1000' F/NL, Section 36, T36N, R29E,  
Salt-Gila, Apache County, Arizona

UTM Coordinates: Zone 12, 4039500N, 665800E (center stake)

Map Source: U.S.G.S. 15' Lukachukai, Arizona (1955)

Land Jurisdiction: Navajo Nation, Bureau of Indian Affairs

Project Area: 300' X 300' (pad)  
30' X 1200' (road), 2.9 acres

Description: The proposed pad sits on a small saddle amid steep slopes. The access road leaves the pad and runs northeast on a steep wooded slope to a former tank battery. The road then sitchbacks and runs southeast on a previously graded road through "sugar" sand up a steep grade to join an existing graded road. Snow cover on the access road and pad was approximately 20% with slightly higher coverage on the northeast corner of the pad, perhaps as much as 40%.

Cultural Resources: No structural remains or artifact scatters were evident, nor are any likely given the steepness of the terrain. No isolates were noted but they could easily have been missed because of the patchy snow cover.

Recommendation: Because of the absence of significant cultural remains, DCA recommends clearance.

Kerr McGee #3 Navajo 138

Legal Description: 600' F/NL, 2200' F/EL, Section 6, T35N, R30E,  
Salt-Gila, Apache County, Arizona

UTM Coordinates: Zone 12, 4038050N, 665375E, (Center Stake)

Map Source: U.S.G.S. 15' Lukachukai, Arizona (1955)

Land Jurisdiction: Navajo Nation, Bureau of Indian Affairs

Project Area: 300' X 300' (pad)  
30' X 600' (road), 2.5 acres

Description: The pad is located on a gentle westerly slope in an aspen-Ponderosa pine forest. Snow cover was less than 10%. The access road leaves the pad and runs to the west to link up with a logging trail. The logging trail continues west to intersect an existing bladed road.

Cultural Resources: Two rusted soda cans with church key openings were found west and northwest of the center stake. They are probably associated with logging activities.

Recommendation: Because of the absence of significant cultural remains, archaeological clearance is recommended.

Kerr McGee #26 Navajo

Legal Description: 2100' F/SL, 800' F/WL, Section 31, T36N, R30E,  
Salt-Gila, Apache County, Arizona

UTM Coordinates: Zone 12, 4038875N, 664675E (center stake)

Map Source: U.S.G.S. 15' Lukachukai, Arizona-New Mexico (1955)

Land Jurisdiction: Navajo Nation, Bureau of Indian Affairs



Project Area: 300' X 300' (pad)  
30' X 900' (road), 2.9 acres

Description: The well pad is situated in a gently sloping and rolling area of a large level bench below the mountain crest. The terrain drops steeply to north and east. The access road leaves the pad to the east and bends back to the south along a logging trail before descending a slope to the west to join an existing bladed road. Snow cover on the pad and on the first 300 feet of access road leaving the pad exceeded 70% in unbroken cover. The remainder of the access road exhibited no more than 20% patchy snow cover.


Cultural Resources: One broken chain saw guard probably from past logging was found along the access road. No other cultural remains were noted.

Recommendation: Because of the unbroken and extensive snow cover on the pad and first 300 feet of access road, an adequate archaeological survey was not possible. Therefore, clearance is not recommended at this time. The remainder of the access road was free of cultural remains and archaeological clearance is recommended.

DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY



USGS 15' LUKACHUKAI QUADRANGLE,  
ARIZONA-NEW MEXICO (1955), T35 & 36N,  
R29 & 30E



Navajo Permit #46  
Federal Antiquities  
Permit #81-NM/UT/AZ-025

Addendum to  
An Archaeological Survey of  
6 Oil Wells and Associated Access Roads,  
Apache County, Arizona for Kerr McGee

by

Margaret A. Powers

On January 15, 1981, the Division of Conservation Archaeology (DCA) resurveyed 4 proposed well locations for Kerr McGee in the Red Rock/Lukachukai area of Arizona. The original survey on December 12, 1980 (NPS File No DCA-80-431) documented snow cover of greater than 10 percent and at the request of Dr. Terje Birkedal, five of the six were scheduled to be reexamined. The sixth was within the 10% limit. Plans to develop Navajo 88-5 have been dropped since the initial survey and this location was not resurveyed. All of the four other locations had snow cover levels of 10% or less on January 15, 1981. The results of the resurvey are described below.

- #27 Navajo - Cultural remains consists of 1 all-aluminum lemon soda can (initially recommended for clearance)
- #88-6 Navajo - No cultural remains (initially recommended for clearance)
- #25 Navajo - No cultural remains (initially recommended for clearance)
- #26 Navajo - One site DCA-81-22, a modern Navajo construction, was located 33m northeast of the well stake. The site was flagged for avoidance. (resurvey was initially advised)

DCA-81-22 consists of a small sweathouse-like structure with an entry oriented to 70° (MN). The structure has a maximum exterior basal diameter of 1.3m and stands only 60cm high. The structure is constructed of about 30 slanting limbs, probably deadfall, forming a cone. The entry is framed with poles and is about 25cm wide and 40cm high, with two short branches attached with baling wire to form a lintel.

Approximately 75cm to the north of the sweat house is a pile of scoted sandstone chunks and charcoal forming a mound about 1.5 in diameter and 30cm high.

One coffee can lid lies about 3m east of the structure.

The arrangement of the features parallels that of full-size sweathouse patterns but the conical structure is too small even for me, at 5'0", to sit upright in. I could have curled up in it, however, once I squeezed through the entrance. There would be no room to place hot rocks without scorching oneself.

The condition of the baling wire suggests that at the outside the structure is no more than twenty years old and is probably only about 5 years old.

According to Mr. Claude Hatch, Navajos sometimes build small features like that described above to shelter a dog during cold weather. The scorched rock and charcoal might be remnants of an horno although no indications of its form remain. If the site does consist of a doghouse and a cooking facility, it may be all that remains of a fall or spring campsite.

The small size of the structure, particularly its height and restricted floor area, together with Mr. Hatch's observation that rocks are usually left inside a sweat lodge and that the structure must be large enough to permit a person to sit or squat at least one or two feet from the hot rock pile, indicates that the feature did not function as a sweathouse despite the proximity of the rock pile.

The site was marked with white flagging tape so that it could be avoided during construction. If it is not possible to avoid the site, DCA recommends that prior to construction an ethnographer and informant visit the site to obtain a better functional assessment.

With these stipulations DCA recommends archaeological clearance for all four locations.

**APPLICATION FOR PERMIT TO DRILL OR RE-ENTER**

**RECEIVED**

FEB 26 1981

APPLICATION TO DRILL

RE-ENTER OLD WELL

O & G CONS. COMM.

Kerr-McGee Corporation  
NAME OF COMPANY OR OPERATOR

P. O. Box 250 Amarillo Texas 79189  
Address City State

Brinkerhoff Signal, Inc.  
Drilling Contractor  
3400 Anaconda Tower, Denver, Colorado 80202  
Address

**DESCRIPTION OF WELL AND LEASE**

Federal, State or Indian Lease Number, or if fee lease, name of lessor	Well number	Elevation (ground)
14-20-0603-8823 Navajo	25	8501 ungraded ground

Nearest distance from proposed location to property or lease line:	Distance from proposed location to nearest drilling completed or applied for well on the same lease:
2090 feet	880.5 feet

Number of acres in lease:	Number of wells on lease, including this well, completed in or drilling to this reservoir:
2533	25

If lease, purchased with one or more wells drilled, from whom purchased:	Name	Address

Well location (give footage from section lines)	Section—township—range or block and survey	Dedication (Comply with Rule 105)
1140' FNL & 2090' FWL	Sec. 31, T36N, R30E	NE NW 1/4

Field and reservoir (if wildcat, so state)	County
Dineh-Bi-Keyah	Apache

Distance, in miles, and direction from nearest town or post office:  
13.5 miles Southwest from Red Rock, Arizona

Proposed depth:	Rotary or cable tools	Approx. date work will start
4000'	Rotary	May 1, 1981

Bond Status: Blanket Bond	Organization Report	Filing Fee of \$25.00
Amount:	On file <input checked="" type="checkbox"/> Or attached	Attached Yes, Check No. 104613

Remarks:

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the Engineering Assistant of the

Kerr-McGee Corporation (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

*Kelley Eisenberg*  
Signature

February 20, 1981  
Date

Permit Number: 719  
Approval Date: February 25, 1981  
Approved By: *[Signature]*

**STATE OF ARIZONA**  
**OIL & GAS CONSERVATION COMMISSION**  
Application to Drill or Re-enter  
File Two Copies

Notice: Before sending in this form be sure that you have given all information requested. Much unnecessary correspondence will thus be avoided.

Form No. 3

- Operator shall outline the dedicated acreage for both oil and gas wells on the plat.
- A registered professional engineer or land surveyor registered in the State of Arizona or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- All distances shown on the plat must be from the outer boundaries of the Section.
- Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES  NO
- If the answer to question four is "no," have the interests of all the owners been consolidated by consolidation agreement or otherwise? YES  NO  If answer is "yes," Type of Consolidation \_\_\_\_\_
- If the answer to question four is "no," list all the owners and their respective interests below:

Owner	Land Description
	<p style="text-align: center;"><b>CERTIFICATION</b></p> <p>I hereby certify that the information above is true and complete to the best of my knowledge and belief.</p> <p>Name <b>Kelley Eisenberg</b></p> <p>Position <b>Engineering Assistant</b></p> <p>Company <b>Kerr-McGee Corporation</b></p> <p>Date <b>February 20, 1981</b></p> <p>I hereby certify that the well location shown on the plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.</p> <p>Date Surveyed <b>December 6, 1980</b></p> <p>Registered Professional Engineer and/or Land Surveyor</p> <p>See Attached Surveyor Plat Certificate No. <b>3950</b></p>

**PROPOSED CASING PROGRAM**


Size of Casing	Weight	Grade & Type	Top	Bottom	Cementing Depths	Sacks Cement
20"	94#/ft	H-40 ST&C	Surface	100'	100'	12 yds Redimix
8 5/8"	24#/ft	K-55 ST&C	Surface	400'	400'	300sxs C1 "B"
5 1/2"	14#/ft	K-55 ST&C	Surface	4000'	4000'	300sxs C1 "B"

RECEIVED

FEB 26 1981

O & G CONS. COMM.

COMPANY KERR-McGEE CORPORATION  
LEASE NAVAJO WELL NO. 25  
SEC. 31, T. 36N, R. 30E  
APACHE COUNTY, ARIZONA  
LOCATION 1140' FNL 2090' FWL  
ELEVATION 8501 ungraded ground



SCALE—4 INCHES EQUALS 1 MILE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTE OF ACTUAL SURVEYS MADE BY ME UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

*Fred B. Kerr Jr.*  
Fred B. Kerr Jr.

SEAL:

Registered Land Surveyor.

#3950

SURVEYED

December 6

19 80

FARMINGTON, N. M.



# PERMIT TO DRILL

This constitutes the permission and authority from the  
OIL AND GAS CONSERVATION COMMISSION,  
STATE OF ARIZONA,

To: KERR-MCGEE CORPORATION  
(OPERATOR)

to drill a well to be known as

NAVAJO 25  
(WELL NAME)

located 1140' FROM NORTH LINE, 2090' FROM WEST LINE (NE/4 NW/4)

Section 31 Township 36 NORTH Range 30 EAST, APACHE County, Arizona.

The NE NW 1/4 of said  
Section, Township and Range is dedicated to this well.

Said well is to be drilled substantially as outlined in the attached Application and must be drilled  
in full compliance with all applicable laws, statutes, rules and regulations of the State of Arizona.

Issued this 26th day of February, 19 81.

OIL AND GAS CONSERVATION COMMISSION

By [Signature]  
EXECUTIVE SECRETARY

PRIOR TO BEING ALLOWED TO PRODUCE THIS WELL,  
YOU MUST BE IN FULL COMPLIANCE WITH RULE  
105, SECTION A THRU G (SPACING), WITH RESPECT  
TO THE PRODUCT TO BE PRODUCED.

PERMIT **Nº 719**

RECEIPT NO. 2005  
API NO. 02-001-20249

State of Arizona  
Oil & Gas Conservation Commission  
Permit to Drill

FORM NO. 27

TEN FOOT SAMPLES ARE REQUIRED FROM SURFACE

**DINEH-BI-KEYAH FIELD**

**Operator:** Mountain States Petroleum Corporation

**Bond Company:** Indian lands, evidence of bond posted with BIA

**Amount:** \$325,000\*

**Bond No.:** Letter of Credit Bond No. 315    **Date approved:** 5/27/94

\* Pursuant to commission motion of October 31, 1997, no bond required with State of Arizona upon evidence of bond posted with the BIA.

**Permits covered by this bond posted with the BIA:**

<u>377</u>	<u>445</u>
<u>384</u>	<u>446</u>
<u>385</u>	<u>484</u>
<u>386</u>	<u>506</u>
<u>388</u>	<u>618</u>
<u>389</u>	<u>691</u>
<u>390</u>	<u>692</u>
<u>396</u>	<u>693</u>
<u>416</u>	<u>695</u>
<u>417</u>	<u>696</u>
<u>419</u>	<u>719</u> ✓
<u>421</u>	<u>720</u>
<u>422</u>	<u>721</u>
<u>431</u>	<u>722</u>
<u>443</u>	<u>723</u>



Jane Dee Hull  
Governor

State of Arizona  
**Arizona Geological Survey**

416 W. Congress, Suite 100  
Tucson, Arizona 85701  
(520) 770-3500



Larry D. Fellows  
Director and State Geologist

December 1, 1997

Ms. Stacey Roberts  
Kerr-McGee Corporation  
P.O. Box 25861  
Oklahoma City, OK 73125

719

Re: Kerr-McGee Corporation  
\$25,000 Oil Drilling Blanket Bond #2971100-2620  
Safeco Insurance Company of America

Dear Ms. Roberts:

Mountain States Petroleum has provided evidence of its bonding with the BIA for the Dineh-bi-Keyah Field in Arizona, and our records show that Kerr-McGee Corporation has no outstanding drilling or plugging obligations in Arizona.

As a result, this letter constitutes written permission by the Oil and Gas Conservation Commission to terminate liability under the referenced bond. A copy of the bond is enclosed for your information.

Please advise if we may be of further service.

Sincerely,

Steven L. Rauzi  
Oil & Gas Program Administrator

Enclosure

Operator KERR-McGEE CORPORATION


Bond Company SAFECO INSURANCE COMPANY OF AMERICA Amount \$25,000

Bond No. 2971100-2620 Date Approved FEBRUARY 18, 1994

ACTIVE DATE  
Permits covered by this bond:

377	445
384	446
385	484
386	506
388	618
389	691
390	692
396	693
416	695
417	696
419	719
421	720
422	721
431	722
443	723

MONTHLY PRODUCTION AT 25 NAVAJO (719), ARIZONA: OCT 1981 - DEC 1996  
ne nw 31-36n-30e, Dineh-bi-Keyah Field, Apache County





Fife Symington  
Governor

State of Arizona  
**Arizona Geological Survey**

845 North Park Avenue, #100  
Tucson, Arizona 85719  
(602) 882-4795



Larry D. Fellows  
Director and State Geologist

June 8, 1994

Ms. Judy Burkhart  
Mountain States Petroleum Corporation  
P. O. Box 1936  
Roswell, New Mexico 88201

Dear Ms. Burkhart:

This will acknowledge receipt of your letter of June 6, which included a change of operator form for each of the 31 Kerr-McGee Corporation wells at the Dineh-bi-Keyah Field sold to Mountain States Petroleum Corporation. Our records indicate that the Navajo #B-1 was plugged and abandoned by Kerr-McGee Corporation in October 1993.

Please note that our records indicate a different API number than the one you have recorded on your forms for the following wells:

<u>Well</u>	<u>API #</u>
Navajo 01	02-001-20001
Navajo 03X	02-001-20011
Navajo 04	02-001-20009
Navajo 10	02-001-20042
Navajo 14	02-001-20040
Navajo 15	02-001-20041

Sincerely,

Steven L. Rauzi  
Oil & Gas Program Administrator

UNITED STATES DEPARTMENT OF THE INTERIOR  
MINERALS MANAGEMENT SERVICE  
ROYALTY MANAGEMENT PROGRAM

### CHANGES TO REPORTER INFORMATION

OLD INFORMATION:	
MMS OPERATOR CODE:	X 0 2 1 7
COMPANY NAME:	K E R R M C G E E C O R P O R A T I O N

NEW INFORMATION:	
MMS OPERATOR CODE:	X 0 2 7 4
COMPANY NAME:	M O U N T A I N S T A T E S P E T R O L E U M C O R P
CONTACT NAME:	R U B Y W I C K E R S H A M
STREET ADDRESS:	2 1 3 E F O U R T H
CITY:	R O S W E L L
STATE:	N M
ZIP CODE:	8 8 2 0 1 -
PHONE:	5 0 5 6 2 3 - 7 1 8 4
AREA CODE:	

COMPLETE IF APPLICABLE:	
<input type="checkbox"/> I AM NO LONGER AN OPERATOR OF INDIAN OR FEDERAL PROPERTIES. PLEASE REMOVE MY NAME FROM YOUR MAILING LIST.	
COMPANY SOLD TO:	EFFECTIVE DATE:
LEASES / AGREEMENTS AFFECTED: NAVAJO # 25 (719)	AZ OIL & GAS CONSERVATION COMMISSION
Dineh Bi Keyah Field - Apache County, Arizona	
Lease #: 14-20-0603-8823	API #: 02001202490051
JUN 8 1994	
COMMENTS: This property was sold to Mountain States Petroleum Corp and they became operator effective May 1, 1994.	

SIGNATURE:	<i>Judy Bushhart</i>
DATE:	5/13/94

MAIL TO:  
MINERALS MANAGEMENT SERVICE  
ROYALTY MANAGEMENT PROGRAM  
P.O. BOX 25165 MS 3122  
DENVER, CO 80225

719

P. O. BOX 1936

505 623-7184

**MOUNTAIN STATES PETROLEUM CORPORATION**

213 EAST FOURTH STREET  
ROSWELL, NEW MEXICO  
88202

June 6, 1994

Arizona Geological Survey  
845 North Park Avenue, #100  
Tucson, Arizona, 85719

**AZ OIL & GAS  
CONSERVATION COMMISSION**

JUN 8 1994

Attention: Steven L. Rauzi,  
Oil & Gas Program Administrator

Re: Dineh-bi-Keyah Field  
Apache County, Arizona

Dear Sir;

In followup of our May 24, 1994, letter to you relative to the change of operator from Kerr McGee to Mountain States Petroleum Corporation for the captioned field; please find enclosed a copy of the notices sent to the Minerals Management Service.

We hope this will supply the information you requested and apologize for any inconvenience we may have caused. If you have any questions or are in need of anything further please contact the undersigned. Thank you.

Sincerely,

*Judy Burkhart*  
Judy Burkhart,  
Secretary

Enclosures

P. O. BOX 1936

505 623-7184

**MOUNTAIN STATES PETROLEUM CORPORATION**

213 EAST FOURTH STREET  
ROSWELL, NEW MEXICO  
88202

May 24, 1994

Arizona Geological Survey  
845 North Park Avenue, #100  
Tucson, Arizona 85719

Attention: Steven L. Rauzi,  
Oil & Gas Program Administrator

Re: Dineh-bi-Keyah Field  
Apache County, Arizona

Dear Sir;

Please be advised that effective May 1, 1994, Mountain States Petroleum Corporation replaced Kerr-McGee as Operator of the captioned field and it's respective wells.

Listed on the attached sheet are the well names and API #'s of each well in this field, including shut-in, producing, and abandoned wells.

Please change your records to reflect that Mountain States Petroleum Corporation, Post Office Box 1936, Roswell, New Mexico, 88202-1936, (505) 623-7184, is now the operator of these properties and as such will be filing all required monthly production reports.

If you have any questions or are in need of anything further in this matter please contact the undersigned. Thank you.

Sincerely,

*Judy Burkhart*

Judy Burkhart,  
Secretary

Attachment

CONSERVATION COMMISSION

MAY 31 1994

719



**KERR-McGEE CORPORATION**

4221 WEST TWENTY-FIRST AVENUE  
P. O. BOX 250 • AMARILLO, TEXAS 79189

RECEIVED

DEC 12 1983

O & G CONS. COMM.

*AKS  
Ry*

OIL AND GAS DIVISION

PHONE  
806 359-0351

December 8, 1983

State of Arizona  
Oil and Gas Conservation Commission  
1645 West Jefferson, Suite 420  
Phoenix, Arizona 85007

Attn: Rudy Ybarra

Re: Form 25 for Kerr-McGee Corporation's  
Navajo Lease, Wells #14, #25 and  
#22. Located in Dineh Bi Keyah  
Field, Apache County, Arizona

Mr. Ybarra:

Statewide Rule 115 of the Arizona Conservation Commission's rules and regulations governing oil, gas and helium production requires operators to report the chemical treatment of any well to the Commission on the prescribed form (Form 25).

In order to comply with Statewide Rule 115, Kerr-McGee is submitting Form 25, "Sundry Notices and Reports on Wells," for the Navajo #14, #22 and #25.

Should any additional information be required, please contact me at this office.

Sincerely,

*Aaron Reyna*

Aaron Reyna  
Engineering Assistant

*Joe Stein*

Joe Stein  
District Engineer  
Southwest District - N. A.

AR/vt  
Enclosure



**KERR-McGEE CORPORATION**

4221 WEST TWENTY-FIRST AVENUE  
P. O. BOX 250 • AMARILLO, TEXAS 79189

RECEIVED

OCT 22 1981

O & G CONS. COMM.

OIL AND GAS DIVISION

PHONE  
806 359-0351

October 20, 1981

Oil and Gas Conservation Commission  
State of Arizona  
1645 West Jefferson, Suite 420  
Phoenix, Arizona 85007

RE: Completion of Kerr-McGee Corporation's  
Navajo Lease, Well No. 25, Dineh-Bi-  
Keyah Field, Apache County, Arizona

Gentlemen:

Enclosed please find three (3) copies of Form No. 6, Potential Test and Request for Allowable-Oil Wells, with attached lease plats; and Form No. 4, "Well Completion or Recompletion Report..." for the subject well. No logs are enclosed. The logs were filed directly by the logging company. Please return the extra copy of each enclosure to this office in the enclosed envelope.

If you need any further information, please contact me at 806/359-0351.

Sincerely,

KERR-McGEE CORPORATION

*Kelley Eisenberg*  
Kelley Eisenberg  
Sr. Engineering Assistant

KE/pjs  
encl.

cc: The Navajo Tribe

719

WA



**KERR-McGEE CORPORATION**

4221 WEST TWENTY-FIRST AVENUE  
P. O. BOX 250 • AMARILLO, TEXAS 79189

RECEIVED

MAY 20 1981

O & G CONS. COMM.

OIL AND GAS DIVISION

May 18, 1981

PHONE  
806 359-0351

Oil and Gas Conservation Commission  
State of Arizona  
1645 West Jefferson, Suite 420  
Phoenix, Arizona 85007

Attention: W. E. Allen

RE: Extensions on Permits to Drill Kerr-  
McGee's Navajo #25, #26, #27, #88-6, and  
#138-3, Apache County, Arizona

Gentlemen:

Kerr-McGee Corporation respectfully requests extensions on the Permits to Drill for the above referenced wells. An extension of six (6) months should be enough time to enable all five (5) wells to be drilled.

If you need any further information, please contact me at 806/359-0351.

Sincerely,

KERR-McGEE CORPORATION

*Kelley Eisenberg*

Kelley Eisenberg  
Sr. Engineering Assistant  
Southwest District - N. A.

KE/sm

APPROVED  
OIL & GAS CONSERVATION COMMISSION  
STATE OF ARIZONA

By W. E. Allen  
Date 5-20-81

Permit dated 2-26-81  
90 days  
6 mo ext. 5-26-81  
11-26-81

719 ✓  
720  
721  
722  
723

May 13, 1981

Kerr-McGee Corporation  
P.O. Box 250  
Amarillo, Texas 79189

Attention: Kelley Eisenberg

Re: Kerr-McGee Navajo 25  
NE NW 31-36N-30E, Apache County  
State Permit 719

Gentlemen:

This is to advise that the above referenced permit to drill will expire on May 26, 1981. Should you wish an extension of this permit, please advise before expiration.

Incidentally, you have been issued four other permits, numbers 720, 721, 722, and 723. These permits will expire on June 11, 1981. We would suggest you request an extension at this time on all five of the proposed wells.

Yours very truly,

W. E. Allen  
Executive Secretary

WEA:os

February 26, 1981

Kelley Eisenberg, Engineering Assistant  
Kerr-McGee Corporation  
P.O. Box 250  
Amarillo, Texas 79189

Re: Permit to Drill No. 719  
Kerr-McGee Navajo 25

Dear Ms. Eisenberg:

Please find enclosed Permit to Drill No. 719, approved applica-  
tion, and other pertinent papers.

Yours truly,

Enone A. Stacey  
Secretary

Encs.



**KERR-McGEE CORPORATION**

4221 WEST TWENTY-FIRST AVENUE  
P. O. BOX 250 • AMARILLO, TEXAS 79189

RECEIVED  
FEB 26 1981  
O & G CONS. COMM.

OIL AND GAS DIVISION

PHONE  
806 359-0351

February 20, 1981

State of Arizona  
Oil & Gas Conservation Commission  
1645 W. Jefferson Suite 420  
Phoenix, AZ 85007

Re: Kerr-McGee Corporation's Application  
for a Permit to Drill the Navajo Lease,  
Well No.25, Dineh-bi-Keyah Field,  
Apache County, Arizona

Gentlemen:

Enclosed please find in duplicate, Form No. 3, Application for a Permit to Drill, and two (2) copies of the surveyors plat for the above referenced well. Also enclosed is a check for twenty-five dollars (\$25.00) to cover the filing fee for the well.

If you need any further information, please contact me at 806-359-0351.

Sincerely,

KERR-McGEE CORPORATION

*Kelley Eisenberg*

Kelley Eisenberg  
Engineering Assistant  
Southwest District - N.A.

KE/cw  
Enc.