

CONFIDENTIAL

Release Date

02-29-89

HIGH PLAINS PETROLEUM CORP. 842
SW SW 13-21N-27E 1-13-Santa Fe RR
APACHE

RECEIVED

MAR 15 1984

WELL COMPLETION OR RECOMPLETION REPORT AND WELL LOG

DESIGNATE TYPE OF COMPLETION:

O & G CONS. COMM.

New Well Work-Over Deepen Plug Back Same Reservoir Different Reservoir Oil Gas Dry

DESCRIPTION OF WELL AND LEASE

Operator High Plains Petroleum Corporation Address 3860 Carlock Dr., Boulder, CO 80303

Federal, State or Indian Lease Number or name of lessor if free lease Santa Fe RR Well Number 1-13 Field & Reservoir wildcat

Location 330' FSL & 1077' FWL County Apache (13)

Sec. TWP-Range or Block & Survey Sec. 13, T21N, R27E, G&SRM

Date spudded 8-9-83 Date total depth reached 8-21-83 Date completed, ready to produce NA Elevation (DF, RKB, RT or Gr.) 5835 feet Elevation of casing hd. flange NA feet

Total depth 1456' P.B.T.D. NA Single, dual or triple completion? NA If this is a dual or triple completion, furnish separate report for each completion.

Producing interval (s) for this completion None Rotary tools used (interval) 0 - 1456' Cable tools used (interval) NA

Was this well directionally drilled? No Was directional survey made? No Was copy of directional survey filed? No Date filed

Type of electrical or other logs run (check logs filed with the commission) DIFL/GR, CDL/CN/GR Date filed 8-21-83

CASING RECORD

Table with 7 columns: Purpose, Size hole drilled, Size casing set, Weight (lb./ft.), Depth set, Sacks cement, Amt. pulled. Row 1: Surface, 9 7/8", 7", 20#, 125.3', 70 sx., None

TUBING RECORD

LINER RECORD

Table with 8 columns: Size, Depth set, Packer set at, Size, Top, Bottom, Sacks cement, Screen (ft).

PERFORATION RECORD

ACID, SHOT, FRACTURE, CEMENT SQUEEZE RECORD

Table with 5 columns: Number per ft., Size & type, Depth Interval, Am't. & kind of material used, Depth Interval.

INITIAL PRODUCTION

Date of first production Producing method (indicate if flowing, gas lift or pumping—if pumping, show size & type of pump:)

Table with 6 columns: Date of test, Hrs. tested, Choke size, Oil prod. during test, Gas prod. during test, Water prod. during test, Oil gravity.

Table with 6 columns: Tubing pressure, Casing pressure, Cal'ated rate of Production per 24 hrs., Oil, Gas, Water, Gas-oil ratio.

Disposition of gas (state whether vented, used for fuel or sold):

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the President of the High Plains Petroleum Corp. (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

March 12, 1984 Date

John B. Somers II Signature

Permit No. 842

STATE OF ARIZONA OIL & GAS CONSERVATION COMMISSION Well Completion or Recompletion Report and Well Log Form No. 4 File One Copy

DETAIL OF FORMATIONS PENETRATED

FORMATION	TOP	BOTTOM	DESCRIPTION*
Triassic	Surface	900	ss & sh
Coconino	900	1038	ss
Supai	1038	TD	ls, dol. & sh DST 1335-89', Rec. 1 gal. mud, IHP630 IFP7, FFP7, ISIP8, FSIP8, 2nd IFP7, 2nd FFP7, 2nd FSIP7.

* Show all important zones of porosity, detail of all cores, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

INSTRUCTIONS:

Attach drillers log or other acceptable log of well.

This Well Completion or Recompletion report and well log shall be filed with the State of Arizona Oil & Gas Conservation Commission not later than thirty days after project completion.

Form No. 4

PLUGGING RECORD

RECEIVED

Operator High Plains Petroleum Corporation		Address 3860 Carlock Drive		SEP 6 - 1983	
Federal, State, or Indian Lease Number or lessor's name if fee lease. Santa Fe RR		Well No. 1-13	Field & Reservoir Wildcat		O & G CONS. COMM.
Location of Well 330' FSL & 990' FWL - SW SW		Sec-Twp-Rge or Block & Survey 19-21N-27E		County Apache	
Application to drill this well was filed in name of High Plains Petroleum		Has this well ever produced oil or gas No	Character of well at completion (initial production): Oil (bbls/day) _____ Gas (MCF/day) _____		Dry? Dry
Date plugged: August 23, 1983		Total depth 1456	Amount well producing when plugged: Oil (bbls/day) _____ Gas (MCF/day) _____		Water (bbls/day) _____
Name of each formation containing oil or gas. Indicate which formation open to wellbore at time of plugging	Fluid content of each formation	Depth interval of each formation		Size, kind & depth of plugs used. Indicate zones squeeze cemented, giving amount cement	
None		Coconino 900-1040'		850'-1090': 50sx. cmt.	
		Supai 1040'-TD		100-150': 10sx. cmt.	
				20-0' : 5sx. cmt.	
CASING RECORD					
Size pipe	Put in well (ft.)	Pulled out (ft.)	Left in well (ft.)	Give depth and method of parting casing (shot, ripped, etc.)	Packers and shoes
7"	125.3'	None	125.3'	_____	Set @ 127.3'
Was well filled with heavy drilling mud, according to regulations? Yes			Indicate deepest formation containing fresh water. Coconino		
NAMES AND ADDRESSES OF ADJACENT LEASE OPERATORS OR OWNERS OF THE SURFACE					
Name	Address		Direction from this well:		
Cecil Gustin	Box 310, Grants, N.M. 87020		South		
In addition to other information required on this form, if this well was plugged back for use as a fresh water well, give all pertinent details of plugging operations to base of fresh water sand, perforated interval to fresh water sand, name and address of surface owner, and attach letter from surface owner authorizing completion of this well as a water well and agreeing to assume full liability for any subsequent plugging which might be required.					
Use reverse side for additional detail.					
CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the President & Petroleum Engineer of the High Plains Petroleum Corporation (company) and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.					
Date August 31, 1983		Signature <i>John B. Somers II</i>			
Permit No. 842			STATE OF ARIZONA OIL & GAS CONSERVATION COMMISSION Plugging Record File One Copy		
			Form No. 10		

APPLICATION TO PLUG AND ABANDON

RECEIVED

SEP 6 - 1983

OIL & GAS CONSERVATION COMMISSION

FIELD Wildcat

OPERATOR High Plains Petroleum ADDRESS 3860 Carlock, Dr., Boulder, Colo.

Federal, State or Indian Lease Number or Lessor's Name if Fee Lease Santa Fe RR WELL NO. 1-13

LOCATION 330' FSL & 990' FWL, SW SW Sec. 13, T21N, R27E, G&SRM, Apache Co.,
Arizona

TYPE OF WELL Dry Hole TOTAL DEPTH 1456'
(Oil, Gas or Dry Hole)

ALLOWABLE (If Assigned) None

LAST PRODUCTION TEST OIL _____ (Bbls.) WATER _____ (Bbls.)
GAS _____ (MCF) DATE OF TEST _____

PRODUCING HORIZON None PRODUCING FROM _____ TO _____

1. COMPLETE CASING RECORD.

125.3' 7" 20# Surface casing set 127.3' w/ 70 sx. cmt.

2. FULL DETAILS OF PROPOSED PLAN OF WORK.

- (a) Set a 50 sack cement plug from 850-1090', across and 50 ft. above and below the Coconino,
- (b) Set a 10 sack cement plug from 100-150', in and out of the base of the surface csg.,
- (c) Set a cement plug from 20 feet to the surface, and
- (d) Erect a 4 foot dry hole marker.

DATE COMMENCING OPERATIONS August 23, 1983

NAME OF PERSON DOING WORK John B. Somers II ADDRESS 3860 Carlock Dr., Boulder
Colo. 80303

John B. Somers II
Signature
President

3860 Carlock Drive, Boulder, Colo. 80303
Address

August 31, 1983
Date

Date Approved 9-8-83
STATE OF ARIZONA
OIL & GAS CONSERVATION COMMISSION
By: [Signature]

STATE OF ARIZONA
OIL & GAS CONSERVATION COMMISSION
Application to Plug and Abandon
File Two Copies
Form No. 9

Permit No. 842

CEMENTERS, INC.

*AKS
to File*

BOYCE ULRICH, President
632-3683

P. O. BOX 302
FARMINGTON, NEW MEXICO 87401

RECEIVED

AUG 30 1983

O & G CONS. COMM.

PLUGGING PROCEDURE TO PLUG & ABANDON:

High Plains Petroleum Corp. Well
#1-13 Santa Fe Lse.
Apache Cty., AZ
8-23-83

Spot 50 sx cement from 1090' to 850'

Spot 10 sx cement from 150' to 50'

Spot 5 sx cement from 20' to surface

842

HIGH PLAINS PETROLEUM CORPORATION 1-13 Santa Fe RR

SW SW 13-21N-27E

330' FSL, 1070' FWL

APACHE CO.

Elev. 5835

Spud Date 8/9/83 Wayne Smith Drilg. Co. Crown Pt., N.M.

Proposed depth 1450'

8/10/83 set 125' 7" @ 127 1/2' w/ 70SX CI-A Plugdown 8³⁰A

Nippled up set BOP. Pressured up 9 PM AOK

8/11/83 8³⁰A @ 495' - 2 PM @ 525'

8/15/ @ 1000' Coca 43' Hi to GUSTIN - Small gas kicks ^{good helium} show in CO Co. Top 50'.

8/18 @ 1161' 6'/hr.

8/21 10991ng

8/22 Halliborton straddle tested 1335-1389 ^{weak blow 2 min} died, No press.

8/23 Cementers Inc. Farm. 50 SX 1090-850, ^{100'} 105X in & out, 53X in top.

API NO. 02-001-20280

STATE OF ARIZONA

OIL AND GAS CONSERVATION COMMISSION

PERMIT 842

REPORT ON PROPOSED OPERATIONS

HIGH PLAINS PETROLEUM CORPORATION
3860 Carlock Drive
Boulder, CO 80303

Phoenix, ARIZONA
August 4, 1983

Your _____ proposal to drill well 1-13 Santa Fe RR,
A.P.I. No. 02-001-20280, Section 13, T. 21N, R. 27E, G&SR B. & M.,
field, Chambers area, _____ pool,
Apache County, dated 8/3/83, received 8/4/83 has been examined in conjunction with records
filed in this office.

THE PROPOSAL IS APPROVED PROVIDED:

1. Drilling mud consistent with sound drilling practices shall be used at all times.
2. The well is cased and cemented in such a manner as to protect all zones that contain oil, gas, or fresh water, so as to provide well control during drilling operations.
3. Blowout prevention equipment shall be installed, used, maintained, and tested in a manner necessary to assure well control throughout the drilling, completion or abandonment of the well.
4. The status of completed drilling operations (Form 25) shall be filed with the Commission on a timely basis.
5. Samples of all cores and cuttings of this well shall be shipped or mailed, charges prepaid, to:
 - a. Oil & Gas Conservation Commission, Phoenix office.
 - b. Bureau of Geology & Mineral Technology, University of Arizona
845 N. Park, Tucson, AZ 85719
6. THIS COMMISSION SHALL BE NOTIFIED:
 - a. Immediately when drilling operations commence.
 - b. To witness the running and cementing of the surface casing.
 - c. To inspect the installed blowout prevention equipment prior to drilling below the shoe of the surface casing at 145 feet.

BOND 564F4989

A. K. BOSS, Executive Director

By *A. K. Boss*
Enforcement Director

A copy of this report and the proposal must be posted at the well site prior to commencing operations.

Records for work done under this permit are due within 30 days after the work has been completed or the operations have been suspended.



PERMIT TO DRILL

This constitutes the permission and authority from the
OIL AND GAS CONSERVATION COMMISSION,
STATE OF ARIZONA,

To: HIGH PLAINS PETROLEUM CORPORATION
(OPERATOR)

to drill a well to be known as

SANTA FE # 1-13
(WELL NAME)

located 330' NORTH OF SOUTH LINE and 990' EAST OF WEST LINE

Section 13 Township 21N Range 27E, APACHE County, Arizona.

The _____ of said
Section, Township and Range is dedicated to this well.

Said well is to be drilled substantially as outlined in the attached Application and must be drilled
in full compliance with all applicable laws, statutes, rules and regulations of the State of Arizona.

Issued this 4th day of August, 19 83.

OIL AND GAS CONSERVATION COMMISSION
By [Signature]
EXECUTIVE DIRECTOR

PERMIT 00842
RECEIPT NO. 2432
A.P.I. NO. 02-001-20280

State of Arizona
Oil & Gas Conservation Commission
Permit to Drill
FORM NO. 27

13-1 7040								
BANK TRF NO.	\$ CHECKS	\$ CASH	NET	DATE	NAME	DESCRIPTION	RECEIVED BY	
	25.00			8-14-83	Wells Plans Petroleum Corp.	Permit #842	KB	
<small>IF (ENTERED) INDICATES CASH RETURNED FOR ADJUSTMENT TO NET AMOUNT OF ACTUAL PAYMENT</small>								<small>INVALID WITHOUT SIGNATURE</small>

2432

OIL AND GAS CONSERVATION COMMISSION
 STATE OF ARIZONA
 1645 WEST JEFFERSON, SUITE 420
 PHOENIX, ARIZONA 85007

RETAIN THIS RECEIPT
 FOR YOUR RECORDS

Pete Barnes
 SIGNATURE

AMENDED APPLICATION FOR PERMIT TO DRILL OR RE-ENTER

APPLICATION TO DRILL

RE-ENTER OLD WELL

RECEIVED

AUG 4 1983

NAME OF COMPANY OR OPERATOR

High Plains Petroleum Corporation

O & G CONS. COMM.

Address

City

State

3860 Carlock Drive

Boulder

Colorado

Drilling Contractor

Wayne Smith Drilling Co.

Address P.O. Box 609 Crownpoint, New Mexico 87313

DESCRIPTION OF WELL AND LEASE

Federal, State or Indian Lease Number, or if fee lease, name of lessor

Santa Fe RR

Well number

1-13

Elevation (ground)

5837'

Nearest distance from proposed location to property or lease line:

330 feet

Distance from proposed location to nearest drilling, completed or applied—for well on the same lease:

N/A

feet

Number of acres in lease:

640

Number of wells on lease, including this well, completed in or drilling to this reservoir:

1

If lease, purchased with one or more wells drilled, from whom purchased:

Name

Address

Santa Fe Energy Co. 7200 I-40 West, Amarillo, Texas 79106

Well location (give footage from section lines)

330' N of SL & 990' E of WL

Section—township—range or block and survey

Sec.13-T21N-R27E

Dedication (Comply with Rule 105)

80 acres

Field and reservoir (if wildcat, so state)

Wildcat

County

Apache

Distance in miles, and direction from nearest town or post office

1 1/2 miles north of Chambers, Arizona

Proposed depth:

1450'

Rotary or cable tools

Rotary

Approx. date work will start

August 9, 1983

Bond Status

single well

Organization Report

Filing Fee of \$25.00 submitted with bond

Amount

\$5,000.00

On file

X

Or attached

Attached

Remarks:

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the President of the High Plains Petroleum Corporation (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

Signature

John B. Somers II
John B. Somers II

Date

August 3, 1983
August 3, 1983

Permit Number: _____

Approval Date: _____

Approved By: _____

Notice: Before sending in this form be sure that you have given all information requested. Much unnecessary correspondence will thus be avoided.

STATE OF ARIZONA
OIL & GAS CONSERVATION COMMISSION
Application to Drill or Re-enter
File Two Copies

Form No. 3

(Complete Reverse Side)

- Operator shall outline the dedicated acreage for both oil and gas wells on the plat.
- A registered professional engineer or land surveyor registered in the State of Arizona or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- ALL DISTANCES SHOWN ON THE PLAT MUST BE FROM THE OUTER BOUNDARIES OF THE SECTION.
- Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES _____ NO X _____.
- If the answer to question four is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? YES X NO _____. If answer is "yes," Type of Consolidation Farmout Agreement
- If the answer to question four is "no," list all the owners and their respective interests below:

Owner Santa Fe	Land Description All Section 13-T21N-R27E
<p>CERTIFICATION</p> <p>I hereby certify that the information above is true and complete to the best of my knowledge and belief.</p> <p><i>John B. Somers II</i> Name John B. Somers II Position President Company High Plains Petroleum Date August 3, 1983</p> <p>I hereby certify that the well location shown on the plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.</p>	
<p>Date Surveyed 8-2-83</p> <p>Registered Professional Engineer and Land Surveyor <i>John B. Somers II</i></p> <p>Certificate No. 9228</p>	

PROPOSED CASING PROGRAM

Size of Casing	Weight	Grade & Type	Top surf.	Bottom	Cementing Depths	Sacks Cement	Type
7" 4 1/2"	20# 10.5#	ltd. ser. J-55	surf.	145' 1450'	0-145' adequate to protect oil or gas zone(s) to be produced	35 sx. undetermined	Class B Class B

APPLICATION FOR PERMIT TO DRILL OR RE-ENTER

APPLICATION TO DRILL

RECEIVED RE-ENTER OLD WELL

NAME OF COMPANY OR OPERATOR

High Plains Petroleum Corporation **D & G CONS. COMM.**

Address **3860 Carlock Drive**

City **Boulder**

State **Colorado**

Drilling Contractor
Wayne Smith Drilling Co.

RECEIVED
AUG 2 1983

Address **P.O. Box 609 Crownpoint, New Mexico 87313** **O & G CONS. COMM.**

DESCRIPTION OF WELL AND LEASE

Federal, State or Indian Lease Number, or if fee lease, name of lessor Santa Fe RR	Well number 1-13	Elevation (ground) 5835'
Nearest distance from proposed location to property or lease line: 330 feet	Distance from proposed location to nearest drilling, completed or applied—for well on the same lease: N/A feet	
Number of acres in lease: 640	Number of wells on lease, including this well, completed in or drilling to this reservoir: 1	
If lease, purchased with one or more wells drilled, from whom purchased:	Name Santa Fe Energy Co.	Address 7200 I-40 West Amarillo, Texas 79106
Well location (give footage from section lines) 330' N of SL & 1077' E of WL	Section—township—range or block and survey Sec.13-T21N-R27E	Dedication (Comply with Rule 105) 80 acres
Field and reservoir (if wildcat, so state) Wildcat	County Apache	
Distance in miles, and direction from nearest town or post office 1½ miles north of Chambers, Arizona		
Proposed depth: 1450'	Rotary or cable tools Rotary	Approx. date work will start August 8, 1983
Bond Status single well Amount \$5,000.00	Organization Report On file Or attached X	Filing Fee of \$25.00 Attached X

Remarks:

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the President of the High Plains Petroleum Corp. (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

John B. Somers II
Signature **John B. Somers II**

July 28, 1983
Date **July 28, 1983**


Permit Number: 842
Approval Date: 8-4-83
Approved By: *[Signature]*


Notice: Before sending in this form be sure that you have given all information requested. Much unnecessary correspondence will thus be avoided.

Form No. 3

STATE OF ARIZONA
OIL & GAS CONSERVATION COMMISSION
Application to Drill or Re-enter
File Two Copies


- Operator shall outline the dedicated acreage for both oil and gas wells on the plat.
- A registered professional engineer or land surveyor registered in the State of Arizona or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- ALL DISTANCES SHOWN ON THE PLAT MUST BE FROM THE OUTER BOUNDARIES OF THE SECTION.
- Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES _____ NO X
- If the answer to question four is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? YES X NO _____. If answer is "yes," Type of Consolidation Farmout Agreement
- If the answer to question four is "no," list all the owners and their respective interests below:

Owner Santa Fe	Land Description All Section 13-T21N-R27E
CERTIFICATION	
I hereby certify that the information above is true and complete to the best of my knowledge and belief.	
 Name John B. Somers II	
Position President	
Company High Plains Petroleum	
Date July 28, 1983	
I hereby certify that the well location shown on the plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.	
Date Surveyed 7-25-83	
Registered Professional Engineer and/or Land Surveyor J. E. BARKLEY JR.	
Certificate No. 9228	



PROPOSED CASING PROGRAM

Size of Casing	Weight	Grade & Type	Top	Bottom	Cementing Depths	Sacks Cement	Type
7"	20#	ltd. ser.	surf.	145'	0-145'	35 sx.	Class B
4 1/2"	10.5#	J-55	surf.	1450'	adequate to protect oil or gas zone (C) to be produced	undetermined	Class B





OFFICE OF

Oil and Gas Conservation Commission
STATE OF ARIZONA

1645 WEST JEFFERSON, SUITE 420
PHOENIX, ARIZONA 85007
PHONE: (602) 255-5161

July 1, 1986

Mr. John Somers
High Plains Petroleum
3860 Carlock Drive
Boulder, CO 80303

Re: High Plains Petroleum
Well No. 1-13 Santa Fe RR
Bond No. 564F4989

Dear Mr. Somers:

This letter is to advise you that subject bond is now eligible for release.

Thank you for the excellent job you did on the clean-up and restoration work.

If we can be of any service to you and your company, please let us know.

Sincerely,

R. A. Ybarra
R. A. Ybarra
Enforcement Director

lr



High Plains Petroleum Corporation

3860 Carlock Dr. Boulder, CO 80303 303-494-4529

JUN 12 1986

O & G CONS. COMM.

June 9, 1986

Mr. Rudi A. Ybarra
Enforcement Director
Arizona Oil and Gas Conservation Commission
1645 W. Jefferson, Suite 420
Phoenix, Arizona 85007

Re: Santa Fe No. 1-13
Apache County

Dear Rudi,

Please excuse the lengthy delay in cleaning up the location of the Santa Fe No. 1-13 well. We cleaned up the trash from the drilling on May 31st and had the three pits filled and the location leveled on June 6th. Eichman Excavating, Inc. from Gallup did the dirt work.

I personally supervised the clean-up and restoration work, so the site is now ready for your inspection. Please release the bond, #564F 4989, after you have had the opportunity to inspect the site.

Yours truly,

John Somers
High Plains Petroleum

JBS/ss

cc: Ms. Sheryl Pietrantonio, the Talbert Corporation
New Mexico and Arizona Land Company
Wayne Smith Drilling Co.
Earl M. Cranston & Richard C. Hoefle



OFFICE OF
Oil and Gas Conservation Commission
STATE OF ARIZONA
1645 WEST JEFFERSON, SUITE 420
PHOENIX, ARIZONA 85007
PHONE: (602) 255-5161

April 21, 1986

Mr. John Somers
High Plains Petroleum Corp.
3860 Carlock Dr.
Boulder, CO 80303

Re: Santa Fe No. 1-13
Apache County

Dear John:

Please be reminded that the surface clean-up on subject well has not been completed, and that the bond on the well, # 564F4989, cannot be released until this work is completed.

You pointed out by letter (Jan. 4, 1985) that the clean up work would be conducted as soon as the weather permitted.

If you have any questions pertaining to this matter, please call.

Sincerely,

R. A. Ybarra
R. A. Ybarra
Enforcement Director

lr



High Plains Petroleum Corporation

3860 Carlock Dr. Boulder, CO 80303 303-494-4529

RECEIVED

JAN 9 1985

O & G CONS. COMM.

January 4, 1985

Mr. A.K. Doss
Executive Director
Arizona Oil and Gas Conservation Commission
1645 W. Jefferson, Suite 420
Phoenix, Arizona 85007

Re: Santa Fe No. 1-13
Sec. 13, T21N, R27E
Apache Co., Arizona
(Permit No. 842)

Dear A.K.,

Winter weather has prevented us from completing the cleanup and site restoration work on Santa Fe No. 1-13. As soon as the weather improves and it is dry enough to do so, we will fill the pit and clean up the location for your final inspection.

Yours truly,

John Somers

John Somers
High Plains Petroleum

cc: The Talbert Corporation
Attention: Sheryll Pietrantonio



High Plains Petroleum Corporation
3860 Carlock Dr. Boulder, CO 80303 303-494-4529

RECEIVED
NOV 16 1984

O & G CONS. COMM

November 14, 1984

Ms. Sheryll Pietrantonio
The Talbert Corporation
P.O. Box 9364
Denver, Colo. 80209

Re: Bond No. 564F498-9
Plugging Bond-to-State of Arizona
High Plains' Santa Fe #1-13 Well

P/N 842

Dear Ms. Pietrantonio,

High Plains wasn't aware of the clean up problem until we received a copy of Mr. Doss' letter dated August 20, 1984. The filling of the pits and cleaning up of the location was supposed to have been done by the drilling contractor, Wayne Smith Drilling Company. However, since that work was not done, High Plains will have both matters taken care of next week. As soon as that work is done, I will notify the Oil and Gas Conservation Commission so that the bond can be released.

Since the bond has had to remain in effect until the work is done, please find enclosed a check in the amount of \$50.00 for the renewal and extension of the bond.

Please excuse the delay. I want to personally supervise the clean up and restoration work so that it is done and done right. As a result, I have waited until I will be in the field in the area, and next week I will be witnessing the drilling of a well nearby, so I'll take care of it then.

Yours truly,

John B. Somers II
President

Enclosure

JBS/ss

cc: Mr. A.K. Doss

Executive Director

Oil and Gas Conservation Commission

1645 W. Jefferson, Suite 420

Phoenix, Arizona 85007



OFFICE OF
Oil and Gas Conservation Commission
STATE OF ARIZONA
1645 WEST JEFFERSON, SUITE 420
PHOENIX, ARIZONA 85007
PHONE: (602) 255-5181

November 6, 1984

The Talbert Corporation
P. O. Box 9364
Denver, Colorado 80209

Attention Ms. Sheryll Pietrantonio
Account Assistant

RE: High Plains Petroleum Corporation
Bond No. 564F498-9; Permit 842
Plugging Bond - #1-13 Well

Gentlemen:

This is to acknowledge receipt of your letter of November 1, 1984 pertaining to cancellation of the above-referenced bond. Please be advised that this agency has received no word from High Plains Petroleum as to whether they have done the proper clean-up work on the location.

I suggest that you contact High Plains, also located in Denver, and ask them if the clean-up work has been accomplished, and if not, that this agency should be notified when the work has been done. Perhaps this line of action will get this bond in position for cancellation.

Sincerely,


A. K. Doss
Executive Director

/kb



the Talbert corporation

SURETY BONDS AND INSURANCE
DENVER, COLORADO
GRAND JUNCTION, COLORADO
CASPER, WYOMING
SALT LAKE CITY, UTAH

RECEIVED

NOV 5 1984

O & G CONS. COMM.

November 1, 1984

A.K. Doss, Executive Director
State of Arizona
Oil and Gas Conservation Commission
1645 West Jefferson, Suite 420
Phoenix, Arizona 85007

RE: High Plains Petroleum Corporation
Bond No. 564F498-9
Plugging Bond - #1-13 Well

Dear Mr. Doss:

On August 20, 1984, we received a letter from you regarding the above captioned bond. You stated that the drill site was inspected on August 14, 1984, and that the mud pits needed to be backfilled and the location appropriately cleaned up.

Has the work been accomplished at this time? If so, would you please give us authority at this time to cancel the bond in caption. Your prompt attention to this matter is greatly appreciated.

Respectfully yours,

Sherill Pietrantonio

Sherill Pietrantonio
Account Assistant

:srp



OFFICE OF
Oil and Gas Conservation Commission
STATE OF ARIZONA
1645 WEST JEFFERSON, SUITE 420
PHOENIX, ARIZONA 85007
PHONE: (602) 255-5161

August 20, 1984

The Talbert Corporation
P. O. Box 9364
Denver, CO 80209

Attention Sue Jones
Account Assistant

Re: High Plains Petroleum Corporation
Permit Number 842

Gentlemen:

This is to acknowledge receipt of your letter of August 9 pertaining to the above reference. Please be advised that this location drill site was field inspected on August 14, 1984. The mud pits are now dry but they have not been back filled and the location appropriately cleaned up.

Therefore, this Commission cannot at this time cancel the bond in question until this work has been accomplished.

Sincerely,


A. K. Doss
Executive Director

/kb

cc: High Plains Petroleum Corporation
3860 Carlock Drive
Boulder, CO 80303



the Talbert corporation

SURETY BONDS AND INSURANCE
DENVER, COLORADO
GRAND JUNCTION, COLORADO
CASPER, WYOMING
SALT LAKE CITY, UTAH

RECEIVED

AUG 13 1984

O & G CONS. COMM.

*File PN 842
Field inspected
8-14-84
Pete dry but
not back filled
AKA*

August 9, 1984

State of Arizona
Oil and Gas Conservation Commission
1645 West Jefferson, Suite 420
Phoenix, Arizona 85007

Attention: Mr. Doss

Gentlemen:

Re: High Plains Petroleum Corporation
Bond NO. 564F4989
High Plains Santa Fe #1-13 Well

We have been advised that the above bond is no longer needed. In view of this may we please have your authority to cancel the bond in caption.

Thank you very much for your help.

Sincerely,

Sue Jones
Account Assistant

SSJ:ms



High Plains Petroleum Corporation

3860 Carlock Dr. Boulder, CO 80303 303-494-4529

RECEIVED

MAR 15 1984

O & G CONS. COMM.

March 12, 1984

Ms. Sheila Burgan
Oil and Gas Conservation Commission
State of Arizona
1645 W. Jefferson, Suite 420
Phoenix, Arizona 85007

Re: Santa Fe #1-13
Sec. 13, T21N, R27E
Apache Co., Arizona

Dear Ms. Burgan,

In response to your letter dated March 5, 1984, enclosed please find a completion report covering the drilling of Santa Fe #1-13.

The commission was on the distribution list for the logs, so you should already have them. If you do not, please let me know, and we will furnish you with a complete set.

A copy of the wellsite geologist's report is included to provide a detailed description of the formation samples.

Yours truly,

John Somers
High Plains Petroleum

JBS/ss
Enclosures

March 5, 1984

Mr. John B. Somers II, President
High Plains Petroleum Corporation
3860 Carlock Drive
Boulder, Colorado 80303

Re: Well No. 1-13 Santa Fe
Sec. 13-21N-27E
Permit Number 842

Dear Mr. Somers:

In checking the file on the above referenced well, I note there is no Completion Report in this file.

Enclosed you will find a blank completion report. In order that we may close out this file, please complete this report and return to the Commission as soon as possible.

Sincerely,

Sheila Burgan
Secretary
Enforcement Section

Enclosure

File

High Plains #1-13 Santa Fe

8-9-83

Lv. Phx 6 AM Spud date
AR Chambers 11 AM Wayne Smith Drilling Co.
Crown Point, N.M. ϕ at 43' In to motel 8 PM.

8-10-83

Lv. Motel at 6³⁰ AM Set 125' of 7" at 127^{1/2}' plug
down at 8:30 AM. Drove to Resource Operators Location.
Back to rig at 3:30 PM. Nipped up and set BOP.
Pressured up at 9⁰⁰ AM. Set to start ϕ out of
surface. In to motel at 9³⁰ AM

8-11-83

8³⁰ AM ϕ at 485' 30'-35'/hr. left rig at 2 AM.
 ϕ at 525'
AR. Phx. 7 PM.

8-22-83

Lv. Phx. 5³⁰ AM Ran legs 8-21-83, T.D. 1456.
Driller. Hallihartor tester AR. at rig 11¹⁵ P.
Making up test tool for straddle test 1335' to 1389'.
To motel midnight.
Tool open at 11¹⁵ PM. Very weak blew 2 min & died

8-23-83

7 AM Cementing, Enc. on location. 50sx. 1090'-850',
10sx. (100') in front of surface, Finished all but 5sx.
in top of surface at 10 AM
AR Phx. 7 PM.



the Talbert corporation

SURETY BONDS AND INSURANCE
DENVER, COLORADO
GRAND JUNCTION, COLORADO
CASPER, WYOMING
SALT LAKE CITY, UTAH

August 5, 1983

State of Arizona
Oil and Gas Conservation Commission
1645 West Jefferson
Suite 420
Phoenix, Arizona 85007

Attention Mr. Doss

Gentlemen:

Re: High Plains Petroleum Corporation
Bond #564F4989

You and I spoke by phone earlier this week regarding the captioned bond. There was an error made in the legal description on the bond, which you currently have on file.

A Rider has been issued correcting this error (the property is located in Section 13 - not Section 14). The Rider has been executed in duplicate. Please attach a copy to each of the executed bonds.

Thank you very much for your assistance.

Yours very truly,

Patricia J. Farmer
Assistant Vice President

PJF/cmb

Enclosure

cc: High Plains Petroleum Corporation
3860 Carlock Drive
Boulder, Colorado 80303

RECEIVED

AUG 8 1983

O & G CONS. COMM.

*CRK
RAY
BA*



OFFICE OF
Oil and Gas Conservation Commission
STATE OF ARIZONA
1645 WEST JEFFERSON, SUITE 420
PHOENIX, ARIZONA 85007
PHONE: (602) 271-5161

August 4, 1983

High Plains Petroleum Corporation
3860 Carlock Drive
Boulder, Colorado 80303

RE: Permit Number 842
Well 1-13 Santa Fe RR

Gentlemen:

Enclosed are approved Application for Permit to Drill, approved Performance Bond, Permit to Drill, Report on Proposed Operations and receipt for referenced well.

If we may be of further service, please advise.

Sincerely,


A. K. Doss
Executive Director

/bha

Enclosures



High Plains Petroleum Corporation

3860 Carlock Dr. Boulder, CO 80303 303-494-4529

RECEIVED

AUG 4 1983

O & G CONS. COMM.

August 3, 1983

Arizona Oil & Gas Conservation Commission
1645 W. Jefferson St., Suite 420
Phoenix, Arizona 85007

Re: Amended application for
permit to drill
Santa Fe # 1-13
SWSW Sec. 13, T21N, R27E
Apache Co., Arizona

Gentlemen,

Enclosed please find High Plains' amended application for a permit to drill Santa Fe # 1-13. The location has been moved and the well restaked to comply with your regulations.

Our organization report was submitted with the original application, and a check for the filing fee was sent to you with our bond by letter dated August 1, 1983. We plan to move in the rig Monday, August 8th, and hope to spud on Tuesday, August 9th, so we'd sincerely appreciate your prompt issuance of the requested permit.

We look forward to seeing you at the location next week.

Yours truly,

John Somers
High Plains Petroleum

Enclosures
JBS/ss



High Plains Petroleum Corporation

3860 Carlock Dr. Boulder, CO 80303 303-494-4529

8/3/83
Rider
coming in to
correct Sec. 14 to
Sec. 13
AKB

RECEIVED

AUG 3 1983

D & G CONS. COMM.

August 1, 1983

Arizona Oil & Gas Conservation Commission
1645 W. Jefferson St., Suite 420
Phoenix, Arizona 85007

Re: Performance bond
Santa Fe # 1-13
SWSW Sec. 13, T21N, R27E
Apache Co., Arizona

Gentlemen,

A five thousand dollar (\$5000.00) one well performance bond covering Santa Fe # 1-13, which High Plains proposes to drill, is enclosed together with a check in the amount of twenty-five dollars (\$25.00) for the permitting fee. Now that we have met all the permitting requirements, please issue us a permit to drill so that we can commence operations next week.

If there are any questions, please call me.

Yours truly,

John Somers
John Somers
High Plains Petroleum

Enclosures
JBS/ss

ORGANIZATION REPORT

RECEIVED

AUG 2 1983

Full Name of the Company, Organization, or Individual
High Plains Petroleum Corporation

Post Office Address (Box or Street Address)
3860 Carlock Drive Boulder, Colorado 80303

O & G CONS. COMM.

Plan of Organization (State whether organization is a corporation, joint stock association, firm or partnership, or individual)
Corporation

Purpose of Organization (State type of business in which engaged)
Oil and Gas Exploration

If a reorganization, give name and address of previous organization.

If a foreign corporation, give (1) State where incorporated Colorado	(2) Name and post office address of state agent CT Corporation System 3225 North Central Ave. Phoenix, Arizona 85012	(3) Date of permit to do business in state May 27, 1980
Principal Officers or Partners (if partnership) NAME John B. Somers II	TITLE President & Treasurer	POST OFFICE ADDRESS 3860 Carlock Drive Boulder, Colorado 80303
Thomas B. Martinez	Vice Pres. & Secretary	3002 So. King Denver, colorado 80236

DIRECTORS NAME	POST OFFICE ADDRESS
John B. Somers II	3860 Carlock Dr., Boulder, Colo. 80303
Thomas B. Martinez	3002 So. King, Denver, Colo. 80236
John B. Somers	3571 Sarasota Golf Club Blvd., Sarasota, Florida 33582

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the President of the High Plains Petroleum Corporation (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

Signature John B. Somers II
John B. Somers II

Date July 28, 1983
July 28, 1983

STATE OF ARIZONA
OIL & GAS CONSERVATION COMMISSION
Organization Report
File One Copy
Form No. 1

RECEIVED
AUG 8 1983
O & G CONS. COMM.

CHANGE RIDER

Attached to and forming part of Bond # 564F4989

Issued by THE TRAVELERS INDEMNITY COMPANY
On Behalf of HIGH PLAINS PETROLEUM CORPORATION
In Favor of STATE OF ARIZONA
Dated August 1, 1983

It is hereby understood and agreed that effective the 1st day
of August 19 83, the legal description of High Plains
Santa Fe #1-13 well

is changed from 330' FSL & 1077 FWL IN SW/4SW/4 Sec 14, T21N, R27E
G. & S.R.M., Apache County, Arizona
to 330' FSL & 1077'FWL in SW/4SW/4 Sec 13, T21N, R27E G. & S.R.M.,
Apache County, Arizona

Except as herein specifically modified, the conditions, provisions and
limitations of said bond shall continue unchanged.

Signed, sealed and dated this 4th day of August, 19 83



the Talbert corporation
SURETY BONDS AND INSURANCE
P. O. BOX 9384, DENVER, CO. 80209
AREA CODE 303/839-1773

THE TRAVELERS INDEMNITY COMPANY

By P. J. Farmer

P. J. Farmer, Attorney-in-Fact

RECEIVED

AUG 3 1983

PERFORMANCE BOND
KNOW ALL MEN BY THESE PRESENTS

O & G CONS. COMM.
564F4989

Bond Serial No. _____

That we: HIGH PLAINS PETROLEUM CORPORATION

of the County of Boulder in the State of Colorado

as principal, and THE TRAVELERS INDEMNITY COMPANY

of Hartford, Connecticut

AUTHORIZED TO DO BUSINESS WITHIN THE STATE OF ARIZONA.
as surety, are held and firmly bound unto the State of Arizona and the Oil and Gas Conservation Commission, hereinafter referred to as the "Commission", in the penal sum of FIVE THOUSAND AND NO/100 (\$5,000.00) lawful money of the United States, for which payment, well and truly to be made, we bind ourselves, and each of us, and each of our heirs, executors, administrators or successors, and assigns jointly and severally, firmly by these presents.

The conditions of this obligation are that, whereas the above bounden principal proposes to drill a well or wells for oil, gas or stratigraphic purposes in and upon the following described land situated within the State, to-wit:
High Plains Santa Fe #1-13 330' FSL & 1077 FWL in SW/4SW/4 Sec 14, T21N, R27E
G. & S.R.M., Apache County, Arizona *3 Rider being sent 8/3/83*

(May be used as blanket bond or for single well)

NOW, THEREFORE, if the above bounden principal shall comply with all the provisions of the Laws of this State and the rules, regulations and orders of the Commission, especially with reference to the requirements of A.R.S. § 27-516, providing for the proper drilling, casing and plugging of said well or wells, and filing with the Oil and Gas Conservation Commission all notices and records required by said Commission, then in the event said well or wells do not produce oil or gas in commercial quantities, or cease to produce oil or gas in commercial quantities, this obligation is void; otherwise it shall remain in full force and effect.

Whenever the principal shall be, and declared by the Oil and Gas Conservation Commission in violation of the Laws of this State and the rules, regulations and orders of the Commission, the surety shall promptly:

1. Remedy the violation by its own efforts, or
2. Obtain a bid or bids for submission to the Commission to remedy the violation, and upon determination by the Commission and the Surety of the lowest responsible bidder, arrange for a contract between such bidder and the Commission, and make available as work progresses sufficient funds to pay the cost of remedying the violation, but not exceeding including other costs and damages for which the surety may be liable hereunder, the amount set forth in the first paragraph hereof.

Liability under this bond may not be terminated without written permission of this Commission.
WITNESS our hands and seals, this 1st day of August, 19 83.

ATTEST
BY: Deborah M. [Signature] HIGH PLAINS PETROLEUM CORPORATION

BY: John B. [Signature] Principal

WITNESS our hands and seals, this 1st day of August, 19 83.

THE TRAVELERS INDEMNITY COMPANY

BY: [Signature] Surety Attorney-in-Fact

David Rybacki (Surety, Resident Arizona Agent)
Corrigan & Black of Arizona, Inc., P. O. Box 15628, Phoenix, AZ85018

(If the principal is a corporation, the bond should be executed by its duly authorized officers, with the seal of the corporation affixed. When principal or surety executes this bond by agent, power of attorney or other evidence of authority must accompany the bond.)

Approved Date 8-4-83
STATE OF ARIZONA
OIL & GAS CONSERVATION COMMISSION
By: [Signature]

STATE OF ARIZONA
OIL & GAS CONSERVATION COMMISSION
Bond
File Two Copies
Form No. 2

Permit No. 842

the Talbert corporation
SURETY BONDS AND INSURANCE
P. O. BOX 9384, DENVER, CO. 80209
AREA CODE 303/839-1773

The Travelers Indemnity Company
Hartford, Connecticut

POWER OF ATTORNEY

RECEIVED

AUG 3 1983

O & G CONS. COMM.

KNOW ALL MEN BY THESE PRESENTS:

That THE TRAVELERS INDEMNITY COMPANY, a corporation of the State of Connecticut, does hereby make, constitute and appoint

B. R. Clark, Charles H. Fleck, Courtney T. Peterson, Carol Bronder, Ben L. Matthesen, Nelson D. Brown, P. J. Farmer, Robert J. Sunich, Leon B. Dartois, James S. Rosulek, all of Denver, Colorado, EACH

its true and lawful Attorney(s)-in-Fact, with full power and authority, for and on behalf of the Company as surety, to execute and deliver and affix the seal of the Company thereto, if a seal is required, bonds, undertakings, recognizances, consents of surety or other written obligations in the nature thereof, as follows:

~~Any and all bonds, undertakings, recognizances, consents of surety or other written obligations in the nature thereof~~

and to bind THE TRAVELERS INDEMNITY COMPANY thereby, and all of the acts of said Attorney(s)-in-Fact, pursuant to these presents, are hereby ratified and confirmed.

This appointment is made under and by authority of the following by-laws of the Company which by-laws are now in full force and effect:

ARTICLE IV, SECTION 14. The Chairman of the Board, the President, the Chairman of the Finance Committee, any Executive Vice President, any Senior Vice President, any Vice President, any Second Vice President, the Corporate Secretary or any Department Secretary may appoint attorneys-in-fact or agents with power and authority, as defined or limited in their respective powers of attorney, for and on behalf of the Company to execute and deliver, and affix the seal of the Company thereto, bonds, undertakings, recognizances, consents of surety or other written obligations in the nature thereof and any of said officers may remove any such attorney-in-fact or agent and revoke the power and authority given to him.

ARTICLE IV, SECTION 16. Any bond, undertaking, recognizance, consent of surety or written obligation in the nature thereof shall be valid and binding upon the Company when signed by the Chairman of the Board, the President, the Chairman of the Finance Committee, any Executive Vice President, any Senior Vice President, any Vice President or any Second Vice President and duly attested and sealed, if a seal is required, by the Corporate Secretary or any Department Secretary or any Assistant Corporate Secretary or any Assistant Department Secretary, or shall be valid and binding upon the Company when duly executed and sealed, if a seal is required, by a duly authorized attorney-in-fact or agent, pursuant to and within the limits of the authority granted by his or her power of attorney.

This power of attorney is signed and sealed by facsimile under and by the authority of the following Resolution adopted by the Directors of THE TRAVELERS INDEMNITY COMPANY at a meeting duly called and held on the 30th day of November, 1959:

VOTED: That the signature of any officer authorized by the By-Laws and the Company seal may be affixed by facsimile to any power of attorney or special power of attorney or certification of either given for the execution of any bond, undertaking, recognizance or other written obligation in the nature thereof; such signature and seal, when so used being hereby adopted by the Company as the original signature of such officer and the original seal of the Company, to be valid and binding upon the Company with the same force and effect as though manually affixed.

This power of attorney revokes that dated February 7, 1979 on behalf of B. R. Clark, Charles H. Fleck, Courtney T. Peterson, Carol Bronder, Ben L. Matthesen, Nelson D. Brown, Darrell C. R. Olson, Marilyn Skrifvars, P. J. Farmer, Robert J. Sunich, Robert S. Gill, Leon B. Dartois, James S. Rosulek

IN WITNESS WHEREOF, THE TRAVELERS INDEMNITY COMPANY has caused these presents to be signed by its proper officer and its corporate seal to be hereunto affixed this 13th day of September 19 79

THE TRAVELERS INDEMNITY COMPANY

By

Secretary, Surety



State of Connecticut, County of Hartford—ss:

On this 13th day of September in the year 1979 before me personally came D. J. Nash to me known, who, being by me duly sworn, did depose and say: that he resides in the State of Connecticut; that he is Secretary (Surety) of THE TRAVELERS INDEMNITY COMPANY, the corporation described in and which executed the above instrument; that he knows the seal of said corporation; that the seal affixed to said instrument is such corporate seal; that it was so affixed by authority of his office under the by-laws of said corporation, and that he signed his name thereto by like authority.



Notary Public

My commission expires

April 1, 1983

(Over)

CERTIFICATION

I, Paul D. Tubach, Assistant Secretary (Surety) of THE TRAVELERS INDEMNITY COMPANY, certify that the foregoing power of attorney, the above quoted Sections 14. and 16. of Article IV of the By-Laws and the Resolution of the Board of Directors of November 30, 1959 have not been abridged or revoked and are now in full force and effect.

Signed and Sealed at Hartford, Connecticut, this 1st day of August 19 83 .



Paul D. Tubach
Assistant Secretary, Surety

S-1869 (BACK)



High Plains Petroleum Corporation

3860 Carlock Dr. Boulder, CO 80303 303-494-4529

RECEIVED

July 15, 1983

JUL 18 1983

O & G CONS. COMM.

Mr. A.K. Doss
Executive Director
Arizona Oil & Gas Conservation Commission
1645 W. Jefferson St., Suite 420
Phoenix, Arizona 85007

Re: Offset to Gustin Fed.#1-24
SW/4SW/4 Sec.13,T21N,R27E
Apache Co., Arizona

Dear A.K.,

This letter is to confirm our telephone conversation earlier today, to provide you with a copy of the USGS' Map I-981 and our structure map which show the structure on which we plan to drill, and to request the forms necessary to permit the well and commence drilling. As we discussed, we plan to drill an offset to Cecil Gustin's 1-24 Federal well. Our well will be a 1450 foot Supai test and will be located in the SW/4SW/4 of Section 13, Township 21 North, Range 27 East in Apache County. Like the Gustin well, our well will be located on the northeast end of the Navajo Anticline structure.

We hope to spud our well between August first and fifteenth, so I may see you there at the location next month. If you have any questions, please call me.

Yours truly,

John Somers
High Plains Petroleum

Enclosures
JBS/ss

CHAMBERS PROSPECT

Apache County, Arizona


Structure Map
Base of the Dakota
C.I. 200'

Source: USGS Map I981

1977

Revised by: J. Somers

6/83



Scale: 1 inch = 1 mile



High Plains Petroleum Corporation
3860 Carlock Dr. Boulder, CO 80303 303-494-4529

*Larry - FYET Disposal
I had the impression that these folks are serious
about drilling
E. of Holbrook*

June 19, 1982

Mr. H.W. Pierce
Arizona Bureau of Geology
and Mineral Technology
845 N. Park Ave.
Tucson, Arizona 85719

file 842

Re: High Plains' Holbrook Basin
Exploration Program
Navajo and Apache Counties,
Arizona

Dear Wes,

We really enjoyed meeting you and discussing the geology of the Mogollon Slope in eastern Arizona. It was very helpful and informative. As soon as we know when our prospects are to be drilled, we'll notify you so that you can visit the wells.

The exhibit of Arkla cross-sections which we borrowed is enclosed. Thank you very much for allowing us to make a copy and study it in detail.

Yours truly,

John B. Somers II
John B. Somers II
President
High Plains Petroleum

Enclosure

*Steve Range - for your
files.
LD Fellows
18 Nov 1994*