

**CONFIDENTIAL**

Release Date \_\_\_\_\_

BLACK GOLD PETROLEUM 1 FED 849  
SE SE 26-18N-18W Mohave County

COUNTY MOHAVE AREA SW Mohave LEASE NO. A-11044 Federal

WELL NAME Black Gold Petroleum Co., Inc.

LOCATION 361' N of SL SEC 26 TWP 18N RANGE 18W FOOTAGE \_\_\_\_\_  
ELEV 1,929' GR \_\_\_\_\_ KB SPUD DATE \_\_\_\_\_ STATUS \_\_\_\_\_ TOTAL DEPTH \_\_\_\_\_  
COMP. DATE \_\_\_\_\_

CONTRACTOR

CASING	IZE	DEPTH	CEMENT	LINER SIZE & DEPTH	DRILLED BY ROTARY
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	DRILLED BY CABLE TOOL _____
_____	_____	_____	_____	_____	PRODUCTIVE RESERVOIR _____
_____	_____	_____	_____	_____	INITIAL PRODUCTION _____

FORMATION TOPS	DEPTHS	SOURCE		REMARKS
		L.L.	E.L.	
				<i>Not drilled</i>

ELECTRIC LOGS	PERFORATED INTERVALS	PROD. INTERVALS	SAMPLE LOG
			SAMPLE DESCRP. _____
			SAMPLE NO. _____
			CORE ANALYSIS _____
			DSTs _____

REMARKS \_\_\_\_\_ APP. TO PLUG \_\_\_\_\_  
PLUGGING REP. \_\_\_\_\_  
COMP. REPORT \_\_\_\_\_

WATER WELL ACCEPTED BY \_\_\_\_\_

BOND CO. Cash Bond - CD #2345918 BOND NO. \_\_\_\_\_  
BOND AMT. \$ 5,000.00 CANCELLED  DATE \_\_\_\_\_  
FILING RECEIPT 2485 LOC. PLAT \_\_\_\_\_ WELL BOOK \_\_\_\_\_ PLAT BOOK \_\_\_\_\_  
API NO. 02-015-20024 DATE ISSUED 02-01-84 DEDICATION \_\_\_\_\_

PERMIT NUMBER 849



# PERMIT TO DRILL

This constitutes the permission and authority from the  
**OIL AND GAS CONSERVATION COMMISSION,  
STATE OF ARIZONA,**

To: Black Gold Petroleum Company, Inc.  
(OPERATOR)

to drill a well to be known as

1 Federal  
(WELL NAME)

located 856' West & 361' North of SE Corner

Section 26 Township 18N Range 18W, Mohave County, Arizona.

The E 1/2 of SE 1/4 of said  
Section, Township and Range is dedicated to this well.

Said well is to be drilled substantially as outlined in the attached Application and must be drilled  
in full compliance with all applicable laws, statutes, rules and regulations of the State of Arizona.

Issued this 1st day of February, 19 84.

**OIL AND GAS CONSERVATION COMMISSION**

By [Signature]  
**EXECUTIVE DIRECTOR**  
Enforcement Director

PERMIT 00849

RECEIPT NO. 2485

A.P.I. NO. 02-017-20024

**State of Arizona**  
**Oil & Gas Conservation Commission**  
**Permit to Drill**  
FORM NO. 27



API # 02-015-20024

APPLICATION FOR PERMIT TO DRILL OR RE-ENTER

APPLICATION TO DRILL

RE-ENTER OLD WELL

NAME OF COMPANY OR OPERATOR Black Gold Petroleum Company, Inc. - Jim R. Jimenez  
Address 2650 Lass Kingman Arizona 86401  
City State

Drilling Contractor Gene Campbell

Address 681 Whipple Wickenburg, AZ

DESCRIPTION OF WELL AND LEASE

Federal, State or Indian Lease Number, or if fee lease, name of lessor Federal A-11044 Well number Federal No. 1 Elevation (ground) 1929 GR  
Nearest distance from proposed location to property or lease line: 361 feet Distance from proposed location to nearest drilling, completed or applied—for well on the same lease: N/A feet  
Number of acres in lease: 1280 Number of wells on lease, including this well, completed in or drilling to this reservoir: None  
If lease, purchased with one or more wells drilled, from whom purchased: Name N/A Address

Well location (give footage from section lines) 856' West & 357' North of SE. Cor. Section—township—range or block and survey Sec. 26, T.18N., R.18W. Dedication (Comply with Rule 105) 80 Acs E 1/2 SE 1/4  
Field and reservoir (if wildcat, so state) Reservoir - Wildcat County Mohave

Distance in miles, and direction from nearest town or post office 2 1/2 Miles NW of Yucca Arizona  
Proposed depth: 4800' Rotary or cable tools Rotary Approx. date work will start March 19, 1984  
Bond Status Treasury Bill Organization Report On file Filing Fee of \$25.00 Attached  
Amount \$5,000 - (attached) Or attached

Remarks: Submitted \$10,000 performance bond to BLM on January 29, 1984 - same as date of filing of APD with BLM.

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the President of the Black Gold Petroleum Co. Inc. (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

Signature Jim R. Jimenez

Date January 30, 1984

Permit Number: 849  
Approval Date: 2-1-84  
Approved By: R. A. Ytana

Notice: Before sending in this form be sure that you have given all information requested. Much unnecessary correspondence will thus be avoided.

STATE OF ARIZONA  
OIL & GAS CONSERVATION COMMISSION  
Application to Drill or Re-enter  
File Two Copies

Form No. 3

- Operator shall outline the dedicated acreage for both oil and gas wells on the plat.
- A registered professional engineer or land surveyor registered in the State of Arizona or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- ALL DISTANCES SHOWN ON THE PLAT MUST BE FROM THE OUTER BOUNDARIES OF THE SECTION.
- Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES \_\_\_\_\_ NO \_\_\_\_\_.
- If the answer to question four is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? YES \_\_\_\_\_ NO \_\_\_\_\_. If answer is "yes," Type of Consolidation \_\_\_\_\_.
- If the answer to question four is "no," list all the owners and their respective interests below:

Owner	Land Description								
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; text-align: center;">NW 1/4</td> <td style="width: 50%; text-align: center;">NE 1/4</td> </tr> <tr> <td colspan="2" style="text-align: center;">T. 18 N. R. 18 W. S. 26</td> </tr> <tr> <td style="width: 50%; text-align: center;">SW 1/4</td> <td style="width: 50%; text-align: center;">SE 1/4</td> </tr> <tr> <td colspan="2" style="text-align: right;">           WEST 856'            NORTH 561'            WELL         </td> </tr> </table> </div> <div style="width: 50%; padding-left: 10px;"> <p style="text-align: center;"><b>CERTIFICATION</b></p> <p>I hereby certify that the information above is true and complete to the best of my knowledge and belief.</p> <p>Name: <u>James Maxwell V.P.</u></p> <p>Position: <u>Asst. Pres. &amp; Gen. Mgr.</u></p> <p>Company: <u>BLACK GOLD Petroleum Co. Inc.</u></p> <p>Date: <u>1-31-87</u></p> <p>I hereby certify that the well location shown on the plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.</p> <p>Date Surveyed: <u>7/7/81</u></p> <p>Registered Professional Engineer and/or Land Surveyor <u>Jack M. Rab</u></p> <p>Certificate No. <u>RLS 8904</u></p> </div> </div>		NW 1/4	NE 1/4	T. 18 N. R. 18 W. S. 26		SW 1/4	SE 1/4	WEST 856' NORTH 561' WELL	
NW 1/4	NE 1/4								
T. 18 N. R. 18 W. S. 26									
SW 1/4	SE 1/4								
WEST 856' NORTH 561' WELL									

**PROPOSED CASING PROGRAM**

Size of Casing	Weight	Grade & Type	Top	Bottom	Cementing Depths	Sacks Cement	Type
9 5/8"	36#	new	0	1000'	1000'	600 Sx (Cmc)	Neat
7"	23#	"		4800'	4800'		

Form 9-331 C  
(May 1963)

SUBMIT IN THIS ENVELOPE\*  
(Other instructions on reverse side)

Form approved  
Budget Bureau No. 42-R1425.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK DRILL  DEEPEN  PLUG BACK

b. TYPE OF WELL OIL WELL  GAS WELL  OTHER  SINGLE ZONE  MULTIPLE ZONE

2. NAME OF OPERATOR  
Mr. Jim R. Jimenez

3. ADDRESS OF OPERATOR  
2650 Lass Avenue, Kingman, AZ 86401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)\*  
At surface 928' West & 357' North of S.E. Corner Sec. 26  
At proposed prod. zone SAME

5. LEASE DESIGNATION AND SERIAL NO.  
A11044

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME  
J. R. Jimenez/  
Black Gold Petroleum Co., Inc

9. WELL NO.

10. FIELD AND POOL, OR WILDCAT  
Federal No. 1  
Wildcat-Kingman Area

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 26, T. 18 N., R. 18 W.  
Gila & Salt River Meridian

12. COUNTY OR PARISH  
Mohave

13. STATE  
Arizona

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*  
2 1/2 miles N.W. of Yucca, Arizona

15. DISTANCE FROM PROPOSED LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)  
357' south

16. NO. OF ACRES IN LEASE  
1280

17. NO. OF ACRES ASSIGNED TO THIS WELL  
80

18. DISTANCE FROM PROPOSED LOCATION TO NEAREST WELL, DRILLING COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.  
none

19. PROPOSED DEPTH  
approx. 4800 ft.

20. ROTARY OR CABLE TOOL  
rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)  
1929 GR.

22. APPROX. DATE WORK WILL START\*  
March 19, 1984

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/2 in.	6 1/2 in.	36#	1000 ft.	600 SK (circulate)
6 1/2 in.		23#	4800 ft.	

1. Drill 12 1/2 in. hole to approx. 1000 ft.
2. Run and cement 6 1/2 in. surface casing (circulate).
3. Test B.O.P. in accordance with Federal regulations.
4. Run electric logs.
5. The drill location will be graded, contoured and seeded as prescribed by the Authorized Officer.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNER Jim R. Jimenez TITLE OWNER DATE 1/20/84  
(This space for Federal or State office use)

PERMIT NO. \_\_\_\_\_ APPROVAL DATE \_\_\_\_\_  
APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1. TYPE OF WORK  
DRILL  DEEPEN  PLUG BACK

2. TYPE OF WELL  
OIL WELL  GAS WELL  OTHER  SINGLE ZONE  MULTIPLE ZONE

2. NAME OF OPERATOR  
MR. JIM R. JIMENEZ

3. ADDRESS OF OPERATOR  
2650 LASS AVE. KINGMAN, ARIZONA 86401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)\*  
At surface  
856 WEST & 361 NORTH OF S.E. CORNER SEC. 26  
At proposed prod. zone  
SAME

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\*  
2 1/2 MILES N.W. OF YUCCA, ARIZONA

15. DISTANCE FROM PROPOSED\* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drlg. unit line, if any)  
361 SOUTH

16. NO. OF ACRES IN LEASE  
1280

17. NO. OF ACRES ASSIGNED TO THIS WELL  
80

18. DISTANCE FROM PROPOSED LOCATION\* TO NEAREST WELL, DRILLING COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.  
NONE

19. PROPOSED DEPTH  
4800' to 5000'

20. ROTARY OR CABLE TOOLS  
ROTARY

21. ELEVATIONS (Show whether DF, RT, GR, etc.)  
1929 GR

22. APPROX. DATE WORK WILL START\*  
MARCH 19, 1984

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4"	8 5/8"	36#	850-1000 FT	600 SK (CIRCULATE)
8 3/4"	7"	23#	4800-5000 FT	

- DRILL 12 1/4" HOLE TO APPROX 850 to 1000 FEET.
- RUN AND CEMENT 8 5/8" SURFACE CASING (CIRCULATE).
- WELD ON 10" SERIES 900 FLANGE AND INSTALL 10" DOUBLE HYDRAULIC GATE AND 10" GK HYDRIL WITH 2" CHOKE MANIFOLD.
- TEST B.O.P. IN ACCORDANCE WITH GOV. REGULATIONS.
- DRILL 8 3/4" HOLE TO T.D. 4800' to 5000'. TEST ALL OIL AND GAS SHOWS IF WARRANTED.
- RUN ELECTRIC LOGS.
- SET 7" CASING STRING IF WARRANTED ON P AND A IN COMPLIANCE WITH REGULATIONS.
- THE LOCATION WILL BE RESHAPED TO ORIGINAL TOPOGRAPHY. THE AREA WILL BE RESEEDED.
- Two rigs will be used. A 5000' for the 1st 850-1000 ft. and a 8500' for the remainder.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED Jimenez TITLE Prop. DATE 2-1-1984



(This space for Federal or State office use)

PERMIT NO. \_\_\_\_\_ APPROVAL DATE \_\_\_\_\_  
APPROVED BY Gayle D. Allen TITLE Asst. Dir. Minerals DATE 2-6-84  
CONDITIONS OF APPROVAL, IF ANY:

5. LEASE DESIGNATION AND SERIAL NO.  
A 11044  
6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
7. UNIT AGREEMENT NAME  
8. FARM OR LEASE NAME  
J. R. JIMENEZ  
BLACK GOLD PETROLEUM CO. INC.  
9. WELL NO.  
FEDERAL #1  
10. FIELD AND POOL, OR WILDCAT  
WILDCAT-KINGMAN AREA  
11. SEC., T., R., M. OR BLK. AND SURVEY OR AREA  
SEC. 26, T 18 N, R 18 W.  
Salt & salt river med.  
12. COUNTY OR PARISH 13. STATE  
MOHAVE ARIZONA

EXHIBITS ATTACHED TO THIS APPLICATION FOR PERMIT TO DRILL:

- "A" - Topo Map and Road Access to Drill Site.
- "B" - Survey Plat.
- "C" - Ten Point Compliance Program
- "D" - Multipoint Surface use Operations Plan.
  
- "H" - Rig Layout.
- "I" - B.O.P. Stack.
- "J" - Producing Facility Layout.
- "K" - Source of Water Supply.
- "L" - Log of Water Well.
- "M" - Specifications of Drilling Rig.



**ROAD CLASSIFICATION**

Primary highway, hard surface	Light-duty road, hard or improved surface
Secondary highway, hard surface	Unimproved road
○ Interstate Route	□ U. S. Route
	○ State Route

APPLICATION TO DRILL  
 CHICKASAW OIL CO.  
 FEDERAL NO. 1  
 SEC. 26 T 18 N - R 18 W  
 GILA & SALT RIVER BASE MERIDIAN  
 MOHAVE CO ARIZONA

YUCCA NW, ARIZ.  
 N3452.5-W11407.5/7.5  
 1970  
 AMS 3153 1 NW-SERIES V890

N. D. C. 20242  
 ST

EXHIBIT "A"


LOCATION SURVEY OF PROPOSED OIL EXPLORATION WELL  
 SITUATE IN THE SE 1/4 SE 1/4 OF SECTION 26, T.18N., R.18W.,  
 & S.R.M., MOHAVE COUNTY, ARIZONA.

SCALE: 1" = 20 chains (ch.)



NOTES:

TRUE NORTH BASED ON 4D,R  
 SOLAR OBSERVATIONS.  
 MAG. DECL. = 14 1/2° E.  
 (R) = USGLO RECORD CALL.



PD. USBLD STONE  
 E. - - - S. - - -  
 LAT. = 34° 54' 55" N.  
 LONG. = 114° 05' 25" W.  
 ELEV. = 1036 ft. A.M.S.L.

APPLICATION TO DRILL  
 CHICKASAW OIL CO.  
 FEDERAL NO. 1  
 SEC. 26 T 18 N - R 18 W  
 GILA & SALT RIVER BASE MERIDIAN  
 MOHAVE CO. ARIZONA



EXHIBIT "B"

71781 JOB NO. 259

Asaw Oil Co.  
 eral No. 1  
 Sec. 26, T. 18N., R. 18W, Gila and  
 Salt River Base Meridian Mohave Co. AZ.

## EXHIBIT "C"

TEN POINT COMPLIANCE PROGRAM

1. Surface Formation: Quaternary Alluvium
2. Estimate Geologic Tops:
 

Upper Miocene Pliocene Valley Fill	1000'.
Upper Volcanics	3100'.
Oligocene Eocene Ignimbrites	4050'.
Cretaceous Newark Canyon	4700'.
Ordovician Vinini Shale	5000'.
3. Anticipated Depth of oil, gas, water or other mineral bearing formations: Possible show of oil and/or gas @ 4450' and 4600'.
4. Proposed Casing Program:
 

<u>STRING</u>	<u>HOLE SIZE</u>	<u>INTERVAL</u>	<u>SECTION LENGTH</u>	<u>SIZE (OD), WEIGHT, GRADE, NEW OR USED</u>
Surface	12 1/4"	Surf. 850' KB	850'	9 5/8" OD, 36#, K55 NEW
Production	8 3/4"	850'-5000 KB	4150'	7" & " OD 23#, K55 NEW
5. Operator's minimum specification for pressure control equipment requires a 10"-series 300, 3000 W.P. single hydraulic blowout preventer, see EXHIBIT "I". The BOP will be hydraulically tested to full working pressure after nipping up surface casing and after any use after pressure. Pipe rams will be operationally checked each 24 hour period. The blind rams and annulus preventer will be checked each time pipe is pulled out of the hole. All testing will be recorded on the daily drilling records. Accessories to the BOP will include kelly cock, floor safety valve, drill pipe float, choke manifold, and kill line. All pressure ratings to be equivalent to the BOP stack.
6. Proposed Mud Program:
 

<u>DEPTH</u>	<u>TYPE MUD</u>	<u>WT.</u>	<u>VISC.</u>	<u>W.L.</u>
0-850'	Spud mud-Gel	As required to clean hole		
850'-TD	Non-Dispersed-Gel	8-9.1	36-40	8
7. Auxiliary Equipment Will Consist of:
  - a. Kelly Cock
  - b. Drill Pipe Float
  - c. Floor safety valve to fit drill pipe and collars
  - d. Visual monitoring of mud tanks
  - e. Mud logging unit with gas detection device will be monitoring the system

8. Testing Program:  
All oil and gas shows will be drill stem tested in open hole if warranted.  
The anticipated logging program is as follows:  
DIL - Surface casing to TD  
Int. Sonic - Surface casing to TD  
CNL - Surface casing to TD  
Dipmeter - Surface casing to TD
9. The tops of many of the formations drilled could be under pressured. Mud weights will be kept between 8-9.1 #/G to reduce the possibility of breaking down these formations and losing circulation.  
Hydrogen-sulfide or other hazardous fluids or gasses are not expected or known to exist at these depths in the area.
10. The anticipated starting date is the end of November, 1981.  
Drilling operations should take four (4) weeks.

Mohave Oil Co.  
Well No. 1  
Sec. 26, T. 18 N, R. 18 W, Gila  
and Salt River Merid. Mohave Co., AZ.

EXHIBIT "D"

MULTIPOINT SURFACE USE & OPERATION PLAN

1. Existing Roads:

- A. The proposed well site is shown on Exhibit "B".
- B. Exhibits "A" and "B" show the directions of the drill sites as follows:
  - From Yucca, Arizona follow U.S. Highway No. 40 North for 2½ miles to Old Trails Highway interchange. Turn East over Highway overpass to fence line (approx. 1000'). Turn South on Jeep trail and follow fence line to S.E. corner of Sec. 26 (1/3 mi.). Turn West at corner marker and follow Jeep trail for 950' to white flag marker on fence line. Turn North for 357' to drill site.
- C. Final access roads into drill site are coded Black.
- D. This well is classified as exploratory and roads are shown on EXHIBIT "A".
- E. The final access roads from the Old Trails overpass to the drill site, a distance of ½ miles, will be graded and maintained as needed.

2. Planned Access Roads:

The Planned Access Roads are shown on EXHIBIT #E".

- (1) Width will not exceed 20 feet.
- (2) Maximum grades - the topography of the area is generally level.
- (3) Two turnouts are planned.
- (4) No additional drainage construction is deemed necessary other than minor ditching.
- (5) No culverts, cuts, or fills are required.
- (6) - Where needed the roads will be graveled, a gravel pit is located 18 miles North of the drill site on Highway 40 to W.M.K. Sand and Gravel Co.

3. Location of existing wells:  
None within a two mile radius.

4. Location of Existing and/or Proposed Facilities:

- A. No existing tank battery, production facilities, or gathering lines exist in this area.
- B. Proposed facilities in the event of a producing well are shown EXHIBIT "J".
  - (1) The production pad will be graded and graveled.

- (2) The pad size will be approximately 210' by 210'.
- (3) All lines will be buried.
- (4) The treater and the tank battery will have a berm surrounding each to contain any leaks.

C. All disturbed areas not needed for operations will be rehabilitated in the manner described in item 10.

5. Location and Type of Water Supply:

A. Water will be purchased from Santa Fe well No. 2 at Yucca. The water will be hauled by tank truck over the same existing roads as described in item 1.

6. Source of Construction Materials:

A. Any gravel needed for the access roads and the location will be purchased from W.M.K. Sand and Gravel. The gravel pit to be used is located 18 miles North of the proposed well site.

7. Methods for Handling Waste Disposal:

- (1) Drill cuttings will be buried in the reserve pit.
- (2) Drill fluids will be recovered in the reserve pit and allowed to evaporate.
- (3) Produced fluids such as oil and formation water will be collected in a test tank.
- (4) Sewage will be contained and a suitable chemical will be used to decompose waste.
- (5) Garbage and other waste materials will be placed in a trash pit, burned and later buried.
- (6) Upon completion of drilling, all trash and litter will be buried in a trash pit. The reserve pit will be fenced until dry at which time it will be backfilled.

8. Ancillary Facilities:

No camps or airstrips are planned.

9. Well Site Layout:

- (1) The drill site is level.
- (2) See Exhibit "H" for rig and position layout.
- (3) The reserve pit will be unlined.

10. Plans for Restoration of Surface:

- (1) All topsoil that is stripped and stockpiled will be replaced and the site will be backfilled, leveled, and contoured. Waste will be buried or hauled away upon completion of drilling.
- (2) Rehabilitation will consist of respreading and contouring stockpiled topsoil. Revegetation will consist of seeding the mixture as specified by BLM. If the well is dry, a hole marker will be erected.

- (3) Prior to rig release, the reserve pit will be fenced and so maintained until the pit is dry enough to backfill.
- (4) If oil is in the reserve pit, it will be removed or the pit will be flagged to discourage livestock, wildlife, and waterfowl from entering the area.
- (5) Rehabilitation will begin immediately after drilling operations are finished. It is expected that all rehabilitation will be completed during the spring 1982.

11. Other Information:

- (1) The topography of the area is level. The surface soil contains sand, gravel and shale. Vegetation is comprised of sage brush.
- (2) The surface owner of record is:  
BLM 2475 Beverly Ave., Kingman, Ariz. 86401
- (3) The nearest known water source are water wells as follows:  
Santa Fe Wells Nos. 1, 2, and 3 located on Sec. 12, T 16 N R 18 W.  
No known occupied dwellings, archeological, historical, or cultural site exist in the immediate area.

12. Lessee's or operators Representatives:

- (1) Kirk Besoyan  
3668 Diagonal Way  
Kingman, Arizona 86401 (602) 757-4740


13. Certification:

I hereby certify that I, and persons under my direct supervision have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; that the work associated with the operations proposed herein will be performed by Chickasaw Oil Company and its' contractors in conformity with this plan and the terms and conditions under which it is approved.


7-2-81  
Date

*Gilbert Mathews*  
GILBERT MATHEWS, OWNER






Choke Manifold Detail:



All preventors, valves, & fittings are Series 900 (3000# W.P.)

Auxiliary safety equipment includes Kelly cock, drill pipe floo and drill pipe safety valve.

APPLICATION TO DRILL  
 CHICKASAW OIL CO.  
 FEDERAL NO. 1  
 SEC. 26 T 18 N - R 18 W  
 GILA & SALT RIVER BASE MERIDIA.  
 MOHAVE CO, ARIZONA  
 EXHIBIT "I"



ORIGINAL DRILLING PAD OUTLINE

PRODUCING PAD OUTLINE

RESEEDED AREA

CHICKASAW OIL CO.  
FEDERAL No. 1

Treater

Tank  
Battery

APPLICATION TO DRILL  
CHICKASAW OIL CO.  
FEDERAL No 1  
SEC. 26 T 18 N - R 18 W  
GILA & SALT RIVER BASE MERIDIAN  
MOHAVE CO, ARIZONA  
EXHIBIT "J"



YUCCA ARIZ.  
ALBUQUERQUE DIVISION  
**WATER SERVICE RECORD**  
WELL NO 2


*Drilled 1004 ft deep, 16" and 10" bore  
(E.J. Ware says this hole is 1057.5 ft deep)  
Drilled by Clampitt & Moss - Los Angeles  
Started April 25, 1903. Complete May 21, 1903  
10" casing perforated from 649 to 753 ft  
Water first found at 346 ft  
Standing water level 300 ft from the surface.  
Pumping test Nov. 3, 1903 produced 79920 gal. in 24 hours.*

*Producing 125 g.p.m. on May 19, 1932, per E.J. Ware - W. S. Foreman.*

**LOG**

- FROM TO FORMATION
- 0 370' Cemented Sand and Gravel.
  - 370 455' White Shale.
  - 455 555' Cemented Gravel.
  - 555 805' Tuffa or Lava.
  - 805 827' Malapat
  - 827 905' Tuffa or Lava
  - 905 1004' granite

APPLICATION TO DRILL  
CHICKASAW OIL CO.  
FEDERAL NO. 1  
SEC. 26 T 18 N - R 18 W  
GILA & SALT RIVER BASE MERIDIAN  
MOHAVE CO., ARIZONA  
EXHIBIT "L"



# COASTAL DRILLING COMPANY

coastal

P. O. BOX 8787  
BAKERSFIELD, CALIFORNIA 93308  
(805) 888-0210

RIG #1 - 6500' RATING W/ 3½ D.P. - KB 11.5 FEET

CARDWELL MODEL KM 250 DOUBLE DRUM TRAILER MOUNTED RIG:

- a. Drawworks powered by 8V-71N GMC Diesel engine with Torque Convertor and 15" Double Hydromatic Brake.
- b. 10' - 250,000# Sub-base with Oilwell 17½" Rotary Table.
- c. 96' Cardwell Hydraulic Telescoping Mast 215,000# Rating.
- d. 3½" Grade "E", 18 degree Taper, 13.30# Internal Flush Drill Pipe.
- e. 1" Drilling line with 4-Sheave block and 120 Ton Swivel.
- f. 3½" X 40' Kelly.
- g. Two 40KW Diesel powered Light Plants.
- h. 5000' 9/16 Sandline.

7½ X 14 Emsco D-300 Mud Pump powered by Twin 6-71N GMC Diesel Engines.

6-3/4" X 12 Emsco D-175 Mud Pump powered by 8V GMC Diesel Engine.

150 BBL Mud System with (2) 8-Cone Desilters, Two Shakers, with 6 X 8 centrifugal pump powered by 4-71 GMC Diesel Engine.

190 BBL Water Storage Tank.

Rig is completely trailer mounted.

APPLICATION TO DRILL  
CHICKASAW OIL CO.  
FEDERAL NO. 1  
SEC. 26 T 18 N-R 18 W  
GILA & SALT RIVER BASE MERIDIAN  
MOHAVE CO. AZ. " "  
EXHIBIT M "

**ORGANIZATION REPORT**

Full Name of the Company, Organization, or Individual

Black Gold Petroleum Company, Inc.

Post Office Address (Box or Street Address)

2650 Lass, Kingman, Arizona 86401

Plan of Organization (State whether organization is a corporation, joint stock association, firm or partnership, or individual)

Corporation

Purpose of Organization (State type of business in which engaged)

Oil and Gas Exploration and Development

If a reorganization, give name and address of previous organization.

N/A

If a foreign corporation, give (1) State where incorporated	(2) Name and post office address of state agent	(3) Date of permit to do business in state
--	---	--

Principal Officers or Partners (if partnership) NAME	TITLE	POST OFFICE ADDRESS
<u>Jim R. Jimenez</u>	<u>President</u>	<u>2650 Lass, Kingman, Az 86401</u>
<u>James Maxwell</u>	<u>Vice-President</u>	<u>"</u>
<u>Naomi Jimenez</u>	<u>Book Keeper</u>	<u>"</u>
<u>Betty Maxwell</u>	<u>Secretary</u>	<u>"</u>

DIRECTORS NAME	POST OFFICE ADDRESS

CERTIFICATE: I, the undersigned, under the penalty of perjury, state that I am the President of the Black Gold Petroleum Company, Inc. (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

Signature *Jim R. Jimenez*

Date January 30, 1984

STATE OF ARIZONA  
OIL & GAS CONSERVATION COMMISSION  
Organization Report  
File One Copy  
Form No. 1



OFFICE OF  
**Oil and Gas Conservation Commission**  
STATE OF ARIZONA  
1645 WEST JEFFERSON, SUITE 420  
PHOENIX, ARIZONA 85007  
PHONE: (602) 255-5181

April 4, 1986  
(Dictated 4/3/86)

Mrs. J. R. Jimenez  
Meadow Retirement  
Apartment 104  
950 South  
400 East  
St. George, UT 84770

Re: CD #2345918

Dear Mrs. Jimenez:

As per your request today, the Commission has approved release of subject Certificate of Deposit filed with this office January 31, 1984, in lieu of a \$5,000.00 drilling bond to drill well No. 1 Federal in Mohave County. The drilling permit on this well expired September 19, 1985.

Again, my deepest respect to you on the loss of your husband, Jim,--I knew him well and he was a fine gentleman.

If I may be of further assistance, please let me know.

Sincerely,

*R. A. Ybarra*  
R. A. Ybarra  
Enforcement Director

/kb

Enclosure

cc: Mr. John Haas  
Bureau of Land Management  
P. O. Box 16563  
Phoenix, AZ 85011

*4/3/86  
Mrs. Jimenez  
requested release of  
Cash Bond CD 2345918  
cannot write because  
of arth. R.Y.*

ARIZONA STATE TREASURER SAFEKEEPING

AGENCY: Oil & Gas Commission  
COMPANY: Jim Jimenez

NO. 25  
ARS. \_\_\_\_\_  
DATE. 4/3/86

DEPOSIT

SECURITY DESCRIPTION:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

RELEASE

SECURITY DESCRIPTION:

Valley National Bank  
CD #2345918  
Interest Rate: 9.1%  
Maturity Date: 7/30/84 (Anto)  
Amount: \$5,000.00

RECEIVED  
STATE TREASURER  
APR 3 12 15 PM '86

AUTHORIZED SIGNATURES FOR DEPOSITS/RELEASES

STATE TREASURER: *Ray Starnes* DATE: 4/3/86  
AGENCY: *Natie Barnes* DATE: 4/3/86  
SAFEKEEPING BANK: \_\_\_\_\_  
COMPANY: \_\_\_\_\_

ARIZONA STATE TREASURER SAFEKEEPING

AGENCY: Oil & Gas Commission  
COMPANY: Jim Jimenez

NO. 24  
ARS. \_\_\_\_\_  
DATE 2/1/84

DEPOSIT

SECURITY DESCRIPTION:

CD # 2345918  
Bank: Valley State  
Due: 7/30/84 (auto)  
Rate: 9.10%  
Amt: \$5,000

RELEASE

SECURITY DESCRIPTION:

AUTHORIZED SIGNATURES FOR DEPOSIT/RELEASE

STATE TREASURER: [Signature] 2/1/84  
AGENCY: \_\_\_\_\_  
SAFEKEEPING BANK: Katie Barnes 2/1/84  
COMPANY: Oil & Gas Commission

RECEIVED  
JAN 31 1984  
O & G CONS. COMM.



Valley National Bank of Arizona

Certificate of Deposit  
NON TRANSFERABLE

2345918

BRANCH Stockton Hill

BRANCH NO. 268 DATE 1/30/84

THIS CERTIFICATE THAT THERE HAS BEEN DEPOSITED IN THIS BANK

~~THE SUM OF~~ Five thousand \$5,000.00 cts

ACCOUNT NO. 8296-0709 \$5,000.00\*

PAYABLE TO Arizona Oil and Gas Commissioner  
Purchased By: Jim Jimenez  
2650 Lass  
Kingman, AZ 86401

THIS CERTIFICATE MATURES IN 182 days FROM ISSUE DATE ON 7/30/84  
INTEREST IS TO BE PAID monthly  
AT THE RATE OF 9.10% PER ANNUM ON A 365 DAY YEAR BASIS  
FIRST INTEREST PAYMENT DUE Feb. 29, 1984  
 SINGLE MATURITY - INTEREST CEASES AT MATURITY  
 AUTOMATICALLY RENEWABLE - THIS CERTIFICATE WILL AUTOMATICALLY RENEW EVERY 182 days UNLESS REDEEMED WITHIN 10 DAYS AFTER ANY MATURITY. THE BANK RETAINS THE RIGHT TO REDEEM THIS CERTIFICATE OR CHANGE THE INTEREST RATE AS OF ANY MATURITY.

PLEASE READ EARLY WITHDRAWAL PENALTY ON REVERSE OF CERTIFICATE  
O-100-0075 REV. 5-81

*Mary H. ...*



OFFICE OF  
**Oil and Gas Conservation Commission**  
STATE OF ARIZONA  
1645 WEST JEFFERSON, SUITE 420  
PHOENIX, ARIZONA 85007  
PHONE: (602) 255-5161

June 18, 1984

TO: Office of Treasurer  
FROM: R. A. Ybarra  
Enforcement Director  
SUBJECT: \$5,000.00 Certificate of Deposit for Jim Jimenez  
for Permit #849--Black Gold Petroleum Co., Inc.

An ~~order~~ has been given from this date to  
Mr. Jimenez regarding Permit 849.

You are authorized to retain his CD for a \$5,000.00 cash  
bond until further instructions are rendered by this  
Commission. A copy of his CD is enclosed.

*R. A. Ybarra*  
R. A. Ybarra  
Enforcement Director

/kb

Enclosure

cc: Mr. Jim Jimenez

RECEIVED  
STATE TREASURER

JUN 20 9 41 AM '84



OFFICE OF  
**Oil and Gas Conservation Commission**  
STATE OF ARIZONA

1645 WEST JEFFERSON, SUITE 420  
PHOENIX, ARIZONA 85007  
PHONE: (602) 255-5161

November 2, 1984

James W. Maxwell  
General Manager  
Black Gold Petroleum Co., Inc.  
2650 Lass  
Kingman, AZ 86401

Re: Well No. 1 Federal  
Mohave County

Dear Mr. Maxwell:

This is in response to your letter of October 29, re-  
questing an extension of the drilling permit on subject  
well.

Your request is approved to December 19, 1984.

If I can be of further assistance, please advise.

Sincerely,

*R. A. Ybarra*

R. A. Ybarra  
Enforcement Director

RAY/rga



**BLACK GOLD PETROLEUM CO., INC.**

2650 Lass Kingman, Arizona 86401  
Phone: 602 / 757-7363

*AKS*  
*RAY*  
Jim R. Jimenez  
President

James W. Maxwell  
General Mgr.

October 29, 1984

RECEIVED

NOV 2 1984

D & G CONS. COMM.

A. K. Doss, Executive Director  
Arizona Oil and Gas Commission  
1645 W. Jefferson  
Phoenix, AZ 85007

RE: Black Gold Petroleum Co., Inc.  
Permit No. 00849, dated Feb. 1, 1984

Dear Mr. Doss:

In accordance with our telephone conversation with your office on this date, I am requesting, in writing, a 90-day extension on our drilling date from September 19, 1984 to December 19, 1984.

I would appreciate receiving a letter of confirmation of this extension.

Thank you.

Yours very truly,

BLACK GOLD PETROLEUM CO., INC.

*James W. Maxwell*  
James W. Maxwell, General Manager

JWM:bf



OFFICE OF  
**Oil and Gas Conservation Commission**  
STATE OF ARIZONA  
1645 WEST JEFFERSON, SUITE 420  
PHOENIX, ARIZONA 85007  
PHONE: (602) 255-5161

July 17, 1984

Bankston & McCollum  
Attorneys At Law  
550 West Seventh Avenue, Suite 1800  
Anchorage, Alaska 99501

Gentlemen:

Re: Black Gold Petroleum Co., Inc.  
Well No. 1 Federal  
Mohave County

This is in response to your letter of July 12, 1984, requesting copies of the drilling permit, Report On Proposed Operations, and letters of approval extending the drilling permit until September 12, 1984.

Please be informed that the operator may request additional 90-day extension periods on this drilling permit.

If I may be of further assistance, please advise.

Sincerely,

*R. A. Ybarra*  
R. A. Ybarra  
Enforcement Director

RAY:wja

Enclosure

**BANKSTON & McCOLLUM**

A PROFESSIONAL CORPORATION  
ATTORNEYS AT LAW

550 WEST SEVENTH AVENUE, SUITE 1800  
ANCHORAGE, ALASKA 99501  
(907) 276-1711

WILLIAM M. BANKSTON  
JAMES H. McCOLLUM  
W. RICHARD FOSSEY  
J. B. McCOMBS  
H. CRAIG SCHMIDT  
DAVID T. ALTENBERN  
CHRIS D. GRONNING

July 12, 1984

RECEIVED  
JUL 16 1984  
O & G CONS. COMM.

*AKAT  
RAY*

Mr. A.K. Doss  
Executive Director  
Arizona Oil & Gas Commission  
1645 W. Jefferson  
Phoenix, Arizona 85007

Re: Black Gold Petroleum Company, Inc.  
Drilling Permit Number 00849  
Our File Number B-2028-01

Dear Mr. Doss:

This lawfirm has drafted an Offering Circular on behalf of James Maxwell, J.R. Jiminez, and Black Gold Petroleum Company, Inc., to allow the offering of investment participation in the exploratory oil well near Yucca, as proposed by Black Gold Petroleum Company, Inc. The offering will be registered with the Alaska and Arizona Divisions of Securities, and exempted from Federal registration under Rule 504 of Regulation D, and will therefore be offered to residents of Alaska and Arizona.

As you are probably aware, the law places a duty upon the lawfirm performing securities work of this nature to exercise due diligence in verifying the material facts which are represented to the lawfirm by the issuer. Please be assured that this verification process is our standard procedure in all securities offerings, and we have no reason to assume that any representations made to us are not complete and correct.

Therefore, we request that you provide us with a copy of the foregoing permit, including all limitations or special requirements, and verify its current effectiveness and expiration date.

Very truly yours,

BANKSTON & McCOLLUM

*J.B. McCombs*

J.B. McCombs

JBM/cb  
cc: James Maxwell



OFFICE OF  
**Oil and Gas Conservation Commission**  
STATE OF ARIZONA  
1646 WEST JEFFERSON, SUITE 420  
PHOENIX, ARIZONA 85007  
PHONE: (602) 255-5181

June 26, 1984

Mr. Randall Gizowski  
State Auditor General  
111 West Monroe, #600  
Phoenix, AZ 85003

Re: Permit 849

Dear Mr. Gizowski:

This letter is to advise you that the Arizona State Treasurer's Office is in receipt of a Certificate of Deposit, #2345918, from the Valley National Bank at its Stockton Hill branch, in the amount of \$5,000.00 to be retained as a cash bond deposit on Permit #849 for Black Gold Petroleum Co., Inc.

An extension of 90 days has been granted to Black Gold Petroleum beginning on June 18, 1984.

At the appropriate time, our Commission will advise the State Treasurer's Office of the proper disposal of the CD.

Sincerely,

*R.A. Ybarra*  
R. A. Ybarra  
Enforcement Director

/kb



OFFICE OF  
**Oil and Gas Conservation Commission**  
STATE OF ARIZONA  
1645 WEST JEFFERSON, SUITE 420  
PHOENIX, ARIZONA 85007  
PHONE: (602) 256-5161

June 18, 1984

Mr. James W. Maxwell  
General Manager  
Black Gold Petroleum Co., Inc.  
2650 Lass  
Kingman, Arizona 86401

Re: Permit No. 0849

Dear Mr. Maxwell:

This will acknowledge receipt of your letter of June 12, 1984 requesting a 180-day extension on subject permit.

According to R12-7-104.A.2 extension periods of only 90 days are permissible; therefore, your request is approved for 90 days from the date of this letter.

If I may be of further assistance, please advise.

Sincerely,

*R. A. Ybarra*  
R. A. Ybarra  
Enforcement Director

/kb



**BLACK GOLD PETROLEUM CO., INC.**

2650 Lass Kingman, Arizona 86401  
Phone: 602 / 757-7363

Jim R. Jimenez  
President

James W. Maxwell  
General Mgr.

June 12, 1984

RECEIVED

JUN 18 1984

O & G CONS. COMM.

A. K. Doss, Executive Director  
Arizona Oil and Gas Commission  
1645 W. Jefferson  
Phoenix, AZ 85007

RE: Black Gold Petroleum Co., Inc.  
Permit No. 00849, dated Feb. 1, 1984

Dear Mr. Doss:

Inasmuch as we still do not have enough capital to begin drilling our well, I am requesting, in writing, a 180-day extension on our drilling date from June 19, 1984 to December 19, 1984.

I would appreciate receiving a letter of confirmation of this extension.

Thank you.

Yours very truly,

BLACK GOLD PETROLEUM CO., INC.

*James W. Maxwell*  
James W. Maxwell, General Manager

JWM:bf

March 16, 1984

Mr. James W. Maxwell  
Black Gold Petroleum Co., Inc.  
2650 Lass  
Kingman, Arizona 86401

Re: Permit 849

Dear Mr. Maxwell:

This letter constitutes approval of your request for a  
90-day extension from March 19, 1984 to June 19, 1984  
pertaining to the above-referenced permit.

Sincerely,

A. K. Doss  
Executive Director

/kb



**BLACK GOLD PETROLEUM CO., INC.**  
2650 Lass Kingman, Arizona 86401  
Phone: 602 / 757-7363

MAR 16 1984

March 12, 1984

O & G CONS. COMM.

Jim R. Jimenez  
President

James W. Maxwell  
General Mgr.

A. K. Doss, Executive Director  
Arizona Oil and Gas Commission  
1645 W. Jefferson  
Phoenix, AZ 85007

RE: Black Gold Petroleum Co., Inc.  
Permit No. 00849, dated Feb. 1, 1984

Dear Mr. Doss:

In accordance with our recent telephone conversation I am requesting, in writing, a 90-day extension on our drilling date from March 19, 1984 to June 19, 1984.

I would appreciate receiving a letter of confirmation of this extension.

Thank you.

Yours very truly,

BLACK GOLD PETROLEUM CO., INC.

James W. Maxwell, General Manager

JWM:bf



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Phoenix District Office  
2015 West Deer Valley Road  
Phoenix, Arizona 85027

IN REPLY REFER TO

3100 (028)  
A-11044

RECEIVED

FEB 8 1984

D & G CONS. COMM.

*Black Gold File*  
*12/2*

February 6, 1984

Jim R. Jimenez  
2650 Lass Avenue  
Kingman, Arizona 86401

Dear Mr. Jimenez:

Enclosed is the approved copy of your application for permit to drill (APD) for well (Black Gold Petroleum Oil Fed. #1) located on oil and gas lease A-11044 in Section 26, T. 18 N., R. 18 W., G&SRM, Mohave County, Arizona.

This approval is subject to the stipulation that the blowout prevention equipment (BOPE) to be used on this well shall meet or surpass the minimum requirements of the equipment listed and described on the attached BOPE form.

This approval is also subject to our usual list of "Conditions of Approval," which is attached. Copies of the approved Application for Permit to Drill, the BOPE form, and our list of "Conditions of Approval" shall be posted in a visible location at the subject well site.

In addition to the standard stipulations, this approval is subject to the following special stipulations:

1. The authorized officer, BLM, will be notified prior to site development in order that a BLM representative be present during site construction.
2. Access to the drill site will be confined to the existing jeep trail and a line from the jeep trail due north to the drill site.
3. Road width will not exceed 20 feet.
4. In the event that gravel will be required for road and site surfacing, permission must be obtained from the authorized officer, BLM. If it is determined that the gravel will impair the wilderness suitability of the area, the operator may be required to remove the gravel and/or other fill material.

5. Topsoil will be stockpiled as close to the disturbed area as possible.
6. Along the south and west boundaries of the site, operator will construct and maintain a berm of sufficient height to contain any spillage.
7. Any cacti, yucca, and ocotillo that is removed for road and site construction will be set aside, heeled in, preserved, and replanted during site reclamation.
8. Vehicle use will be limited to constructed roads and service areas only.
9. Area of disturbance will not extend beyond a line 50 feet west and a line 100 feet north of the drill hole in order to preserve a population of BLM sensitive species Stillingia linearifolia.
10. No permanent living facilities will be erected on the site.
11. All trash and waste will be disposed of in designated landfills or disposal sites.
12. If the well is completed as a "producer," the reserve pit will be backfilled when dry. All disturbed areas not necessary for production must be thoroughly ripped and recontoured to resemble the surrounding terrain. Topsoil will be redistributed, and vegetation addressed in item #7 will be replanted.
13. Prior to final reclamation of a dry well site, the drill hole shall be plugged and abandoned in accordance with federal regulations (see enclosure).
14. If the well is a "dry hole," the reserve pit will be backfilled when dry. All disturbed areas will be thoroughly ripped and recontoured to resemble the surrounding terrain. Topsoil will be redistributed and vegetation addressed in item #7 will be replanted. Additionally, the authorized officer, BLM, reserves the option to designate that the well be developed as a fresh water source.
15. The authorized officer, BLM, will not recommend bond release until the site is satisfactorily reclaimed.
16. The authorized officer, BLM, will be the Area Manager, Kingman Resource Area, 2475 Beverly Avenue, Kingman, Arizona 86401, telephone: (602) 757-4011 or his designated representative.
17. An adequate performance bond shall be posted and approved prior to any occupation of the drill site.

Page 3

Please notify the Phoenix District Office at the above address approximately one week before moving in to rig up. For advice on operations, to change plans, or to schedule inspections and witnessing of operations, please contact Jim Gauthier-Warinner at (602) 581-1996.

Sincerely,

*Gayle Walker for*  
Marlyn V. Jones  
District Manager

Enclosures

cc: ASO (920)  
KRA  
✓A.K. Doss, AZ Oil & Gas Commissioner

February 1, 1984

Mr. Jim R. Jimenez  
Black Gold Petroleum Co., Inc.  
2650 Lass  
Kingman, Arizona 86401

Re: No. 1 Federal  
SE SE Sec. 26 T.18N, R.18W  
Mohave County  
Permit No. 849

Dear Mr. Jimenez:

Enclosed please find Receipt No. 2485 covering the \$25 filing fee, a copy of your approved Application for Permit to Drill and Permit to Drill No. 849.

Also enclosed are miscellaneous instruction sheets concerning samples and other Commission requirements and forms.

Sincerely,

R. A. Ybarra  
Enforcement Director

/sjb

Enclosures



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

PHOENIX DISTRICT OFFICE  
2929 WEST CLARENDON AVENUE  
PHOENIX, ARIZONA 85017

IN REPLY REFER TO

RECEIVED

NOV 15 1983

O & G CONS. COMM.

NOV 14 1983

3100(028)

*J. Jimenez*

*called me*

*11/12/82 to*

*send appo. etc*

*768-4390*

*S.B. Well File*

Mr. Jim Jimenez  
2650 Lass Avenue  
Kingman, Arizona 86401

Dear Mr. Jiminez:

We understand that you plan to conduct drilling operations in T. 18 N., R. 18 W., Section 26. NTL-6 specifies the need for an Application for Permit Drill (APD) to satisfy the requirements of the National Environmental Policy Act and describes what is required in the APD. Enclosed you will find a copy of NTL-6; three copies of the APD, and a checklist of multipoint requirements to accompany the APD.

When reading NTL-6, please disregard all references to the District Engineer, USGS, and substitute District Manager, Bureau of Land Management, at this office. In addition, please include a copy of the lease with stipulations, if possible, when filing the APD and multipoint surface use plan, and copies of all bonds.

You should notify Mr. A. K. Doss, Arizona Oil and Gas Commissioner, at 255-5161. Any additional questions you have should be directed to Gary Walker at 241-2929, or R. J. Gauthier-Warinner at 241-2090.

*Jim*

Sincerely,

Marlyn V. Jones  
District Manager

Enclosures

cc: A. K. Doss