P-W

J.L.Hatchett, et al McFarland#1
NE/4-NW/4 Sec22-Twp7S-R8E 11-11
Pinal County. No Permit

32 × 11

3

County ~~Pinal~~

Area

Lease No.

Well Name ~~J. L. Hatchett Etal~~ ~~Mc Farland #1~~

Location ~~NW NE NW~~ Sec ~~22~~ Twp ~~7S~~ Range ~~8E~~ Footage 300 fnl, 2140 fwl (2 from USGS)

Elev 1500 Gr ____ KB ____ Spud Date 1942 Completed 1943 Abandon ~~1945~~ Total Depth ~~1260~~

#1529/Elev no. 7½

Contractor: Approx. Cost $

Drilled by Rotary ___
Cable Tool ___

Casing Size	Depth	Cement

Production Horizon

Initial Production D&A

REMARKS

Elec. Logs

Sample Log
Sample Descrip. X
Sample Set
Cores

Applic to Plug ___ Plugging Record ___ Completion Report ___

Water well - accepted by

Bond Co. & No.

Bond Am't $ Cancelled Date Organization Report

Filing Receipt Dated Well Book ___ Plat Book ___

Loc. Plat ___ Dedication

API # 02-021-05011

PERMIT NUMBER none Date Issued

#11-11

32 × 6

C O P Y

J. L. Hatchett et al McFarland #1, NW¼ NE¼ NW¼ 22-7S-8E, Pinal County
Elevation 1500

Notes from Oil Weekly March 12, 1945

0	80	Valley Fill, first water
80	105	valley Fill
105	109	Sand, gravel, water
109	119	sand and gravel
119	245	Clay
245	275	Boulders, gravel, much water
275	400	Redbeds
400	406	Sandy formation
406	500	Redbeds
500	510	Blue shale, showings of oil, some water
510	550	Redbeds
550	600	Hard sandy lime, mixed gravel (tight hole)
600	620	Blue shale
620	720	Redbeds
720	740	Fine hard sand, paraffin showings
740	825	Redbeds
825	835	Lignite, Hole full of water to within 50' of surface
835	895	Reddish lime
895	905	Lignite, gas showings mixed with fine sand, water increased to within 20 ' of surface.
905	930	Reddish lime
930	950	Blue shale
950	1000	Reddish lime
1000	1010	Blue shale
1010	1040	Reddish lime
1040	1060	18 inches lignite, gas and oil showings, salt water, redbeds 5% to 25% salt. Sufficient gas pressure, causing water to flow from top of casing when bailing. Rainbows of oil on slush pit
1060	1100	Gravel and clay containing up to 25% salt
1100	1150	Redbeds
1150	1200	Sandy shale
1200	1260	Redbeds (changing formation)

TD 1260'/

No permit

32 × 1

No number

J. L. Hatchett et al McFarland #1, NW¼,NE¼,NW¼, 22-7S-8E, PINAL COUNTY
Elevation 1500'

Notes from Oil Weekly March 12, 1945

11-11

0	80	Valley fill, first water
80	105	Valley fill
105	109	Sand, gravel, water
109	119	Sand and gravel
119	245	Clay
245	275	Boulders, gravel, much water
275	400	Redbeds
400	406	Sandy formation
406	500	Redbeds
500	510	Blue shale, showings of oil, some water
510	550	Redbeds
550	600	Hard sandy lime, mixed gravel (tight Hole)
600	620	Blue shale
620	720	Redbeds
720	740	Fine hard sand, paraffin showings
740	825	Redbeds
825	835	Lignite, hole full of water to within 50' of surface
835	895	Reddish lime
895	905	Lignite, gas showings mixed with fine sand, water increased to within 20' of surface
905	930	Reddish lime
930	950	Blue shale
950	1000	Reddish lime
1000	1010	Blue shale
1010	1040	Reddish lime
1040	1060	18 inches lignite, gas and oil showings, salt water, redbeds 5% to 25% salt. Sufficient gas pressure, causing water to flow from top of casing when bailing. Rainbows of oil on slush pit
1060	1100	Gravel and clay containing up to 25% salt
1100	1150	Redbeds
1150	1200	Sandy shale
1200	1260	Redbeds (changing formation)

TD 1260'

32×

-8E

J. L. Hatchett et al OMcFarland #1, NW¼ NE¼ NW¼ 22-7S-8E, Pinal County
Elevation 1500

Notes from Oil Weekly March 12, 1945

0	80	Valley Fill, first water
80	105	valley Fill
105	109	Sand, gravel, water
109	119	sand and gravel
119	245	Clay
245	275	Boulders, gravel, much water
275	400	Redbeds
400	406	Sandy formation
406	500	Redbeds
500	510	Blue shale, showings of oil, some water
510	550	Redbeds
550	600	Hard sandy lime, mixed gravel (tight hole)
600	620	Blue shale
620	720	Redbeds
720	740	Fine hard sand, paraffin showings
740	825	Redbeds
825	835	Lignite, Hole full of water to within 50' of surface
835	895	Reddish lime
895	905	Lignite, gas showings mixed withfine sand, water increased to within 20 ' of surface.
905	930	Reddish lime
930	950	Blue shale
950	1000	Reddish lime
1000	1010	Blue shale
1010	1040	Reddish lime
1040	1060	18 inches lignite, gas and oilshowings,salt water, redbeds 5% to 25% salt. Sufficientgas pressure, causing water to flow from top of casing when bailing. Rainbows of oil on slush pit
1060	1100	Gravel and clay containing up to 25% salt
1100	1150	Redbeds
1150	1200	Sandy shale
1200	1260	Redbeds (changing formation)

TD 1260'

No permit



Eloy North
622
'74
8024'
11-11
'45
1260'
HANNA ROAD
ARICA ROAD
SHEDD ROAD
LA PALMA ROAD
ULEVARD
PACIFIC
Landing Strip
(PICACHO RESERVOIR)
3749 IV SW
47'30"
1912-15

J. L. Hatchett et al McFarland #1, NW¼,NE¼,NW¼, 22-7S-8E, PINAL COUNTY
Elevation 1500'

Notes from Oil Weekly March 12, 1945

11-11

0	80	Valley fill, first water
80	105	Valley fill
105	109	Sand, gravel, water
109	119	Sand and gravel
119	245	Clay
245	275	Boulders, gravel, much water
275	400	Redbeds
400	406	Sandy formation
406	500	Redbeds
500	510	Blue shale, showings of oil, some water
510	550	Redbeds
550	600	Hard sandy lime, mixed gravel (tight Hole)
600	620	Blue shale
620	720	Redbeds
720	740	Fine hard sand, paraffin showings
740	825	Redbeds
825	835	Lignite, hole full of water to within 50' of surface
835	895	Reddish lime
895	905	Lignite, gas showings mixed with fine sand, water increased to within 20' of surface
905	930	Reddish lime
930	950	Blue shale
950	1000	Reddish lime
1000	1010	Blue shale
1010	1040	Reddish lime
1040	1060	18 inches lignite, gas and oil showings, salt water, redbeds 5% to 25% salt. Sufficient gas pressure, causing water to flow from top of casing when bailing. Rainbows of oil on slush pit
1060	1100	Gravel and clay containing up to 25% salt
1100	1150	Redbeds
1150	1200	Sandy shale
1200	1260	Redbeds (changing formation)

TD 1260'

32 ×