

**ADDITIONS TO BIBLIOGRAPHIES FOR
METALLIC MINERAL DISTRICTS IN
COCHISE, GRAHAM, GREENLEE, LA
PAZ, MOHAVE, PIMA, SANTA CRUZ,
AND YUMA COUNTIES, ARIZONA**

by
John W. Welty

Arizona Geological Survey
Open-File Report 88-22

December, 1988

Arizona Geological Survey
416 W. Congress, Suite #100, Tucson, Arizona 85701

This report is preliminary and has not been edited
or reviewed for conformity with Arizona Geological Survey standards




TABLE OF CONTENTS

	Page No.
Introduction	1
Cochise County	2
Graham County	7
Greenlee County	10
La Paz County	13
Mohave County	19
Pima County	25
Santa Cruz County	29
Yuma County	30

INTRODUCTION

This report is an update to already published county metallic mineral district bibliographies for Cochise, Graham, Greenlee, La Paz, Mohave, Pima, Santa Cruz, and Yuma Counties (Schnabel and Welty, 1986a,b; and Schnabel and others 1986). In a mineral district classification, known metallic mineral occurrences are grouped according to geologic and metallogenic criteria rather than the geographic associations used in the traditional mining-district (Keith and others, 1983a,b). Ideally, a mineral district should consist of mineral occurrences that have a common genesis. A mineral-district classification is especially useful for understanding the geologic setting of mineralization and the distribution of known mineral occurrences with similar geologic settings. A mineral-district map, however, is by no means a statement of mineral potential because future discoveries within and outside established districts will affect district boundaries. Although understanding the distribution of known mineral deposits is essential in evaluating mineral potential, many other geologic and technologic factors must also be considered (Fellows, 1984).

Over 150 new citations are listed in this report. As in the previously published bibliographies a list of general county references precedes the specific references for the mineral districts. These general citations furnish information that applies to the entire county or pertains to a significant number of mineral districts within that county. The user of this bibliography is reminded to examine carefully the general county reference list when searching for information regarding a specific district. Mineral districts in need of updating are listed alphabetically for each county; those with no reported production are included as well (Keith and others, 1983b; Welty and others, 1985).

REFERENCES

- Fellows, L.D., 1984, Mineral and energy resources; assessing Arizona's potential: Arizona Bureau of Geology and Mineral Technology Fieldnotes, v. 14, no. 1, p. 1-9.
- Keith, Stanley, Gest, D.E., and DeWitt, Ed, 1983, Metallic mineral districts of Arizona: Arizona Bureau of Geology and Mineral Technology Map 19, scale 1:1,000,000.
- Keith, Stanley, Gest, D.E., DeWitt, Ed, Woode Toll, Netta, and Everson, B.A., 1983, Metallic mineral districts and production in Arizona: Arizona Bureau of Geology and Mineral Technology Bulletin 194, 58 p.
- Schnabel, Lorraine, and Welty, J.W., 1986a, Bibliography for metallic mineral districts in Cochise, Graham, and Greenlee Counties, Arizona: Arizona Bureau of Geology and Mineral Technology Circular 24, 38 p.
- _____, 1986b, Bibliography for metallic mineral districts in La Paz, Mohave, and Yuma Counties, Arizona: Arizona Bureau of Geology and Mineral Technology Circular 25, 45 p.
- Schnabel, Lorraine, and Welty, J.W., Trapp, R.A., and Reynolds, S.J., 1986, Bibliography for metallic mineral districts in Pima, and Santa Cruz Counties, Arizona: Arizona Bureau of Geology and Mineral Technology Circular 26, 44 p.

COCHISE COUNTY

GENERAL REFERENCES

- Beikman, H.M., Peterson, J.A., Huber, D.E., and Butler, W.C., 1986, Metallic mineral and mineral-fuel resource potential map of Arizona showing major mineral deposits: U.S. Geological Survey Mineral Investigations Map MR-94, scale 1:1,000,000.
- Copeland, Peter, and Condie, K.C., 1986, Geochemistry and tectonic setting of lower Proterozoic supracrustal rocks of the Pinal Schist, southeastern Arizona: Geological Society of America Bulletin, v. 97, p. 1512-1520.
- Dickinson, W.R., 1987, General geologic map of Catalina Core Complex and San Pedro Trough, Arizona: Arizona Bureau of Geology and Mineral Technology Miscellaneous Map MM-87-A, 18 p., scale 1:62,500, 15 sheets.
- _____, 1988, Geologic map of Catalina Core Complex and San Pedro Trough, Pima, Pinal, Gila, Graham, and Cochise Counties, Arizona: Arizona Bureau of Geology and Mineral Technology Miscellaneous Map MM-88-A, scale 1:125,000.
- Dickinson, W.R., and Klute, M.A., eds., 1987, Mesozoic rocks of southern Arizona and adjacent areas: Arizona Geological Society Digest, v. 18, 393 p.
- Hassemer, J.R., Ficklin, W.H., Motooka, J.M., and Watts, K.C., with contributions by Preston, D.J., Smaglik, S.K., and Ward, F.N., 1983, Analytical results for 328 water samples from the Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Open-File Report 83-84, 42 p.
- Hassemer, J.R., Watts, K.C., and Ficklin, W.H., 1986, Reconnaissance hydrogeochemistry of the Silver City 1° X 2° quadrangle, New Mexico and Arizona; Uranium, normalized uranium, and radon: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-L, scale 1:250,000.
- Klein, D.P., 1986a, Aeromagnetic map of the Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1310-D, scale 1:250,000.
- _____, 1986b, Implications of gravity and magnetic data for the structure and mineralization in the Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1310-G, scale 1:250,000.
- Lipman, P.W., and Sawyer, D.A., 1985, Mesozoic ash-flow caldera fragments in southeastern Arizona and their relation to porphyry copper deposits: Geology, v. 13, p. 652-656.
- Reynolds, S.J., Florence, F.P., Welty, J.W., Roddy, M.S., Currier, D.A., Anderson, A.V., and Keith, S.B., 1986, Compilation of radiometric age determinations in Arizona: Arizona Bureau of Geology and Mineral Technology Bulletin 197, 258 p., 2 plates, scale 1:1,000,000.
- Richter, D.H., Sharp, W.N., Watts, K.C., Raines, G.L., Houser, B.B., and Klein, D.P., 1986, Mineral resource assessment of the Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1310-F, scale 1:250,000.
- Richter, D.H., Houser, B.B., Watts, K.C., Klein, D.P., Sharp, W.N., Drewes, Harald, Hedlund, D.C., Raines, G.L., and Hassemer, J.R., 1987, The conterminous United States Mineral Assessment Program; background information to accompany folio of geologic and mineral resource maps of the Silver City 1° x 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Circular 975, 22 p.

- Sharp, W.N., 1986, Petrochemistry of the igneous rocks, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1310-H, scale 1:250,000.
- Titely, S. R., 1987, The crustal heritage of Silver and gold ratios in Arizona ores: Geological Society of America Bulletin, v. 99, p. 814-826.
- U.S. Atomic Energy Commission and U.S. Geological Survey, 1970 Preliminary reconnaissance for uranium in Apache and Cochise Counties, Arizona, 1950 to 1957: U.S. Atomic Energy Commission Open-File Report RME-154, 86 p.
- U.S. Geological Survey, 1980, Aeromagnetic map of the southern part of the Silver City 1° x 2° quadrangle, Arizona and New Mexico: U.S. Geological Survey Open-File Report 80-1128, 4 plates, scale 1:62,500.
- Walker, G.W., and Osterwald, F.W., 1963, Introduction to the geology of uranium-bearing veins in the conterminous United States, including sections on geographic distribution and classification of veins: U.S. Geological Survey Professional Paper 455-A, 28 p.
- Watts, K.C., and Hassemer, J.R., 1986, Geochemical interpretive and summary maps, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1310-H, scale 1:250,000.
- _____, 1988, Geochemical interpretive and summary maps, Silver City 1° x 2° quadrangle, Arizona and New Mexico: U.S. Geological Survey Miscellaneous Investigations Series Map I-1310-E, scale 1:250,000.
- Watts, K.C., Hassemer, J.R., Forn, C.L., and Siems, D.F., 1986a, Geochemistry of lead in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-A, scale 1:500,000.
- _____, 1986b, Geochemistry of copper in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-B, scale 1:500,000.
- _____, 1986c, Geochemistry of zinc in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-D, scale 1:500,000.
- _____, 1986d, Geochemistry of molybdenum in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-E, scale 1:500,000.
- _____, 1986e, Geochemistry of silver in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-F, scale 1:500,000.
- _____, 1986f, Geochemistry of tungsten in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-G, scale 1:500,000.
- _____, 1986g, Geochemistry of bismuth and beryllium in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-H, scale 1:500,000.
- _____, 1986h, Geochemistry of tin in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-I, scale 1:500,000.
- _____, 1986i, Geochemistry of manganese in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-J, scale 1:500,000.
- _____, 1986j, Geochemistry of barium in stream-sediment concentrates, Silver

City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-K, scale 1:500,000.

APACHE PASS DISTRICT

- Abrams, G.A., 1986, Geophysical maps of the Dos Cabezas Mountains Wilderness Study Area, Cochise County, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1873-A, scale 1:24,000.
- Drewes, Harold, Abrams, G.A., Hassemer, J.R., and Zelten, J.E., 1986, Mineral resources of the Dos Cabezas Mountains Wilderness Study Area, Cochise County, Arizona: U.S. Geological Survey Bulletin 1703-D, 27 p., scale 1:24,000.
- Drewes, Harold, Klein, D.P., and Birmingham, S.D., 1988, Volcanic and structural controls of mineralization in the Dos Cabezas Mountains of southeastern Arizona: U.S. Geological Survey Bulletin 1676, 45 p., scale 1:63,360.

CALIFORNIA DISTRICT

- Tsuji, K.S., Silver mineralization of the El Tigre mine and volcanic resurgence in the Chiricahua Mountains, Cochise County, Arizona: Tucson, University of Arizona, M.S. Thesis, 140 p.

COCHISE DISTRICT

- Swift, P.N., 1987a, Early Proterozoic turbidite deposition and melange deformation, southeastern Arizona: Tucson, University of Arizona, Ph.D. Dissertation, 134 p.
- _____, 1987b, Subduction zone setting for early Proterozoic turbidite deposition and melange deformation, southeast Arizona: Geological Society of America Abstracts with Programs, v. 19, p. 862.

COTTONWOOD BASIN DISTRICT

- McIntyre, D.H., 1988, Volcanic geology in parts of the southern Peloncillo Mountains, Arizona and New Mexico: U.S. Geological Survey Bulletin 1671, 18 p.

GOLDEN RULE DISTRICT

- Drewes, Harold, 1987, Geologic map and cross sections of the Dragoon Mountains, southeastern Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1662, scale 1:24,000.

MASCOT DISTRICT

- Abrams, G.A., 1986, Geophysical maps of the Dos Cabezas Mountains Wilderness Study Area, Cochise County, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1873-A, scale 1:24,000.

- Drewes, Harold, Abrams, G.A., Hassemer, J.R., and Zelten, J.E., 1986, Mineral resources of the Dos Cabezas Mountains Wilderness Study Area, Cochise County, Arizona: U.S. Geological Survey Bulletin 1703-D, 27 p., scale 1:24,000.
- Drewes, Harold, Klein, D.P., and Birmingham, S.D., 1988, Volcanic and structural controls of mineralization in the Dos Cabezas Mountains of southeastern Arizona: U.S. Geological Survey Bulletin 1676, 45 p., scale 1:63,360.

MIDDLE PASS DISTRICT

- Drewes, Harold, 1987, Geologic map and cross sections of the Dagoon Mountains, southeastern Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1662, scale 1:24,000.
- Lantz, R.E., 1984, The influence of the geometry of the pluton-host rock interface on the orientations of thermally induced hydrofractures at the Cochise Stronghold pluton, Cochise County, Arizona: Tucson, University of Arizona, M.S. Thesis, 112 p.
- Sousa, F.X., 1980, Geology of the Middlemarch mine and vicinity, central Dagoon Mountains, Cochise County, Arizona: Tucson, University of Arizona, M.S. Thesis, 107 p.

SILVER CAMP DISTRICT

- Abrams, G.A., 1986, Geophysical maps of the Dos Cabezas Mountains Wilderness Study Area, Cochise County, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1873-A, scale 1:24,000.
- Drewes, Harold, Abrams, G.A., Hassemer, J.R., and Zelten, J.E., 1986, Mineral resources of the Dos Cabezas Mountains Wilderness Study Area, Cochise County, Arizona: U.S. Geological Survey Bulletin 1703-D, 27 p., scale 1:24,000.
- Drewes, Harold, Klein, D.P., and Birmingham, S.D., 1988, Volcanic and structural controls of mineralization in the Dos Cabezas Mountains of southeastern Arizona: U.S. Geological Survey Bulletin 1676, 45 p., scale 1:63,360.

TEVISTON DISTRICT

- Drewes, Harold, Klein, D.P., and Birmingham, S.D., 1988, Volcanic and structural controls of mineralization in the Dos Cabezas Mountains of southeastern Arizona: U.S. Geological Survey Bulletin 1676, 45 p., scale 1:63,360.

WARREN DISTRICT

- Byrant, D.G., 1983, Fluidization as an ore-forming process - an alternative to the metasomatic replacement origin of some bedded and pipe-like deposits: Conference on brecciation and mineralization; geologic occurrence and genesis, Colorado Springs, 1983, Abstracts, 2 p.
- Walker, G.W., 1963, Age of uranium-bearing veins in the conterminous United States: U.S. Geological Survey Professional Paper 455-B, 7 p.

Walker, G.W., and Adams, J.W., 1963, Mineralogy, internal structural and textural characteristics, and paragenesis of uranium-bearing in the conterminous United States: U.S. Geological Survey Professional Paper 455-D, 35 p.

YELLOWSTONE DISTRICT

Dickinson, W.D., 1986, Geologic relations in the Kelsey Canyon area, Cochise County, Arizona: Arizona Bureau of Geology and Mineral Technology Miscellaneous Map MM-86-C, 3 p., scale 1:24,000.

GRAHAM COUNTY

GENERAL REFERENCES

- Beikman, H.M., Peterson, J.A., Huber, D.E., and Butler, W.C., 1986, Metallic mineral and mineral-fuel resource potential map of Arizona showing major mineral deposits: U.S. Geological Survey Mineral Investigations Map MR-94, scale 1:1,000,000.
- Hassemer, J.R., Ficklin, W.H., Motooka, J.M., and Watts, K.C., with contributions by Preston, D.J., Smaglik, S.K., and Ward, F.N., 1983, Analytical results for 328 water samples from the Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Open-File Report 83-84, 42 p.
- Hassemer, J.R., Watts, K.C., and Ficklin, W.H., 1986, Reconnaissance hydrogeochemistry of the Silver City 1° X 2° quadrangle, New Mexico and Arizona; Uranium, normalized uranium, and radon: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-L, scale 1:250,000.
- Klein, D.P., 1986a, Aeromagnetic map of the Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1310-D, scale 1:250,000.
- _____, 1986b, Implications of gravity and magnetic data for the structure and mineralization in the Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1310-G, scale 1:250,000.
- Marvin, R.F., Naeser, C.W., Birkman, Michael, Mehert, H.H., and Ratte, J.C., 1987, Isotopic ages of post-Paleocene igneous rocks within and bordering the Clifton 1° x 2° quadrangle, Arizona-New Mexico: New Mexico Bureau of Mines Mineral Resources Bulletin 118, 63 p.
- Moore, R.T., and Roseveare, G.H., undated, History of mining in Graham County, Arizona: Arizona Bureau of Mines, unpublished manuscript, 23 p.
- Reynolds, S.J., Florence, F.P., Welty, J.W., Roddy, M.S., Currier, D.A., Anderson, A.V., and Keith, S.B., 1986, Compilation of radiometric age determinations in Arizona: Arizona Bureau of Geology and Mineral Technology Bulletin 197, 258 p., 2 plates, scale 1:1,000,000.
- Richter, D.H., Sharp, W.N., Watts, K.C., Raines, G.L., Houser, B.B., and Klein, D.P., 1986, Mineral resource assessment of the Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1310-F, scale 1:250,000.
- Richter, D.H., Houser, B.B., Watts, K.C., Klein, D.P., Sharp, W.N., Drewes, Harald, Hedlund, D.C., Raines, G.L., and Hassemer, J.R., 1987, The conterminous United States Mineral Assessment Program; background information to accompany folio of geologic and mineral resource maps of the Silver City 1° x 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Circular 975, 22 p.
- Sharp, W.N., 1986, Petrochemistry of the igneous rocks, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1310-H, scale 1:250,000.
- Titley, S. R., 1987, The crustal heritage of Silver and gold ratios in Arizona ores: Geological Society of America Bulletin, v. 99, p. 814-826.
- U.S. Atomic Energy Commission and U.S. Geological Survey, 1970 Preliminary reconnaissance for uranium in Graham, Grant, Greenlee, and Maricopa Counties, Arizona [and New Mexico], 1950 to 1957: U.S. Atomic Energy Commission

- Open-File Report RME-157, 62 p.
- U.S. Geological Survey, 1980, Aeromagnetic map of the southern part of the Silver City 1° x 2° quadrangle, Arizona and New Mexico: U.S. Geological Survey Open-File Report 80-1128, 4 plates, scale 1:62,500.
- Walker, G.W., and Osterwald, F.W., 1963, Introduction to the geology of uranium-bearing veins in the conterminous United States, including sections on geographic distribution and classification of veins: U.S. Geological Survey Professional Paper 455-A, 28 p.
- Watts, K.C., and Hassemer, J.R., 1986, Geochemical interpretive and summary maps, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1310-H, scale 1:250,000.
- _____ 1988, Geochemical interpretive and summary maps, Silver City 1° x 2° quadrangle, Arizona and New Mexico: U.S. Geological Survey Miscellaneous Investigations Series Map I-1310-E, scale 1:250,000.
- Watts, K.C., Hassemer, J.R., Forn, C.L., and Siems, D.F., 1986a, Geochemistry of lead in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-A, scale 1:500,000.
- _____ 1986b, Geochemistry of copper in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-B, scale 1:500,000.
- _____ 1986c, Geochemistry of zinc in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-D, scale 1:500,000.
- _____ 1986d, Geochemistry of molybdenum in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-E, scale 1:500,000.
- _____ 1986e, Geochemistry of silver in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-F, scale 1:500,000.
- _____ 1986f, Geochemistry of tungsten in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-G, scale 1:500,000.
- _____ 1986g, Geochemistry of bismuth and beryllium in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-H, scale 1:500,000.
- _____ 1986h, Geochemistry of tin in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-I, scale 1:500,000.
- _____ 1986i, Geochemistry of manganese in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-J, scale 1:500,000.
- _____ 1986j, Geochemistry of barium in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-K, scale 1:500,000.

ARAVAIPA DISTRICT

- Hauck, W.R., Correlation and geochemical zonation of the mid-Tertiary volcanic and intrusive rocks in the Santa Teresa and northern Galiuro Mountains, Arizona: Tucson, University of Arizona, M.S. Thesis, 140 p.
- Simons, F.S., 1987, Geologic map of the Black Rock Wilderness Study Area, Graham County, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1918, scale 1:24,000.
- Simons, F.S., Theobald, P.K., Tidball, R.R., Erdman, J.A., Harms, T.F., Griscom, A., and Ryan, G.S., 1987, Mineral resources of the Black Rock Wilderness Study Area, Graham County, Arizona: U.S. Geological Survey Bulletin 1703-C, 9 p., scale 1:24,000.

DAY MINE WASH DISTRICT

- Simons, F.S., 1987, Geologic map of the Fishhooks Wilderness Study Area, Graham County, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1919, scale 1:24,000.
- Simons, F.S., Theobald, P.K., Tidball, R.R., Erdman, J.A., Harms, T.F., Griscom, A., and Ryan, G.S., 1987, Mineral resources of the Fishhooks Wilderness Study Area, Graham County, Arizona: U.S. Geological Survey Bulletin 1703-A, 5 p., scale 1:50,000.

GREENLEE COUNTY

GENERAL REFERENCES

- Beikman, H.M., Peterson, J.A., Huber, D.E., and Butler, W.C., 1986, Metallic mineral and mineral-fuel resource potential map of Arizona showing major mineral deposits: U.S. Geological Survey Mineral Investigations Map MR-94, scale 1:1,000,000.
- Hassemer, J.R., Ficklin, W.H., Motooka, J.M., and Watts, K.C., with contributions by Preston, D.J., Smaglik, S.K., and Ward, F.N., 1983, Analytical results for 328 water samples from the Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Open-File Report 83-84, 42 p.
- Hassemer, J.R., Watts, K.C., and Ficklin, W.H., 1986, Reconnaissance hydrogeochemistry of the Silver City 1° X 2° quadrangle, New Mexico and Arizona; Uranium, normalized uranium, and radon: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-L, scale 1:250,000.
- Klein, D.P., 1986a, Aeromagnetic map of the Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1310-D, scale 1:250,000.
- _____ 1986b, Implications of gravity and magnetic data for the structure and mineralization in the Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1310-G, scale 1:250,000.
- Marvin, R.F., Naeser, C.W., Bikerman, Michael, Mehert, H.H., and Ratte, J.C., 1987, Isotopic ages of post-Paleocene igneous rocks within and bordering the Clifton 1° x 2° quadrangle, Arizona-New Mexico: New Mexico Bureau of Mines Mineral Resources Bulletin 118, 63 p.
- Reynolds, S.J., Florence, F.P., Welty, J.W., Roddy, M.S., Currier, D.A., Anderson, A.V., and Keith, S.B., 1986, Compilation of radiometric age determinations in Arizona: Arizona Bureau of Geology and Mineral Technology Bulletin 197, 258 p., 2 plates, scale 1:1,000,000.
- Richter, D.H., Sharp, W.N., Watts, K.C., Raines, G.L., Houser, B.B., and Klein, D.P., 1986, Mineral resource assessment of the Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1310-F, scale 1:250,000.
- Richter, D.H., Houser, B.B., Watts, K.C., Klein, D.P., Sharp, W.N., Drewes, Harald, Hedlund, D.C., Raines, G.L., and Hassemer, J.R., 1987, The conterminous United States Mineral Assessment Program; background information to accompany folio of geologic and mineral resource maps of the Silver City 1° x 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Circular 975, 22 p.
- Sharp, W.N., 1986, Petrochemistry of the igneous rocks, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1310-H, scale 1:250,000.
- Titley, S. R., 1987, The crustal heritage of Silver and gold ratios in Arizona ores: Geological Society of America Bulletin, v. 99, p. 814-826.
- U.S. Atomic Energy Commission and U.S. Geological Survey, 1970 Preliminary reconnaissance for uranium in Graham, Grant, Greenlee, and Maricopa Counties, Arizona [and New Mexico], 1950 to 1957: U.S. Atomic Energy Commission Open-File Report RME-157, 62 p.
- U.S. Geological Survey, 1980, Aeromagnetic map of the southern part of the Silver City 1° x 2° quadrangle, Arizona and New Mexico: U.S. Geological Survey

- Open-File Report 80-1128, 4 plates, scale 1:62,500.
- Watts, K.C., and Hassemer, J.R., 1986, Geochemical interpretive and summary maps, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1310-H, scale 1:250,000.
- _____, 1988, Geochemical interpretive and summary maps, Silver City 1° x 2° quadrangle, Arizona and New Mexico: U.S. Geological Survey Miscellaneous Investigations Series Map I-1310-E, scale 1:250,000.
- Watts, K.C., Hassemer, J.R., Forn, C.L., and Siems, D.F., 1986a, Geochemistry of lead in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-A, scale 1:500,000.
- _____, 1986b, Geochemistry of copper in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-B, scale 1:500,000.
- _____, 1986c, Geochemistry of zinc in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-D, scale 1:500,000.
- _____, 1986d, Geochemistry of molybdenum in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-E, scale 1:500,000.
- _____, 1986e, Geochemistry of silver in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-F, scale 1:500,000.
- _____, 1986f, Geochemistry of tungsten in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-G, scale 1:500,000.
- _____, 1986g, Geochemistry of bismuth and beryllium in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-H, scale 1:500,000.
- _____, 1986h, Geochemistry of tin in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-I, scale 1:500,000.
- _____, 1986i, Geochemistry of manganese in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-J, scale 1:500,000.
- _____, 1986j, Geochemistry of barium in stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-K, scale 1:500,000.

ASH PEAK DISTRICT

Walker, R.J., and Richter, D.H., 1987, Petrogenesis of the Ash Peak - Rhyolite Peak eruptive complex, southeast Arizona: Geological Society of America Abstracts with Programs, v. 19, p. 879.

COPPER MOUNTAIN DISTRICT

Davis, J.D., and Guilbert, J.M., 1973, Distribution of the radioelements Potassium, Uranium, and Thorium in selected porphyry copper deposits: Economic Geology, v. 68, p. 145-160.

Preece, R.K., III, 1986, Intrusive-hosted alteration and mineralization within the Morenci porphyry copper deposit, Arizona: Geological Society of America Abstracts with Programs, v. 18, p. 722.

LA PAZ COUNTY

GENERAL REFERENCES

- Asmerom, Yemane, 1988, Mesozoic igneous activity in the southern Cordillera of North America; implication for tectonics and magma genesis: Tucson, University of Arizona, Ph.D. Dissertation, 201 p.
- Beikman, H.M., Peterson, J.A., Huber, D.E., and Butler, W.C., 1986, Metallic mineral and mineral-fuel resource potential map of Arizona showing major mineral deposits: U.S. Geological Survey Mineral Investigations Map MR-94, scale 1:1,000,000.
- Dickinson, W.R., and Klute, M.A., eds., 1987, Mesozoic rocks of southern Arizona and adjacent areas: Arizona Geological Society Digest, v. 18, 393 p.
- Hauser, E.C., Gephart, J., Latham, T., Oliver, J., Kaufman, S., Brown, L., and Lucchita, I., 1987, COCORP Arizona transect; strong crustal reflections and offset Moho beneath the Transition Zone: *Geology*, v. 15, p. 1103-1106.
- Klein, D.P., and Sneddon, R.A., 1987, Magnetotelluric data across west-central Arizona: U.S. Geological Survey Open-File Report 87-492, 18 p.
- Mariano, J., and Grauch, V.J.S., 1988, Aeromagnetic maps of the Colorado River region including the Kingman, Needles, Salton Sea, and El Centro 1° x 2° quadrangles, California, Arizona, and Nevada: U.S. Geological Survey Miscellaneous Field Studies Map MF-2023, scale 1:250,000.
- Reynolds, S.J., Florence, F.P., Welty, J.W., Roddy, M.S., Currier, D.A., Anderson, A.V., and Keith, S.B., 1986, Compilation of radiometric age determinations in Arizona: Arizona Bureau of Geology and Mineral Technology Bulletin 197, 258 p., 2 plates, scale 1:1,000,000.
- Reynolds, S.J., Spencer, J.E., and DeWitt, Ed., 1987, Stratigraphy and U-Th-Pb geochronology of Triassic and Jurassic rocks in west-central Arizona, in Dickinson, W.R., and Klute, M.A., eds., Mesozoic rocks of southern Arizona and adjacent areas: Arizona Geological Society Digest, v. 18, p. 65-80.
- Santa Fe Pacific Railroad Company, 1988, Geologic map of Santa Fe Pacific Railroad Company mineral holdings in northwestern Arizona: Arizona Bureau of Geology and Mineral Technology Miscellaneous Map MM-88-A, scale 1:250,000.
- Titley, S. R., 1987, The crustal heritage of Silver and gold ratios in Arizona ores: *Geological Society of America Bulletin*, v. 99, p. 814-826.
- Welty, J.W., and Spencer, J.E., 1986, Two types of mineralization related to Tertiary detachment faults in the southwestern United States: *Geological Society of America Abstracts with Programs*, v. 18, p. 785.
- Wilson, J.M., and Fuis, G.S., 1987, Data report for the Chemehuevi, Vidal, and Dutch Flat lines, PACE seismic-refraction survey, southeastern California and western Arizona: U.S. Geological Survey Open-File Report 87-86, 75 p.

ALAMO DISTRICT

- Spencer, J.E., and Reynolds, S.J., 1986, Geologic map of the Lincoln Ranch basin, eastern Buckskin Mountains, western Arizona: Arizona Bureau of Geology and Mineral Technology Open-File Report 86-1, scale 1:24,000.

ALAMO SPRINGS DISTRICT

- Adrian, B.M., Smith, D.B., Vaughn, R.B., and Delaney, T.A., 1986, Analytical results and sample locality maps of stream-sediment, heavy-mineral-concentrate, and rock samples from the Kofa National Wildlife Refuge, Arizona: U.S. Geological Survey Open-File Report 86-199, 122 p.
- Bagby, W.C., Haxel, G.B., Smith, D.B., Koch, R.D., Grubensky, M.J., Sherrod, D.R., and Pickthorn, L.B.G., 1987, Mineral resource assessment of the Kofa National Wildlife Refuge, Arizona: U.S. Geological Survey Open-File Report 187-609, 82 p., scale 1:100,000.
- Grubensky, M.J., Sherrod, D.R., Koch, R.D., Pickthorn, L.B.G., and Bagby, W.C., 1986, Late Oligocene-early Miocene calderas in the Kofa area, southwestern Arizona: Geological Society of America Abstracts with Programs, v. 18, p. 111.

ARTILLERY DISTRICT

- Bouse, R.M., Wooden, J.L., Koski, R.A., and Pickthorn, L.B.G., 1987, Pb isotopic compositions for stratiform manganese oxide deposits and their Miocene host rocks, Nevada and Arizona: Geological Society of America Abstracts with Programs, v. 19, p. 360.
- Lane, M.E., 1988, Mineral investigation of additional parts of the Arrastra Mountain Wilderness Study Area (AZ-020-059), La Paz, Mohave, and Yavapai Counties, Arizona: U.S. Bureau of Mines Mineral Land Assessment Open-File Report MLA 25-88, 25 p.

CLARA DISTRICT

- Spencer, J.E., Reynolds, S.J., Anderson, J.L., Davis, G.A., Laubach, S.E., Richard, S.M., and Marshak, Stephen, 1987, Field-trip guide to parts of the Harquahala, Granite Wash, Whipple, and Buckskin Mountains, west-central Arizona and southeastern California, in Davis, G.H., and VandenDolder, E.M., eds., Geologic diversity of Arizona and its margins; excursions to choice areas: Arizona Bureau of Geology and Mineral Technology Special Paper 5, p. 351-364.

EAGLETAIL DISTRICT

- Lane, M.E., 1986, Mineral investigation of a part of the Eagletail Mountains Wilderness Study Area (AZ-020-128), La Paz, Maricopa, and Yuma Counties, Arizona: U.S. Bureau of Mines Mineral Land Assessment Report MLA 45-86, 16 p.

ELLSWORTH DISTRICT

- Cunningham, W.D., 1986, Geologic map of the northwest Granite Wash Mountains, and geologic cross sections to accompany geologic map of the northwest Granite Wash Mountains, La Paz County, Arizona: Arizona Bureau of Geology and Mineral Technology Miscellaneous MAP MM-86-B, scale 1:10,000.
- Laubach, S.E., 1986, Polyphase deformation, thrust-induced strain and metamorphism, and Mesozoic stratigraphy of the Granite Wash Mountains, west-central Arizona: Urbana-Champaign, University of Illinois, Ph.D. Dissertation, 180 p.
- Laubach, S.E., Reynolds, S.J., and Spencer, J.E., 1987, Mesozoic stratigraphy of the Granite Wash Mountains, west-central Arizona, *in* Dickinson, W.R., and Klute, M.A., eds., Mesozoic rocks of southern Arizona and adjacent areas: Arizona Geological Society Digest, v. 18, p. 91-100.
- Laubach, S.E., Reynolds, S.J., Spencer, J.E., and Richard, S.M., 1986, Thrust-related metamorphism, Granite Wash Mountains, west-central Arizona: Geological Society of America Abstracts with Programs, v. 18, p. 126.
- Reynolds, S.J., Spencer, J.E., and Richard, S.M., 1983, A field guide to the northwestern Granite Wash Mountains: Arizona Bureau of Geology and Mineral Technology Open-File Report 83-23, 6 p.
- Spencer, J.E., Reynolds, S.J., Anderson, J.L., Davis, G.A., Laubach, S.E., Richard, S.M., and Marshak, Stephen, 1987, Field-trip guide to parts of the Harquahala, Granite Wash, Whipple, and Buckskin Mountains, west-central Arizona and southeastern California, *in* Davis, G.H., and VandenDolder, E.M., eds., Geologic diversity of Arizona and its margins; excursions to choice areas: Arizona Bureau of Geology and Mineral Technology Special Paper 5, p. 351-364.

HARQUAHALA DISTRICT

- DeWitt, Ed, Richard, S.M., Hassemer, J.R., and Thompson, J.R., 1988, Mineral resources of the Harquahala Mountains Wilderness Study Area, La Paz and Maricopa Counties, Arizona: U.S. Geological Survey Bulletin 1701-C, 27 p., scale 1:24,000.
- Dummett, Hugo, and Colburn, Nora, 1988, Field Trip to Bighorn mine, Socorro Mine, and Copperstone Mine: Arizona Geological Society Spring Field Trip 1988 Guidebook, 297 p.
- Hardy, J.J., 1987, The structural evolution of the Arrastre Gulch window, south-central Harquahala Mountains, west-central Arizona: Geological Society of America Abstracts with Programs, v. 19, p. 693.
- Richard, S.M., 1986, Mesozoic and Tertiary structure of the Harquahala Mountains, west-central Arizona: Geological Society of America Abstracts with Programs, v. 18, p. 176.
- Richard, S.M., and Sutter, J.F., 1987, Structural and $^{40}\text{Ar}/^{39}\text{Ar}$ chronology of Mesozoic deformation, Harquahala Mountains, west-central, Arizona: Geological Society of America Abstracts with Programs, v. 19, p. 819.
- Richard, S.M., Reynolds, S.J., and Spencer, J.E., 1987, Mesozoic stratigraphy of the Little Harquahala and Harquahala Mountains, west-central Arizona, *in* Dickinson, W.R., and Klute, M.A., eds., Mesozoic rocks of southern Arizona and adjacent areas: Arizona Geological Society Digest, v. 18, p. 101-119.

- Spencer, J.E., Reynolds, S.J., Anderson, J.L., Davis, G.A., Laubach, S.E., Richard, S.M., and Marshak, Stephen, 1987, Field-trip guide to parts of the Harquahala, Granite Wash, Whipple, and Buckskin Mountains, west-central Arizona and southeastern California, in Davis, G.H., and VandenDolder, E.M., eds., Geologic diversity of Arizona and its margins; excursions to choice areas: Arizona Bureau of Geology and Mineral Technology Special Paper 5, p. 351-364.
- Thompson, J.R., 1985, Mineral resources of the Harquahala Mountains Wilderness Study Area (AZ-020-095), La Paz and Maricopa Counties, Arizona: U.S. Bureau of Mines Mineral Land Assessment Report MLA 43-85, 87 p.

LITTLE HARQUAHALA DISTRICT

- Richard, S.M., Reynolds, S.J., and Spencer, J.E., 1987, Mesozoic stratigraphy of the Little Harquahala and Harquahala Mountains, west-central Arizona, in Dickinson, W.R., and Klute, M.A., eds., Mesozoic rocks of southern Arizona and adjacent areas: Arizona Geological Society Digest, v. 18, p. 101-119.

MIDWAY DISTRICT

- Marshak, Stephen, Vander Meulen, Marc, and Bhagat, Snehal, 1987, Geology of the Battleship Peak area, Buckskin Mountains, La Paz County, Arizona: Arizona Bureau of Geology and Mineral Technology Miscellaneous Map MM-87-B, scale 1:8,000.

MOON MOUNTAINS DISTRICT

- Dummett, Hugo, and Colburn, Nora, 1988, Field Trip to Bighorn mine, Socorro Mine, and Copperstone Mine: Arizona Geological Society Spring Field Trip 1988 Guidebook, 297 p.

NEW WATER DISTRICT

- Adrian, B.M., Smith, D.B., Hill, R.H., Roemer, T.A., Vaughn, R.B., and Delaney, T.A., 1987, Analytical results and sample locality map of stream-sediment, heavy-mineral concentrate, and rock samples from the New Water Mountains Wilderness Study Area, La Paz County, Arizona: U.S. Geological Survey Open-File Report 87-339, 34 p.
- Adrian, B.M., Smith, D.B., Vaughn, R.B., and Delaney, T.A., 1986, Analytical results and sample locality maps of stream-sediment, heavy-mineral-concentrate, and rock samples from the Kofa National Wildlife Refuge, Arizona: U.S. Geological Survey Open-File Report 86-199, 122 p.
- Bagby, W.C., Haxel, G.B., Smith, D.B., Koch, R.D., Grubensky, M.J., Sherrod, D.R., and Pickthorn, L.B.G., 1987, Mineral resource assessment of the Kofa National Wildlife Refuge, Arizona: U.S. Geological Survey Open-File Report 187-609, 82 p., scale 1:100,000.

- Grubensky, M.J., Sherrod, D.R., Koch, R.D., Pickthorn, L.B.G., and Bagby, W.C., 1986, Late Oligocene-early Miocene calderas in the Kofa area, southwestern Arizona: Geological Society of America Abstracts with Programs, v. 18, p. 111.
- Lane, M.E., 1986, Mineral investigation of a part of the New Water Mountains Wilderness Study Area (AZ-020-125), La Paz County, Arizona: U.S. Bureau of Mines Mineral Land Assessment Report MLA 57-86, 25 p.
- Sherrod, D.R., and Koch, R.D., 1987, Structure and stratigraphy of Mesozoic sedimentary and volcanic rocks in the New Water Mountains, southwestern Arizona, *in* Dickinson, W.R., and Klute, M.A., eds., Mesozoic rocks of southern Arizona and adjacent areas: Arizona Geological Society Digest, v. 18, p. 81-90.
- Stoneman, D.A., 1985a, Geologic map of the Plomosa Pass area, northern Plomosa Mountains, La Paz County, Arizona: Arizona Bureau of Geology and Mineral Technology Miscellaneous Map MM-85-B, scale 1:12,000.
- _____, 1985b, Structural geology of the Plomosa Pass area, northern Plomosa Mountains, La Paz County, Arizona: Tucson, University of Arizona, M.S. Thesis, 99 p., 4 plates.

PLANET DISTRICT

- Spencer, J.E., Reynolds, S.J., Anderson, J.L., Davis, G.A., Laubach, S.E., Richard, S.M., and Marshak, Stephen, 1987, Field-trip guide to parts of the Harquahala, Granite Wash, Whipple, and Buckskin Mountains, west-central Arizona and southeastern California, *in* Davis, G.H., and VandenDolder, E.M., eds., Geologic diversity of Arizona and its margins; excursions to choice areas: Arizona Bureau of Geology and Mineral Technology Special Paper 5, p. 351-364.

PLOMOSA PASS DISTRICT

- Scarborough, R.B., Meader, Norman, Wilt, J.C., and Keith, S.B., 1983, Reconnaissance geology of the northern Plomosa Mountains: Arizona Bureau of Geology and Mineral Technology Open-File Report 83-24, 34 p.
- Stoneman, D.A., 1985, Geologic map of the Plomosa Pass area, northern Plomosa Mountains, La Paz County, Arizona: Arizona Bureau of Geology and Mineral Technology Miscellaneous Map MM-85-B, scale 1:12,000.

SOUTHERN PLOMOSA DISTRICT

- Adrian, B.M., Smith, D.B., Vaughn, R.B., and Delaney, T.A., 1986, Analytical results and sample locality maps of stream-sediment, heavy-mineral-concentrate, and rock samples from the Kofa National Wildlife Refuge, Arizona: U.S. Geological Survey Open-File Report 86-199, 122 p.
- Bagby, W.C., Haxel, G.B., Smith, D.B., Koch, R.D., Grubensky, M.J., Sherrod, D.R., and Pickthorn, L.B.G., 1987, Mineral resource assessment of the Kofa National Wildlife Refuge, Arizona: U.S. Geological Survey Open-File Report 187-609, 82 p., scale 1:100,000.
- Grubensky, M.J., Sherrod, D.R., Koch, R.D., Pickthorn, L.B.G., and Bagby, W.C., 1986, Late Oligocene-early Miocene calderas in the Kofa area, southwestern

- Arizona: Geological Society of America Abstracts with Programs, v. 18, p. 111.
- Robison, B.A., 1979, Stratigraphy and petrology of some Mesozoic rocks in western Arizona: Tucson, University of Arizona, M.S. Thesis, 138 p.

SWANSEA DISTRICT

- Spencer, J.E., and Reynolds, S.J., 1987, Geologic map of the Swansea-Copper Penny area, central Buckskin Mountains, west-central Arizona: Arizona Bureau of Geology and Mineral Technology Open-File Report 87-2, 10 p., scale 1:12,000.
- Spencer, J.E., Reynolds, S.J., Anderson, J.L., Davis, G.A., Laubach, S.E., Richard, S.M., and Marshak, Stephen, 1987, Field-trip guide to parts of the Harquahala, Granite Wash, Whipple, and Buckskin Mountains, west-central Arizona and southeastern California, in Davis, G.H., and VandenDolder, E.M., eds., Geologic diversity of Arizona and its margins; excursions to choice areas: Arizona Bureau of Geology and Mineral Technology Special Paper 5, p. 351-364.

SILVER DISTRICT

- Bradley, M.A., 1987, Vein mineralogy, paragenetic sequence and fluid inclusion survey of the Silver district, La Paz County, Arizona: Tucson, University of Arizona, M.S. Thesis, 131 p.

TRIGO MOUNTAINS DISTRICT

- Barth, A.P., Tosdal, R.M., and Wooden, J.I., 1987, Characteristics and implications of Triassic and Jurassic granitoids in the San Gabriel, Mule, and Trigo Mountains, southern California and southwestern Arizona: Geological Society of America Abstracts with Programs, v. 19, p. 141.

TUNGSTEN HILL DISTRICT

- Yeats, K.J., 1985, Geologic map and structure of the northern Dome Rock Mountains, La Paz County, Arizona: Arizona Bureau of Geology and Mineral Technology Miscellaneous Map MM-85-C, scale 1:12,000.

MOHAVE COUNTY

GENERAL REFERENCES

- Beikman, H.M., Peterson, J.A., Huber, D.E., and Butler, W.C., 1986, Metallic mineral and mineral-fuel resource potential map of Arizona showing major mineral deposits: U.S. Geological Survey Mineral Investigations Map MR-94, scale 1:1,000,000.
- Dickinson, W.R., and Klute, M.A., eds., 1987, Mesozoic rocks of southern Arizona and adjacent areas: Arizona Geological Society Digest, v. 18, 393 p.
- Hauser, E.C., Gephart, J., Latham, T., Oliver, J., Kaufman, S., Brown, L., and Lucchita, I., 1987, COCORP Arizona transect; strong crustal reflections and offset Moho beneath the Transition Zone: *Geology*, v. 15, p. 1103-1106.
- Mariano, J., and Grauch, V.J.S., 1988, Aeromagnetic maps of the Colorado River region including the Kingman, Needles, Salton Sea, and El Centro 1⁰ x 2⁰ quadrangles, California, Arizona, and Nevada: U.S. Geological Survey Miscellaneous Field Studies Map MF-2023, scale 1:250,000.
- Reynolds, S.J., Florence, F.P., Welty, J.W., Roddy, M.S., Currier, D.A., Anderson, A.V., and Keith, S.B., 1986, Compilation of radiometric age determinations in Arizona: Arizona Bureau of Geology and Mineral Technology Bulletin 197, 258 p., 2 plates, scale 1:1,000,000.
- Santa Fe Pacific Railroad Company, 1988, Geologic map of Santa Fe Pacific Railroad Company mineral holdings in northwestern Arizona: Arizona Bureau of Geology and Mineral Technology Miscellaneous Map MM-88-A, scale 1:250,000.
- Titley, S. R., 1987, The crustal heritage of Silver and gold ratios in Arizona ores: *Geological Society of America Bulletin*, v. 99, p. 814-826.
- U.S. Atomic Energy Commission and U.S. Geological Survey, 1970 Preliminary reconnaissance for uranium in Mohave County, Arizona, 1952 to 1956: U.S. Atomic Energy Commission Open-File Report RME-158, 170 p.
- Walker, G.W., and Osterwald, F.W., 1963, Introduction to the geology of uranium-bearing veins in the conterminous United States, including sections on geographic distribution and classification of veins: U.S. Geological Survey Professional Paper 455-A, 28 p.
- Wilson, J.M., and Fuis, G.S., 1987, Data report for the Chemehuevi, Vidal, and Dutch Flat lines, PACE seismic-refraction survey, southeastern California and western Arizona: U.S. Geological Survey Open-File Report 87-86, 75 p.

ARTILLERY DISTRICT

- Bouse, R.M., Wooden, J.L., Koski, R.A., and Pickthorn, L.B.G., 1987, Pb isotopic compositions for stratiform manganese oxide deposits and their Miocene host rocks, Nevada and Arizona: *Geological Society of America Abstracts with Programs*, v. 19, p. 360.
- Yeh, Hsueh-Wen, Hein, J.R., and Koski, R.A., 1985, Stable-isotope study of volcanogenic- and sedimentary-manganese deposits: U.S. Geological Survey Open-File Report 85-662, 16 p.

BENTLEY DISTRICT

Billingsley, G.H., Antweiler, J.C., Beard, L.S., and Luchitta, Ivo, 1986, Mineral resource potential map of the Pigeon Canyon, Nevershine Mesa, and Snap Point Wilderness Study Areas, Mohave County, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1860-A, 10 p., scale 1:50,000.

CHEMEHUEVIS DISTRICT

Howard, K.A., John, B.E., and Miller, C.F., 1987, Metamorphic core complexes, Mesozoic ductile thrusts, and Cenozoic detachments; Old Woman Mountains-Chemehuevi Mountains transect, California and Arizona, in Davis, G.H., and VandenDolder, E.M., eds., Geologic diversity of Arizona and its margins; excursions to choice areas: Arizona Bureau of Geology and Mineral Technology Special Paper 5, p. 365-382.

Light, T.D., Pike, J.E., Howard, K.A., McDonnell, J.R., Jr., Simpson, R.W., Raines, G.L., Knox, R.D., Wilshire, H.G., and Pernokas, M.A., 1983, Mineral resource potential of the Crossman Peak Wilderness Study Area, Mohave County, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1602-A, 21 p., scale 1:48,000.

Light, T.D., and McDonnell, J.R., Jr., 1987, Mine and prospect map of the Crossman Peak Wilderness Study Area, Mohave County, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1602-C, scale 1:48,000.

Simpson, R.W., Gage, T.B., and Bracken, R.E., 1986, Aeromagnetic and isostatic gravity maps of the Crossman Peak Wilderness Study Area, Mohave County, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1602-B, 7 p., scale 1:48,000.

CLEOPATRA DISTRICT

Welty, J.W., and Spencer, J.E., 1986, Two types of mineralization related to Tertiary detachment faults in the southwestern United States: Geological Society of America Abstracts with Programs, v. 18, p. 785.

COTTONWOOD DISTRICT

Beard, L.S., 1985, Precambrian geology of the Cottonwood Cliffs area, Mohave County, Arizona: Tucson, University of Arizona, M.S. Thesis, 115 p.

CYCLOPIC DISTRICT

Myers, I.A., Smith, E.I., and Wyman, R.V., 1986, Control of gold mineralization at the Cyclopic mine, Gold Basin district, Mohave County, Arizona: Economic Geology, v. 81, p. 1553-1557.

Theodore, T.G., Blair, W.N., and Nash, J.T., 1987, Geology and gold mineralization of the Gold Basin-Lost Basin mining districts, Mohave County, Arizona with a section on K-Ar chronology of mineralization and igneous activity by E.H. McKee and a section on implications of the compositions of lode

and placer gold by J.C. Antweiler and W.L. Campbell: U.S. Geological Survey Professional Paper 1361, 167 p.

DIAMOND JOE DISTRICT

Rogers, Ralph, and Gerla, Phil, 1986, Fracture accommodated strain in the Diamond Joe stock, western Arizona: Geological Society of America Abstracts with Programs, v. 18, p. 732.

GOLD BASIN DISTRICT

Theodore, T.G., Blair, W.N., and Nash, J.T., 1987, Geology and gold mineralization of the Gold Basin-Lost Basin mining districts, Mohave County, Arizona with a section on K-Ar chronology of mineralization and igneous activity by E.H. McKee and a section on implications of the compositions of lode and placer gold by J.C. Antweiler and W.L. Campbell: U.S. Geological Survey Professional Paper 1361, 167 p.

GOLD HILL DISTRICT

Theodore, T.G., Blair, W.N., and Nash, J.T., 1987, Geology and gold mineralization of the Gold Basin-Lost Basin mining districts, Mohave County, Arizona with a section on K-Ar chronology of mineralization and igneous activity by E.H. McKee and a section on implications of the compositions of lode and placer gold by J.C. Antweiler and W.L. Campbell: U.S. Geological Survey Professional Paper 1361, 167 p.

GREENWOOD DISTRICT

Bryant, Bruce, 1988, Map of the Poachie Range, Yavapai and Mohave Counties, Arizona: U.S. Geological Survey Open-File Report 88-390, 20 p., scale 1:50,000.

Miller, R.J., Gray, Floyd, Hassemer, J.R., Hanna, W.F., Brice, J.C., and Schreiner, R.A., 1987, Mineral resources of the Lower Burro Creek Wilderness Study Area, Mohave and Yavapai Counties, Arizona: U.S. Geological Survey Bulletin 1701-B, 22 p.

Schreiner, R.A., 1985, Mineral resources of the Lower Burro Creek Wilderness Study Area, Mohave and Yavapai Counties, Arizona: U.S. Bureau of Mines Mineral Land Assessment Open-File Report MLA 51-85, 71 p.

HACKS CANYON DISTRICT

Casebolt, L.L., Pillmore, D.M., 1986, Underground geologic evaluation; Hack Canyon breccia pipe uranium ore body, Mohave County, Arizona: Geological Society of America Abstracts with Programs, v. 18, p. 345.

- Flanigan, V.J., Mohr, Pam, Tippens, Charles, and Snetterfit, Michael, 1986, Electrical character of collapse breccia pipes on the Coconino Plateau, northern Arizona: U.S. Geological Survey Open-File Report 86-521, 50 p.
- Rasmussen, J.D., Cunningham, C.G., and Gautier, A.M., 1986, Primary fluid inclusions in sphalerite from the Hack 1 and 2 mines, Mohave County, Arizona: Geological Society of America Abstracts with Programs, v. 18, p. 404.
- Van Gosen, B.S., and Wenrich, K.J., 1987, Lithology and stratigraphy of a drill core from the vicinity of the Hack Canyon mines, Mohave County, northern Arizona: U.S. Geological Survey Open-File Report 87-144, 11 p.

HUALAPAI DISTRICT

- Anderson, Philip, and Guilbert, J.M., 1979, The Precambrian massive sulfides of Arizona--a distinct metallogenic epoch and province, in Papers on mineral deposits of western North America: Nevada Bureau of Mines and Geology Report 33, p. 39-48.
- Donnelly, M.E., and Conway, C.M., 1988, Metallogenic map of volcanogenic massive-sulfide occurrences in Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1853-B, scale 1:1,000,000.
- Donnelly, M.E., Conway, C.M., and Earhart, R.L., 1987, Records of massive sulfide occurrences in Arizona: U.S. Geological Open-File Report 87-406, 42 p.
- Eastoe, C.J., Gustin, M.S., Hurlbutt, D.F., and Orr, R.L., 1987, Sulfur isotopes in Proterozoic syngenetic sulfide deposits, Arizona; implications for geochemistry of seawater-rock interaction: Geological Society of America Abstracts with Programs, v. 19, p. 650.
- More, S.W., 1980, The geology and mineralization of the Antler mine and vicinity, Mohave County, Arizona: Tucson, University of Arizona, M.S. Thesis, 149 p.

LOST BASIN DISTRICT

- Theodore, T.G., Blair, W.N., and Nash, J.T., 1987, Geology and gold mineralization of the Gold Basin-Lost Basin mining districts, Mohave County, Arizona with a section on K-Ar chronology of mineralization and igneous activity by E.H. McKee and a section on implications of the compositions of lode and placer gold by J.C. Antweiler and W.L. Campbell: U.S. Geological Survey Professional Paper 1361, 167 p.

MADRIL PEAK DISTRICT

- Bryant, Bruce, 1988, Map of the Poachie Range, Yavapai and Mohave Counties, Arizona: U.S. Geological Survey Open-File Report 88-390, 20 p., scale 1:50,000.
- Lane, M.E., 1988, Mineral investigation of additional parts of the Arrastra Mountain Wilderness Study Area (AZ-020-059), La Paz, Mohave, and Yavapai Counties, Arizona: U.S. Bureau of Mines Mineral Land Assessment Open-File Report MLA 25-88, 25 p.

OATMAN DISTRICT

- Almquist, C.L., 1988, Mineral investigation of a part of the Mount Nutt Wilderness Study Area (AZ-020-024), Mohave County Arizona: U.S. Bureau of Mines Mineral Land Assessment Open-File Report MLA 35-88, 20 p.
- DeWitt, Ed, Thorson, J.P., and Smith, R.C., 1986, Geology and ore deposits of the Oatman district, northwestern Arizona: U.S. Geological Survey Open-File Report 86-638, 50 p.

RAWHIDE DISTRICT

- Welty, J.W., and Spencer, J.E., 1986, Two types of mineralization related to Tertiary detachment faults in the southwestern United States: Geological Society of America Abstracts with Programs, v. 18, p. 785.

TOPOCK DISTRICT

- Howard, K.A., John, B.E., and Miller, C.F., 1987, Metamorphic core complexes, Mesozoic ductile thrusts, and Cenozoic detachments; Old Woman Mountains-Chemehuevi Mountains transect, California and Arizona, in Davis, G.H., and VandenDolder, E.M., eds., Geologic diversity of Arizona and its margins; excursions to choice areas: Arizona Bureau of Geology and Mineral Technology Special Paper 5, p. 365-382.
- John, B.E., 1987, Geologic map of the Chemehuevi Mountains area, San Bernardino County, California, and Mohave County, Arizona: U.S. Geological Survey Open-File Report 87-666, 10 p., scale 1:24,000.

UNION PASS DISTRICT

- Almquist, C.L., 1988, Mineral investigation of a part of the Mount Nutt Wilderness Study Area (AZ-020-024), Mohave County Arizona: U.S. Bureau of Mines Mineral Land Assessment Open-File Report MLA 35-88, 20 p.

WALLAPAI DISTRICT

- Lang, J.R., 1986, A geochemical study of alteration and mineralization in the Wallapai mining district, Mohave County, Arizona: Tucson, University of Arizona, M.S. Thesis, 142 p.
- Lang, J.R., Yin, Guan, and Eastoe, C.J., 1987, Oxygen isotope composition of sulfate in early stage veins, Mineral Park porphyry copper-molybdenum system, Arizona: Geological Society of America Abstracts with Programs, v. 19, p. 739.

WILLOW BEACH DISTRICT

Ryan, G.S., 1986, Mineral investigation of the Mount Wilson Wilderness Study Area (AZ-020-001A), Mohave County, Arizona: U.S. Bureau of Mines Mineral Land Assessment Open-File Report MLA 66-86, 15 p., scale 1:62,500.

YUCCA DISTRICT

Howard, K.A., John, B.E., and Miller, C.F., 1987, Metamorphic core complexes, Mesozoic ductile thrusts, and Cenozoic detachments; Old Woman Mountains-Chemehuevi Mountains transect, California and Arizona, in Davis, G.H., and VandenDolder, E.M., eds., Geologic diversity of Arizona and its margins; excursions to choice areas: Arizona Bureau of Geology and Mineral Technology Special Paper 5, p. 365-382.

PIMA COUNTY

GENERAL REFERENCES

- Asmerom, Yemane, 1988, Mesozoic igneous activity in the southern Cordillera of North America; implication for tectonics and magma genesis: Tucson, University of Arizona, Ph.D. Dissertation, 201 p.
- Beikman, H.M., Peterson, J.A., Huber, D.E., and Butler, W.C., 1986, Metallic mineral and mineral-fuel resource potential map of Arizona showing major mineral deposits: U.S. Geological Survey Mineral Investigations Map MR-94, scale 1:1,000,000.
- Copeland, Peter, and Condie, K.C., 1986, Geochemistry and tectonic setting of lower Proterozoic supracrustal rocks of the Pinal Schist, southeastern Arizona: Geological Society of America Bulletin, v. 97, p. 1512-1520.
- Dickinson, W.R., 1987, General geologic map of Catalina Core Complex and San Pedro Trough, Arizona: Arizona Bureau of Geology and Mineral Technology Miscellaneous Map MM-87-A, 18 p., scale 1:62,500, 15 sheets.
- _____, 1988, Geologic map of Catalina Core Complex and San Pedro Trough, Pima, Pinal, Gila, Graham, and Cochise Counties, Arizona: Arizona Bureau of Geology and Mineral Technology Miscellaneous Map MM-88-A, scale 1:125,000.
- Dickinson, W.R., and Klute, M.A., eds., 1987, Mesozoic rocks of southern Arizona and adjacent areas: Arizona Geological Society Digest, v. 18, 393 p.
- Gray, Floyd, 1988, Abstracts of the symposium of the geology and mineral deposits of the Ajo and Lukeville 1° x 2° quadrangles, Arizona: U.S. Geological Survey Open-File Report 88-217, 31 p.
- Lipman, P.W., and Sawyer, D.A., 1985, Mesozoic ash-flow caldera fragments in southeastern Arizona and their relation to porphyry copper deposits: Geology, v. 13, p. 652-656.
- Peterson, J.A., and Tosdal, R.M., 1986, Mineral occurrence map and tabulation of geologic, commodity, and production data, Ajo and Lukeville quadrangles, southwestern Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1834-A, scale 1:250,000.
- Peterson, J.A., Cox, D.P., and Gray, Floyd, 1987, Mineral resource assessment of the Ajo and Lukeville 1° x 2° quadrangles, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1834-B, scale 1:250,000.
- Reynolds, S.J., Florence, F.P., Welty, J.W., Roddy, M.S., Currier, D.A., Anderson, A.V., and Keith, S.B., 1986, Compilation of radiometric age determinations in Arizona: Arizona Bureau of Geology and Mineral Technology Bulletin 197, 258 p., 2 plates, scale 1:1,000,000.
- Theobald, P.K., and Barton, H.N., 1987, Maps showing anomalous copper concentrations in stream sediments and heavy-mineral concentrates from Ajo and Lukeville 1° x 2° quadrangles, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1834-C, scale 1:500,000.
- _____, 1988a, Maps showing anomalous lead, molybdenum, bismuth, and tungsten concentrations in stream sediments and heavy-mineral concentrates from Ajo and Lukeville 1° x 2° quadrangles, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1834-D, scale 1:500,000.
- _____, 1988b, Maps showing anomalous concentrations of zinc, silver, antimony, manganese, barium, and strontium in stream sediments and heavy-mineral concentrates from Ajo and Lukeville 1° x 2° quadrangles, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1834-E, scale 1:500,000.

- Titley, S. R., 1987, The crustal heritage of Silver and gold ratios in Arizona ores: Geological Society of America Bulletin, v. 99, p. 814-826.
- Trapp, R.A., 1987, Geochemistry of the Laramide igneous suite of the Santa Rita and Empire Mountains, southeastern Arizona: Tucson, University of Arizona, M.S. Thesis, 95 p.
- U.S. Atomic Energy Commission and U.S. Geological Survey, 1970 Preliminary reconnaissance for uranium in Pima and Pinal Counties, Arizona, 1950 to 1957: U.S. Atomic Energy Commission Open-File Report RME-159, 100 p.
- Walker, G.W., and Osterwald, F.W., 1963, Introduction to the geology of uranium-bearing veins in the conterminous United States, including sections on geographic distribution and classification of veins: U.S. Geological Survey Professional Paper 455-A, 28 p.

AJO DISTRICT

- Davis, J.D., and Guilbert, J.M., 1973, Distribution of the radioelements Potassium, Uranium, and Thorium in selected porphyry copper deposits: Economic Geology, v. 68, p. 145-160.
- Hagstrum, J.T., Cox, D.P., and Miller, R.J., 1987, Structural reinterpretation of the Ajo mining district, Pima County, Arizona, based on paleomagnetic and geochronologic studies: Economic Geology, v. 82, p. 1348-1361.

AMOLE DISTRICT

- Risley, Rob, 1987, Sedimentation and stratigraphy of the lower Cretaceous Amole Arkose, Tucson Mountains, Arizona, in Dickinson, W.R., and Klute, M.A., eds., Mesozoic rocks of southern Arizona and adjacent areas: Arizona Geological Society Digest, v. 18, p. 215-228.

BLUE ROCK DISTRICT

- Dickinson, W.R., and Olivares, M.D., 1987, Reconnaissance geologic map of Mineta Ridge and Blanco Ridge area, Pima and Cochise Counties, Arizona: Arizona Bureau of Geology and Mineral Technology Miscellaneous Map MM-87-C, 3 p., scale 1:24,000.

COYOTE DISTRICT

- Adrian, B.M., Fey, D.L., Bradley, L.A., O'Leary, R.M., and Nowlan, G.A., 1987, Analytical results and sample locality maps of stream-sediment, panned-concentrate, and rock samples from the Baboquivari Peak, Coyote Mountains, and Table Top Mountains Wilderness Study Areas, Pima, Pinal, and Maricopa Counties, Arizona: U.S. Geological Survey Open-File Report 87-163, 23 p.
- Lundby, W., 1987, Mineral resources of the Coyote Mountains Wilderness Study Area (AZ-020-202), Pima County, Arizona: U.S. Bureau of Mines Mineral Land Assessment Open-File Report MLA 34-87, 25 p., scale 1:24,000.

GUNSIGHT DISTRICT

Tosdal, R.M., Peterson, D.W., May, D.J., LeVeque, R.A., and Miller, R.J., 1986, Reconnaissance geologic map of the Mount Ajo and part of the Pisinimo quadrangles, Pima County, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1820, scale 1:62,500.

HELVETIA - ROSEMONT DISTRICT

Lovering, T.G., Cooper, J.R., Drewes, Harald, and Cone, G.C., 1970, Copper in biotite from igneous rocks in southern Arizona as an ore indicator: U.S. Geological Survey Professional Paper 700-B, p. 1-8.

MARBLE PEAK DISTRICT

Janecke, S.U., 1986, Geologic map of the Geesaman Wash area, Pima and Pinal Counties, Arizona: Arizona Bureau of Geology and Mineral Technology Miscellaneous Map MM-86-A, scale 1:12,000.

Suemnicht, G.A., 1977, Geologic map and section of the Canada del Oro valley headwaters, Santa Catalina Mountains, Pima-Pinal Counties, Arizona: Arizona Bureau of Geology and Mineral Technology Miscellaneous Map MM-77-A, scale 1:1,000.

PIMA DISTRICT

Anthony, E.Y., 1986, Geochemical evidence for crustal melting in the origin of the igneous suite at the Sierrita porphyry copper deposit, southeastern Arizona: Tucson, University of Arizona, Ph.D. Dissertation, 85 p.

Anthony, E.Y., and Titley, S.R., 1988, Progressive mixing of isotopic reservoirs during magma genesis at the Sierrita porphyry copper deposit, Arizona; inverse solutions: *Geochimica et Cosmochimica Acta*, v. 52, p. 2235-2249.

Fridich, C.J., 1987, Syntectonic caldera formation, plutonism, and porphyry Cu(Mo) mineralization in the Sierrita Mtns., Arizona: *Geological Society of America Abstracts with Programs*, v. 19, p. 668.

Hess, N.J., 1986, Petrology and crystal chemistry of the Ruby Star Granodiorite, Pima County, Arizona: Tucson, University of Arizona, M.S. Thesis, 71 p.

Lovering, T.G., Cooper, J.R., Drewes, Harald, and Cone, G.C., 1970, Copper in biotite from igneous rocks in southern Arizona as an ore indicator: U.S. Geological Survey Professional Paper 700-B, p. 1-8.

Titley, S.R., 1986, The evolution of fracture permeability in fossil hydrothermal systems: *Geological Society of America Abstracts with Programs*, v. 18, p. 774.

Titley, S.R., Thompson, R.C., Haynes, F.M., Manske, S.L., Robison, L.C., and White, J.L., 1986, Evolution of fractures and alteration in the Sierrita-Esperanza hydrothermal system, Pima County, Arizona: *Economic Geology*, v. 81, p. 343-370.

SILVER BELL DISTRICT

- Butt, C.R., Hart, M.K., Gole, M.J., Hinkle, M.E., and Reimer, G.M., 1985, Gases and trace elements in soils at the North Silver Bell deposit, Pima County, Arizona: *Journal of Geochemical Exploration*, v. 24, p. 129-138.
- Kreidler, T.J., 1987, Mineral investigation of the Ragged Top Wilderness Study Area (AZ-020-197), Pima County, Arizona: U.S. Bureau of Mines Mineral Land Assessment Open-File Report 80-87, 14 p.
- McHugh, J.B., Nowlan, G.A., Sawyer, D.A., and Bullock, J.H., Jr., 1988, Analytical results and sample locality map for stream-sediment, panned concentrate, and rock samples from the Ragged Top Wilderness Study Area, Pima County, Arizona: U.S. Geological Survey Open-File Report 88587, 21 pages.
- Sawyer, D.A., 1987, Late Cretaceous caldera volcanism and porphyry copper mineralization at Silver Bell, Pima County, Arizona; geology, petrology, and geochemistry: Santa Barbara, University of California, Ph.D. Dissertation, 383 p.

WATERMAN DISTRICT

- Hall, D. L., 1985, Stratigraphy and sedimentary petrology of the Mesozoic rocks of the Waterman Mountains, Pima County, Arizona: Tucson, University of Arizona, M.S. Thesis, 92 p.

SANTA CRUZ COUNTY

GENERAL REFERENCES

- Beikman, H.M., Peterson, J.A., Huber, D.E., and Butler, W.C., 1986, Metallic mineral and mineral-fuel resource potential map of Arizona showing major mineral deposits: U.S. Geological Survey Mineral Investigations Map MR-94, scale 1:1,000,000.
- Lipman, P.W., and Sawyer, D.A., 1985, Mesozoic ash-flow caldera fragments in southeastern Arizona and their relation to porphyry copper deposits: *Geology*, v. 13, p. 652-656.
- Reynolds, S.J., Florence, F.P., Welty, J.W., Roddy, M.S., Currier, D.A., Anderson, A.V., and Keith, S.B., 1986, Compilation of radiometric age determinations in Arizona: Arizona Bureau of Geology and Mineral Technology Bulletin 197, 258 p., 2 plates, scale 1:1,000,000.
- Titley, S. R., 1987, The crustal heritage of Silver and gold ratios in Arizona ores: *Geological Society of America Bulletin*, v. 99, p. 814-826.
- Walker, G.W., and Osterwald, F.W., 1963, Introduction to the geology of uranium-bearing veins in the conterminous United States, including sections on geographic distribution and classification of veins: U.S. Geological Survey Professional Paper 455-A, 28 p.

HARSHAW DISTRICT

- Quinlan, J.J., 1981, Geology and silicate-sulfide alteration zoning at the Red Mountain porphyry copper deposit, Santa Cruz County, Arizona: *Arizona Geological Society Field Trip Guidebook #8*, 25 p.

PAJARITO DISTRICT

- Riggs, Nancy, 1985a, Geologic map of the Pajarito Mountains, Santa Cruz County, Arizona: Arizona Bureau of Geology and Mineral Technology Miscellaneous Map 85-A, scale 1:12,000.
- _____, 1985b, Stratigraphy, structure, and mineralization of the Pajarito Mountains, Santa Cruz County, Arizona: Tucson, University of Arizona, M.S. Thesis, 102 p.
- _____, 1987, Stratigraphy, structure, and geochemistry of Mesozoic rocks in the Pajarito Mountains, Santa Cruz County, Arizona, in Dickinson, W.R., and Klute, M.A., eds., *Mesozoic rocks of southern Arizona and adjacent areas*: Arizona Geological Society Digest, v. 18, p. 165-175.

RED ROCK DISTRICT

- Krebs, C.K., 1987, Geochemistry of the Canelo Hills volcanics and implications for the Jurassic tectonic setting of southeastern Arizona: Tucson, University of Arizona, M.S. Prepublication manuscript, 44 p.

YUMA COUNTY

GENERAL REFERENCES

- Adrian, B.M., Smith, D.B., Vaughn, R.B., and Delaney, T.A., 1986, Analytical results and sample locality maps of stream-sediment, heavy-mineral-concentrate, and rock samples from the Kofa National Wildlife Refuge, Arizona: U.S. Geological Survey Open-File Report 86-199, 122 p.
- Bagby, W.C., Haxel, G.B., Smith, D.B., Koch, R.D., Grubensky, M.J., Sherrod, D.R., and Pickthorn, L.B.G., 1987, Mineral resource assessment of the Kofa National Wildlife Refuge, Arizona: U.S. Geological Survey Open-File Report 187-609, 82 p., scale 1:100,000.
- Beikman, H.M., Peterson, J.A., Huber, D.E., and Butler, W.C., 1986, Metallic mineral and mineral-fuel resource potential map of Arizona showing major mineral deposits: U.S. Geological Survey Mineral Investigations Map MR-94, scale 1:1,000,000.
- Dickinson, W.R., and Klute, M.A., eds., 1987, Mesozoic rocks of southern Arizona and adjacent areas: Arizona Geological Society Digest, v. 18, 393 p.
- Gray, Floyd, 1988, Abstracts of the symposium of the geology and mineral deposits of the Ajo and Lukeville 1° x 2° quadrangles, Arizona: U.S. Geological Survey Open-File Report 88-217, 31 p.
- Grubensky, M.J., Sherrod, D.R., Koch, R.D., Pickthorn, L.B.G., and Bagby, W.C., 1986, Late Oligocene-early Miocene calderas in the Kofa area, southwestern Arizona: Geological Society of America Abstracts with Programs, v. 18, p. 111.
- Mariano, J., and Grauch, V.J.S., 1988, Aeromagnetic maps of the Colorado River region including the Kingman, Needles, Salton Sea, and El Centro 1° x 2° quadrangles, California, Arizona, and Nevada: U.S. Geological Survey Miscellaneous Field Studies Map MF-2023, scale 1:250,000.
- Peterson, J.A., and Tosdal, R.M., 1986, Mineral occurrence map and tabulation of geologic, commodity, and production data, Ajo and Lukeville quadrangles, southwestern Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1834-A, scale 1:250,000.
- Peterson, J.A., Cox, D.P., and Gray, Floyd, 1987, Mineral resource assessment of the Ajo and Lukeville 1° x 2° quadrangles, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1834-B, scale 1:250,000.
- Reynolds, S.J., Florence, F.P., Welty, J.W., Roddy, M.S., Currier, D.A., Anderson, A.V., and Keith, S.B., 1986, Compilation of radiometric age determinations in Arizona: Arizona Bureau of Geology and Mineral Technology Bulletin 197, 258 p., 2 plates, scale 1:1,000,000.
- Reynolds, S.J., Spencer, J.E., and DeWitt, Ed, 1987, Stratigraphy and U-Th-Pb geochronology of Triassic and Jurassic rocks in west-central Arizona, in Dickinson, W.R., and Klute, M.A., eds., Mesozoic rocks of southern Arizona and adjacent areas: Arizona Geological Society Digest, v. 18, p. 65-80.
- Theobald, P.K., and Barton, H.N., 1987, Maps showing anomalous copper concentrations in stream sediments and heavy-mineral concentrates from Ajo and Lukeville 1° x 2° quadrangles, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1834-C, scale 1:500,000.
- _____, 1988a, Maps showing anomalous lead, molybdenum, bismuth, and tungsten concentrations in stream sediments and heavy-mineral concentrates from Ajo and Lukeville 1° x 2° quadrangles, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1834-D, scale 1:500,000.

_____ 1988b, Maps showing anomalous concentrations of zinc, silver, antimony, manganese, barium, and strontium in stream sediments and heavy-mineral concentrates from Ajo and Lukeville 1⁰ x 2⁰ quadrangles, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1834-E, scale 1:500,000.

Titley, S. R., 1987, The crustal heritage of Silver and gold ratios in Arizona ores: Geological Society of America Bulletin, v. 99, p. 814-826.

Walker, G.W., and Osterwald, F.W., 1963, Introduction to the geology of uranium-bearing veins in the conterminous United States, including sections on geographic distribution and classification of veins: U.S. Geological Survey Professional Paper 455-A, 28 p.

CASTLE DOME DISTRICT

Puchalski, T.E., 1985, Structure and chemistry of silicic dikes at Castle Dome and Neversweat Ridge, Yuma County, Arizona: Tempe, Arizona State University, M.S. Thesis, 80 p.

EAGLETAIL DISTRICT

Lane, M.E., 1986, Mineral investigation of a part of the Eagletail Mountains Wilderness Study Area (AZ-020-128), La Paz, Maricopa, and Yuma Counties, Arizona: U.S. Bureau of Mines Mineral Land Assessment Report MLA 45-86, 16 p.

GILA BEND MOUNTAINS DISTRICT

Lane, M.E., 1986, Mineral investigation of a part of the Eagletail Mountains Wilderness Study Area (AZ-020-128), La Paz, Maricopa, and Yuma Counties, Arizona: U.S. Bureau of Mines Mineral Land Assessment Report MLA 45-86, 16 p.

KOFA DISTRICT

Charlton, D.W., Copeland, D.J., Reaugh, L.W., and Westall, N.D., 1985, Gold mineralization in low angle faults, Verdstone property, Kofa Mountains, Arizona: Geological Society of America Abstracts with Programs, v. 17, p. 348.

Grubensky, M.J., 1987, Structure, geochemistry, and volcanic history of mid-Tertiary rocks in the Kofa region, southwestern Arizona: Tucson, University of Arizona, M.S. Thesis, 107 p.

Hankins, D.D., 1984, Geologic map of a portion of the southern Kofa Mountains, Arizona: Arizona Bureau of Geology and Mineral Technology Miscellaneous Map MM-84-A, scale 1:12,000.

MUGGINS DISTRICT

Wood, R.H., 3rd, 1988, Mineral resources of a part of the Muggins Wilderness Study Area (AZ-050-053A), Yuma County, Arizona: U.S. Bureau of Mines Mineral Land Assessment Open-File Report MLA 11-88, 17 p.

NEVERSWEAT DISTRICT

Puchalski, T.E., 1985, Structure and chemistry of silicic dikes at Castle Dome and Neversweat Ridge, Yuma County, Arizona: Tempe, Arizona State University, M.S. Thesis, 80 p.

TANK MOUNTAINS DISTRICT

Grubensky, M.J., 1987, Structure, geochemistry, and volcanic history of mid-Tertiary rocks in the Kofa region, southwestern Arizona: Tucson, University of Arizona, M.S. Thesis, 107 p.