

**BIBLIOGRAPHY OF THE  
SAN CARLOS - SAFFORD - DUNCAN  
NONPOINT-SOURCE MANAGEMENT  
ZONE**

by

Richard A. Trapp and Raymond C. Harris

Arizona Geological Survey  
**Open-File Report 96-20**

August, 1996

**Arizona Geological Survey**  
416 W. Congress, Suite #100, Tucson, Arizona 85701

Includes 58 page text

*Prepared for the Arizona Department of Environmental Quality*

This report is preliminary and has not been edited  
or reviewed for conformity with Arizona Geological Survey standards



- Abrams, G.A., 1986, Geophysical maps of the Dos Cabezas Mountains Wilderness Study Area, Cochise County, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1873-A, 1 sheet, scale 1:24,000.
- Abrams, G.A., Moss, C.K., and Schutter, T.A., 1985, Principal facts for gravity stations in the Dos Cabezas Mountains, Cochise County, Arizona: U.S. Geological Survey Open-File Report 85-0222, 10 p.
- Abrams, M.J., Brown, D., Lepley, L., and Sadowski, R., 1983, Remote sensing for porphyry copper deposits in southern Arizona: *Economic Geology*, v. 78, no. 4, p. 591-604.
- Abrams, M.J., and Brown, David, 1984, Porphyry copper commodity report, Sect. 3, in Paley, H.N., ed., The joint NASA/Geosat test case project, Final report, Part 2, v. 1: American Association of Petroleum Geologists, p. 3.1-3.20.
- Adams, E.D., 1972, General soil map, Pinal County, Arizona - March 1971 (revised April 1972): U.S. Department of Agriculture, Soil Conservation Service, 45 p., 1 sheet, scale 1:500,000.
- Adams, J.W., and Staatz, M.H., 1969, Rare earths and thorium, in Mineral and water resources of Arizona: Arizona Bureau of Mines Bulletin 180, p. 245-251.
- Agurkis, E.N., 1976, Stratigraphy and depositional history of the Martin Formation (middle and upper Devonian) in southeastern Arizona [*abs.*]: Arizona Academy of Science, Journal, v. 11, 1976 Proceedings Supplement, p. 89.
- Aiken, C.L.V., 1978, Gravity and aeromagnetic anomalies of southeastern Arizona, in Callender, J.F., Wilt, J.C., Clemons, R.E., and James, H.L., eds., Land of Cochise, southeastern Arizona: New Mexico Geological Society 29th Field Conference Guidebook, p. 301-313.
- Aiken, C.L.V., and Sumner, J.S., 1973, Geophysical investigations in southeastern Arizona valleys: Tucson, University of Arizona, Department of Geosciences, Laboratory of Geophysics, unpublished manuscript, 60 p., scale 1:500,000.
- Aiken, C.L.V., and Sumner, J.S., 1974, Geophysical investigations in the Basin and Range Province of Arizona [*abs.*]: Geological Society of America Abstracts with Programs, v. 6, no. 3, p. 137-138.
- Aiken, C.L.V., and Sumner, J.S., 1974, A geophysical and geological investigation of potentially favorable areas for petroleum exploration in southeastern Arizona: Arizona Oil and Gas Conservation Commission Report of Investigation 3, 39 p., 3 sheets, scale 1:500,000 [now available as Arizona Geological Survey Oil and Gas Publication OG-24].
- Aldrich, M.J., Jr., and Laughlin, A.W., 1981, Age and locations of volcanic centers <3.0 m.y. old in Arizona, New Mexico and the Trans-Pecos of west Texas, (modified from R.G. Luedke and R.L. Smith, 1978): Los Alamos Scientific Laboratory Report LA-8812-MAP, 1 sheet, scale 1:1,000,000.
- Aldridge, B.N., 1970, Floods of November 1965 to January 1966 in the Gila River Basin, Arizona and New Mexico, and adjacent basins in Arizona: U.S. Geological Survey Water-Supply Paper 1850-C, p. C1-C176, 6 sheets, scales 1:31,680, 1:1,000,000, and 1:2,000,000.
- Aldridge, B.N., and Hale, T.A., 1984, Floods of November 1978 to March 1979 in Arizona and west-central New Mexico: U.S. Geological Survey Water-Supply Paper 2241, 149 p., 2 sheets, scale 1:1,000,000.
- Allen, M.A., 1922, Arizona gold placers: Arizona Bureau of Mines Bulletin no. 118, 24 p., 1 sheet.
- Allen, M.A., and Butler, G.M., 1918, Manganese: Arizona Bureau of Mines Bulletin no. 91, 32 p.
- Allen, M.A., and Butler, G.M., 1921, Fluorspar: Arizona Bureau of Mines Bulletin no. 114, 19 p.
- Allen, W.E., 1978, Large-scale lease play sparks Arizona interest: *Western Oil Reporter*, v. 35, no. 4, p. 60.
- Anderson, C.A., 1968, Arizona and adjacent New Mexico, in Ridge, J.D., ed., Ore deposits of the United States, 1933-67 (Graton-Sales Volume), v. 2: American Institute of Mining, Metallurgical, and Petroleum Engineers, p. 1163-1190.
- Anderson, C.A., 1969, Copper, in Mineral and water resources of Arizona: Arizona Bureau of Mines Bulletin 180, p. 117-156.
- Anderson, J.L., 1988, Core complexes of the Mojave-Sonoran Desert: Conditions of plutonism, mylonitization, and decompression, in Ernst, W.G., ed., Metamorphism and crustal evolution of the western United States (Rubey Volume 7): Englewood Cliffs, N.J., Prentice-Hall, p. 502-525.
- Anderson, J.L., 1989, Proterozoic anorogenic granites of the southwestern United States, in Jenney, J.P., and Reynolds, S.J., eds., Geologic evolution of Arizona: Arizona Geological Society Digest 17, p. 211-238.

- Anderson, L.W., 1990, Terraces and pediments of San Carlos River Valley, in Late Cenozoic stratigraphy and tectonics of the Safford, Tonto, and Payson Basins, southeastern and central Arizona, in Gehrels, G.E., and Spencer, J.E., eds., *Geologic excursions through the Sonoran Desert Region, Arizona and Sonora*, Geological Society of America, Cordilleran section, 86th Annual Meeting, Tucson Ariz., March 14-16, 1990, Field-Trip Guidebook: Arizona Geological Survey Special Paper 7, p. 24.
- Anderson, Phillip, 1986, Summary of the Proterozoic plate tectonic evolution of Arizona from 1900 to 1600 Ma, in Beatty, B., and Wilkinson, P.A.K., eds., *Frontiers in geology and ore deposits of Arizona and the Southwest*: Arizona Geological Society Digest, v. 16, p. 5-11.
- Anderson, Phillip, 1986, *The Proterozoic tectonic evolution of Arizona*: Tucson, University of Arizona, Ph.D. dissertation, 416 p.
- Anderson, R.E., 1981, Structural ties between the Great Basin and Sonoran Desert sections of the Basin and Range Province [abs.], in Howard, K.A., Carr, M.D., and Miller, D.M., eds., *Tectonic framework of the Mohave and Sonoran Deserts, California and Arizona*: U.S. Geological Survey Open-File Report 81-0503, p. 4-6.
- Anderson, T.H., McKee, J.W., McKee, M.B., and Nourse, J.A., 1995, Coarse clastic deposits of Late Jurassic age in southwestern North America - A record of pull-apart basins [abs.]: *Geological Society of America Abstracts with Programs*, v. 27, no. 6, p. A-75.
- Anderson, T.W., 1976, Evapotranspiration losses from flood-plain areas in central Arizona: U.S. Geological Survey Open-File Report 76-0864, 91 p.
- Anderson, T.W., 1979, Development of groundwater models of alluvial basins in south-central Arizona, in Arizona Water Symposium, 23rd and 24th annual, Phoenix, September 27, 1979, and September 24, 1980, Proceedings: Arizona Department of Water Resources Report No. 2, p. 13-17.
- Anderson, T.W., 1980, Study plan for the regional aquifer-system analysis of alluvial basins in south-central Arizona and adjacent states: U.S. Geological Survey Open-File Report 80-1197, 22 p.
- Anderson, T.W., 1984, Southwest alluvial basins, RASA study - an overview, in Repogle, J.A., and Renard, K.G., eds., *Water today and tomorrow*, Specialty Conference, Irrigation and Drainage Division of the American Society of Civil Engineers, Flagstaff, Arizona, July 24-26, 1984, Proceedings: American Society of Civil Engineers, p. 606-614 [available for inspection at Arizona Geological Survey, 416 W. Congress, Suite 100, Tucson, Ariz.].
- Anderson, T.W., 1986, Study in southern and central Arizona and parts of adjacent states, in Sun, R.J., ed., *Regional aquifer-system analysis program of the U.S. Geological Survey, summary of projects, 1978-84*: U.S. Geological Survey Circular 1002, p. 116-131.
- Anderson, T.W., 1986, Hydrologic setting, objectives, and approach of the southwest alluvial Basins, RASA study, in Anderson, T.W., and Johnson, A.I., eds., *Regional aquifer systems of the United States - southwest alluvial basins of Arizona*: Bethesda, Md., American Water Resources Association Monograph Series no. 7, p. 5-16.
- Anderson, T.W., 1986, Geohydrology of the southwest alluvial basins, Arizona, in Anderson, T.W., and Johnson, A.I., eds., *Regional aquifer systems of the United States - southwest alluvial basins of Arizona*: Bethesda, Md., American Water Resources Association Monograph Series no. 7, p. 99-111.
- Anderson, T.W., 1995, Summary of the Southwest alluvial basins, regional aquifer-system analysis, south-central Arizona and parts of adjacent states: U.S. Geological Survey Professional Paper 1406-A, p. A1-A33.
- Anderson, T.W., Freethey, G.W., and Tucci, Patrick, 1990, Geohydrology and water resources of alluvial basins in south-central Arizona and parts of adjacent states: U.S. Geological Survey Open-File Report 89-0378, 99 p., 3 sheets, scale 1:1,000,000.
- Anderson, T.W., Freethey, G.W., and Tucci, Patrick, 1992, Geohydrology and water resources of alluvial basins in south-central Arizona and parts of adjacent states: U.S. Geological Survey Professional Paper 1406-B, p. B1-B67, 3 sheets, scale 1:1,000,000.
- Anderson, T.W., and Johnson, A.I., eds., 1986, *Regional aquifer systems of the United States - southwest alluvial basins of Arizona*: Bethesda, Md., American Water Resources Association Monograph Series no. 7, 116 p.
- Anderson, T.W., Welder, G.E., Lesser, Gustavo, and Trujillo, A., 1988, Region 7, Central Alluvial Basins, in Back, W., Rosenshein, J.S., and Seaber, P.R., eds., *Hydrogeology*: Geological Society of America, *The Geology of North America*, v. O-2, p. 81-86.
- Anderson, T.W., and White, N.D., 1986, Arizona surface-water resources, in Moody, D.W., Chase E.B., and Aronson, D.A., comps., *National water summary, 1985 - Hydrologic events and surface-water resources*: U.S. Geological Survey Water-Supply Paper 2300, p. 145-150.

- Andreasen, G.E., Mitchell, C.M., and Tyson, N.S., 1965, Aeromagnetic map of Tombstone and vicinity, Cochise and Santa Cruz Counties, Arizona: U.S. Geological Survey Open-File Report (Geophysical Investigations Preliminary Map), scale 1:125,000.
- Andreasen, G.E., and Galat, G.A., 1966, Aeromagnetic map of Safford and vicinity, Graham and Greenlee Counties, Arizona: U.S. Geological Survey Open-File Report, scale 1:125,000.
- Arizona Bureau of Mines, 1950, Arizona zinc and lead deposits, Part I: Arizona Bureau of Mines Bulletin no. 156, 144 p., 19 sheets.
- Arizona Bureau of Mines, 1959, Geologic map of Cochise County, Arizona: Arizona Bureau of Mines, 1 sheet, scale 1:375,000 [now available as Arizona Geological Survey Map M-3-1].
- Arizona Department of Mineral Resources, 1952, Story of the Morenci orebody: Arizona Department of Mineral Resources, 8 p.
- Arizona Geothermal Commercialization Team, 1979, Geothermal development plan: Pinal County: Arizona Bureau of Geology and Mineral Technology Open-File Report 79-11, 26 p.
- Arizona Geothermal Commercialization Team, 1980, Geothermal development plan: Cochise and Santa Cruz Counties: Arizona Bureau of Geology and Mineral Technology Open-File Report 80-09, 40 p.
- Arizona Geothermal Commercialization Team, 1982, Geothermal development plan: Graham and Greenlee Counties: Arizona Bureau of Geology and Mineral Technology Open-File Report 79-10, 37 p.
- Armin, R.A., 1985, Red chert-clast conglomerate in the Earp Formation (Pennsylvanian-Permian), southeastern Arizona: Stratigraphy, sedimentology, and tectonic significance: Tucson, University of Arizona, Ph.D. dissertation, 338 p.
- Armin, R.A., 1987, Sedimentology and tectonic significance of Wolfcampian (lower Permian) conglomerates in the Pedregosa Basin: Southeastern Arizona, southwestern New Mexico, and northern Mexico: Geological Society of America Bulletin, v. 99, no. 1, p. 42-65.
- Armstrong, A.K., 1960, Mississippian stratigraphy and paleontology of Arizona and New Mexico: Cincinnati, Ohio, University of Cincinnati, Ph.D. dissertation.
- Armstrong, A.K., 1962, Stratigraphy and paleontology of the Mississippian System in southwestern New Mexico and adjacent southeastern Arizona: New Mexico Bureau of Mines and Mineral Resources Memoir 8, 99 p.
- Armstrong, A.K., and Holcomb, L.D., 1989, Stratigraphy, facies, and paleotectonic history of Mississippian rocks in the San Juan Basin of northwestern New Mexico and adjacent areas, Chapter D, in Evolution of sedimentary basins - San Juan Basin: U.S. Geological Survey Bulletin 1808-D, p. D1-21, 1 sheet.
- Armstrong, A.K., and Mamet, B.L., 1978, The Bugle and Witch Members of the Keating Formation, Escabrosa Group, and the Mississippian nomenclature in the Big Hatchet Mountains, Hidalgo County, New Mexico, in Sohl, N.F., and Wright, W.B., Changes in stratigraphic nomenclature by the U.S. Geological Survey, 1977: U.S. Geological Survey Bulletin 1457-A, p. A90-A94.
- Armstrong, A.K., and Mamet, B.L., 1978, Carboniferous (Mississippian) microfacies and stratigraphy, New Mexico and adjacent southeastern Arizona [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 5, p. 879.
- Armstrong, A.K., and Mamet, B.L., 1978, Mississippian paleotectonics and biostratigraphy, New Mexico and adjacent southeastern Arizona [abs.]: Geological Society of America Abstracts with Programs, v. 10, no. 3, p. 94.
- Armstrong, A.K., and Mamet, B.L., 1978, The Mississippian System of southwestern New Mexico and southeastern Arizona, in Callender, J.F., Wilt, J.C., and Clemmons, R.E., eds., Land of Cochise, southeastern Arizona: New Mexico Geological Society 29th Field Conference Guidebook, p. 183-192.
- Armstrong, A.K., Mamet, B.L., and Gordon, M., Jr., 1978, Mississippian rocks of Pedregosa Basin in southwesternmost New Mexico and adjacent Arizona, in Geological Survey Research 1978: U.S. Geological Survey Professional Paper 1100, p. 72-73.
- Armstrong, A.K., Mamet, B.L., and Repetski, J.E., 1980, The Mississippian System of New Mexico and southern Arizona, in Fouch, T.D., and Magathan, E.R., eds., Paleozoic paleogeography of the west-central United States - Rocky Mountain Paleogeography Symposium 1, Denver, Colo., 1980: Society of Economic Paleontologists and Mineralogists, Rocky Mountain Section, Denver, Colo., p. 82-99.
- Armstrong, R.L., and Suppe, John, 1973, Potassium-argon geochronometry of Mesozoic igneous rocks in Nevada, Utah, and southern California: Geological Society of America Bulletin, v. 84, no. 4, p. 1375-1391.
- Averitt, Paul, and O'Sullivan, R.B., 1969, Coal, in Mineral and water resources of Arizona: Arizona Bureau of Mines Bulletin 180, p. 59-69.

- Axelrod, D.I., 1979, Age and origin of Sonoran desert vegetation: California Academy of Sciences Occasional Paper 132, 74 p.
- Ayers, V.L., 1927, An olivine-nodule basalt and other recent lavas from Rice, Arizona: Ann Arbor, University of Michigan, Ph.D. dissertation.
- Badger, S.S., 1911, The Chiricahua Mountains: Engineering and Mining Journal, v. 91, p. 663.
- Baker, M.B., Jr., and Brown, H.E., 1974, Multiple use evaluations on ponderosa pine forest land, in Arizona Watershed Symposium, 18th annual, Phoenix, September 25, 1974, Proceedings: Arizona Water Commission Report No. 6, p. 18-25.
- Baker, V.R., 1984, Recent paleoflood hydrology studies in arid and semi-arid environments [*abs.*]: Eos, Transactions, American Geophysical Union, v. 65, no. 45, p. 893.
- Baldridge, W.S., Bartov, Y., and Korn, A., 1983, Geologic map of the Rio Grande Rift and southeastern Colorado Plateau, New Mexico, and Arizona, supplement to Riecker, R.E., ed., Rio Grande Rift: Tectonics and magmatism (1979, second printing 1982): American Geophysical Union, 1 sheet, scale 1:500,000.
- Baldys, Stanley, III, and Bayles, J.A., 1990, Flow characteristics of streams that drain the Fort Apache and San Carlos Indian Reservations, East-Central Arizona, 1930-86: U.S. Geological Survey Water-Resources Investigations Report 90-4053, 59 p., 1 sheet, scale 1:250,000.
- Barnes, J.C., Bowley, C.J., and Simmes, D.A., 1974, Mapping snow extent in the Salt-Verde watershed and the southern Sierra Nevada using ERTS imagery, in Freden, S.C., Mercanti, E.P., and Becker, M.A., eds., Third Earth Resources Technology Satellite-1 Symposium - Vol. I: Technical presentations, Section B: U.S. National Aeronautics and Space Administration Special Publication 351, p. 977-993.
- Barnes, R.L., 1991, Maps showing groundwater conditions in the San Simon sub-basin of the Safford Basin, Graham and Cochise Counties, Arizona, Hidalgo County, New Mexico - 1987: Arizona Department of Water Resources Hydrologic Map Series Report no. 19, 2 sheets, scale 1:250,000.
- Barr, G.W., 1956, Recovering rainfall, more water for irrigation, Parts I and II: Tucson, Arizona Watershed Program, 218 p. [available for inspection at Tucson, University of Arizona Library, Special Collections].
- Bartlett, M.W., North, R.M., Preece, R.K., Childers, R.L., Schleiss, W.A., Ring, J.A., and Dreier, J.E., 1994, Trip 18: Safford District (Sanchez) and Morenci - Metcalf, October, 1994 - Bootprints Along the Cordillera, Porphyry Copper Deposits from Alaska to Chile: Arizona Geological Society Field Trip Guidebook, [39] p.
- Basu, A.R., 1978, Trace elements and Sr-isotopes in some mantle-derived hydrous minerals and their significance: Geochimica et Cosmochimica Acta, v. 42, no. 6A, p. 659-668.
- Beall, J.V., 1973, Copper in the U.S.--a position survey: Mining Engineering, v. 25, no. 4, p. 35-47.
- Beane, R.E., 1982, Hydrothermal alteration in silicate rocks, southwestern North America, in Tittley, S.R., ed., Advances in geology of the porphyry copper deposits: Tucson, University of Arizona Press, p. 117-137.
- Beane, R.E., and Tittley, S.R., 1981, Porphyry copper deposits - Part II. Hydrothermal alteration and mineralization, in Skinner, B.J., ed., Economic Geology Seventy-Fifth Anniversary Volume, 1905-1980: El Paso, Tex., Economic Geology Publishing Co., p. 235-269 [for Part I, see Tittley and Beane, 1981].
- Beckwith, G.H., 1979, Experiences with 'collapsing' soils in the Southwest - Paper presented to ASCE Arizona Section Spring 1979 Meeting, March 16, 1979: unpublished manuscript, [24] p. [available for inspection at Arizona Geological Survey, 416 W. Congress, Suite 100, Tucson, Ariz.].
- Beddome, L.C., Shaffer, R.W., and Sutherland, J.L., 1983, Determination of wintertime cloud seeding potential in the Mogollon Rim area of Arizona, Final report to Division of Atmospheric Resources Research, Bureau of Reclamation, Cooperative Agreement 2-07-81-V0238: Denver, U.S. Bureau of Reclamation, 166 p. [available from the National Technical Information Service, Springfield, VA, 22161, as PB83-210229].
- Bedinger, M.S., Anderson, T.W., and Langer, W.H., 1984, Maps showing ground-water units and withdrawal, Basin and Range Province, Arizona: U.S. Geological Survey Water-Resources Investigations Report 83-4114-A, 2 sheets, scales 1:1,000,000 and 1:500,000.
- Bedinger, M.S., Sargent, K.A., and Brady, B.T., 1985, Geologic and hydrologic characterization of the Basin and Range Province relative to the disposal of high-level radioactive waste, Part III, Geologic and hydrologic evaluation: U.S. Geological Survey Circular 904-C, 27 p.
- Bedinger, M.S., Sargent, K.A., and Reed, J.E., 1984, Geologic and hydrologic characterization and evaluation of the Basin and Range Province relative to the disposal of high-level radioactive waste, Part I, Introduction and guidelines: U.S. Geological Survey Circular 904-A, 16 p.

- Bell, R.T., VTN Consolidated, Inc., 1974, Fort Apache, San Carlos and Camp Verde, Yavapai Indian Reservations, Arizona, Report on water supply and demand: U.S. Bureau of Indian Affairs, 174 p., 11 sheets, scales 1:1,500,000, 1:250,000, 1:288,000, 1:300,000, 1:250,000, and 1:300,000.
- Bennett, K.C., 1975, Geology and origin of the breccias in the Morenci-Metcalf district, Greenlee County, Arizona: Tucson, University of Arizona, M.S. thesis, 153 p.
- Bergquist, J.R., 1979, Reconnaissance geologic map of the Blue Jay Peak quadrangle, Graham County, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1083, 1 sheet, scale 1:24,000.
- Bernatowicz, T.J., 1981, Noble gases in ultramafic xenoliths from San Carlos, Arizona: Contributions to Mineralogy and Petrology, v. 76, p. 84-91.
- Beschta, R.L., 1976, Climatology of the ponderosa pine type in central Arizona: Tucson, University of Arizona, College of Agriculture, Agricultural Experiment Station, Technical Bulletin 228, 24 p.
- Besse, W.W., and Novak, G.A., 1986, Mineral paragenesis of the Grand Reef mine, Aravaipa mining district, Graham County, Arizona [*abs.*]: Geological Society of America Abstracts with Programs, v. 18, no. 2, p. 86.
- Best, M.G., 1988, Early Miocene change in direction of least principal stress, southwestern United States: Conflicting inferences from dikes and metamorphic core-detachment fault terranes: Tectonics, v. 7, no. 2, p. 249-259.
- Bickford, M.E., 1988, The formation of continental crust: Part 1. A review of some principles; Part 2. An application to the Proterozoic evolution of southern North America: Geological Society of America Bulletin, v. 100, no. 9, p. 1375-1391.
- Bideaux, R.A., and Williams, S.A., 1960, Some new occurrences of minerals of Arizona: Arizona Geological Society Digest, v. 3, p. 53-56.
- Biggerstaff, B.P., 1974, Geology and ore deposits of the Steeple Rock-Twin Peaks area, Grant County, New Mexico: El Paso, University of Texas, M.S. thesis, 102 p.
- Bigsby, P.R., 1983, Mineral investigation of the North End Roadless Area, Cochise County, Arizona: U.S. Bureau of Mines Mineral Land Assessment Open File Report MLA 1-83, 22 p., 1 map, scale 1:50,000.
- Billingsley, Paul, and Locke, Augustus, 1941, Structure of ore districts in the continental framework [*with discussion by E. Wisser*], in Mining Geology, 1941: American Institute of Mining and Metallurgical Engineers, Transactions, v. 144, p. 9-64.
- Bilodeau, W.L., 1977, Sedimentary and stratigraphic evidence for mid-Mesozoic normal faulting along major northwest-trending faults in southeastern Arizona [*abs.*]: Geological Society of America Abstracts with Programs, v. 9, no. 7, p. 898.
- Bilodeau, W.L., 1978, The Glance Conglomerate; a mid-Mesozoic group of isolated alluvial fan complexes in southeastern Arizona [*abs.*]: Geological Society of America Abstracts with Programs, v. 10, no. 3, p. 96.
- Bilodeau, W.L., 1978, The Glance Conglomerate, a Lower Cretaceous syntectonic deposit in southeastern Arizona, in Callender J.F., Wilt, J.C., and Clemons, R.E., eds., Land of Cochise, southeastern Arizona: New Mexico Geological Society 29th Field Conference Guidebook, p. 209-214.
- Bilodeau, W.L., 1979, Early Cretaceous tectonics and deposition of the Glance Conglomerate, southeastern Arizona: California, Stanford University, Ph.D. dissertation, 145 p.
- Bilodeau, W.L., 1979, Plate tectonic setting of Lower Cretaceous Bisbee Group basin in southeast Arizona [*abs.*]: Geological Society of America Abstracts with Programs, v. 11, no. 7, p. 388.
- Bilodeau, W.L., 1982, Tectonic models for Early Cretaceous rifting in southeastern Arizona: Geology, v. 10, no. 9, p. 466-470.
- Bilodeau, W.L., Kluth, C.F., and Vedder, L.K., 1987, Regional stratigraphic, sedimentologic and tectonic relationships of the Glance Conglomerate in southeastern Arizona, in Dickinson, W.R., and Klute, M.A., eds., Mesozoic rocks of southern Arizona and adjacent areas: Arizona Geological Society Digest, v. 18, p. 229-256.
- Bilodeau, W.L., and Lindberg, F.A., 1983, Early Cretaceous tectonics and sedimentation in southern Arizona, southwestern New Mexico, and northern Sonora, Mexico, in Reynolds, M.W., and Dolly, E.D., eds., Mesozoic paleogeography of the west-central United States - Rocky Mountain Paleogeography Symposium 2, Denver, Colo., 1983: Society of Economic Paleontologists and Mineralogists, Rocky Mountain Section, Denver, Colo., p. 173-188.
- Bisdorf, R.J., 1990, Geophysics - electrical and seismic methods, in Peterson, J.A., ed., Preliminary mineral resource assessment of the Tucson and Nogales 1° by 2° quadrangles, Arizona: U.S. Geological Survey Open-File Report 90-0276, p. 65-67.

- Bissett, D.H., 1958, Survey of hydrothermal uranium occurrences in southeastern Arizona: Tucson, University of Arizona, M.S. thesis, 88 p., 8 sheets, various scales.
- Bissett, D.H., 1958, A survey of hydrothermal uranium occurrences in southeastern Arizona [*abs.*]: Arizona Geological Society Digest, v. 1, p. 47.
- Blacet, P.M., and Miller, S.T., 1978, Reconnaissance geologic map of the Jackson Mountain quadrangle, Graham County, Arizona [*Jackson Mtn., Telegraph Wash, Tripp Canyon, and Buford Hill 7.5 min*]: U.S. Geological Survey Miscellaneous Field Studies Map MF-939, 1 sheet, scale 1:62,500.
- Black, K.R., 1991, Maps showing groundwater conditions in the Gila Valley Sub-basin of the Safford Basin, Graham and Greenlee Counties, Arizona - 1987: Arizona Department of Water Resources Hydrologic Map Series Report no. 20, 1 sheet, scale 1:250,000.
- Blagbrough, J.W., 1994, Late Wisconsin climatic inferences from rock glaciers in south-central and west-central New Mexico and east-central Arizona: New Mexico Geology [New Mexico Bureau of Mines and Mineral Resources], v. 16, no. 4, p. 65-71.
- Blake, D.W., 1971, Geology, alteration, and mineralization of the San Juan mine area, Graham County, Arizona: Tucson, University of Arizona, M.S. thesis, 85 p.
- Blazek, M.C., 1979, A brief visit to the Morenci Open pit: Earth Science, v. 32, p. 105-107.
- Boler, F., Klein, D., Christopherson, K., and Hoover, D., 1980, Gravity observations, Clifton-Morenci area, Greenlee County, SE Arizona: U.S. Geological Survey Open-File Report 80-0096, 20 p.
- Bolin, D.S., 1976, A geochemical comparison of some barren and mineralized igneous complexes of southern Arizona: University of Arizona M.S. thesis, 186 p.
- Bowling, G.P., 1986, Geology and geochemistry of Proterozoic supracrustal rocks from the western Dos Cabezas Mountains, Cochise County, Arizona: Socorro, New Mexico Institute of Mining and Technology, M.S. thesis.
- Boyd, D.T., 1978, Stratigraphic relations within the Devonian Martin, Swisshelm, and Portal formations of Cochise County, Arizona: Tucson, University of Arizona, M.S. thesis, 76 p.
- Brand, L.R., 1989, Coconino Sandstone (Permian) fossil footprints: The influence of the depositing medium on print characteristics [*abs.*]: Geological Society of America Abstracts with Programs, v. 21, no. 6, p. A111.
- Brant, A.A., 1966, Geophysics in the exploration for Arizona porphyry coppers, in Tittley, S.R., and Hicks, C.L., eds., Geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 87-110.
- Brattstrom, B.H., 1955, Pliocene and Pleistocene amphibians and reptiles from southeastern Arizona: Journal of Paleontology, v. 29, no. 1, p. 150-154.
- Briggs, J.P., 1982, Mineral investigation of the Hells Hole Roadless Area, Greenlee County, Arizona, and Grant County, New Mexico: U.S. Bureau of Mines Mineral Land Assessment Open File Report MLA 137-82, 22 p.
- Briggs, P.C., and Nemecek, E.A., 1986, Technical aspects of Arizona groundwater law, in Anderson, T.W., and Johnson, A.I., eds., Regional aquifer systems of the United States - southwest alluvial basins of Arizona: Bethesda, Md., American Water Resources Association Monograph Series no. 7, p. 93-98.
- Brittain, R.L., 1954, Geology and ore deposits of the western portion of the Hilltop mine area, Cochise County, Arizona: Tucson, University of Arizona, M.S. thesis, 97 p.
- Bromfield, C.S., 1978, Intermontane basin uranium occurrences in Arizona, in Geological Survey research 1978: U.S. Geological Survey Professional Paper 1100, p. 30.
- Bromfield, C.S., Eaton, G.P., Peterson, D.L., and Ratté, J.C., 1972, Geological and geophysical investigations of an Apollo 9 photo anomaly near Point of Pines, Arizona [*Point of Pines East and Point of Pines West 7.5 min*]: U.S. Geological Survey Open-File Report 72-0051, 19 p., 11 sheets, scales 1:24,000 and 1:63,360.
- Bromfield, C.S., and Shride, A.F., 1956, Mineral resources of the San Carlos Indian Reservation, Arizona: U.S. Geological Survey Bulletin 1027-N, p. 613-691.
- Brooks, W.E., 1986, Distribution of anomalously high K<sub>2</sub>O volcanic rocks in Arizona: Metasomatism at the Picacho Peak detachment fault: Geology, v. 14, no. 4, p. 339-342.
- Brown, D.E., Carmony, N.B., and Turner, R.M., comps., 1981, Drainage map of Arizona showing perennial streams of some important wetlands: Arizona Game and Fish Department, 1 sheet, scale 1:1,000,000.
- Brown, H.E., 1970, Status of pilot watershed studies in Arizona: American Society of Civil Engineers, Proceedings, Journal of the Irrigation and Drainage Division, v. 96(IR1), p. 11-23.
- Brown, J.G., 1989, Geology and ground-water resources of the San Carlos Indian Reservation, Gila, Graham, and Pinal Counties, Arizona: U.S. Geological Survey Water-Resources Investigations Report 89-4152, 39 p., 2 sheets, scale 1:250,000.

- Brown, S.C., 1952, Oil and gas possibilities of southern Arizona, in Wengerd, S.A., ed., Geological symposium of the Four Corners Region: Four Corners Geological Society, p. 60-67.
- Brown, S.G., Schumann, H.H., Kister, L.R., and Johnson, P.W., 1963, Basic ground-water data of the Willcox Basin, Graham and Cochise Counties, Arizona: Arizona State Land Department Water Resources Report no. 14, 93 p.
- Brown, T.C., and Fogel, M.M., 1987, Use of streamflow increases from vegetation management in the Verde River Basin: Water Resources Bulletin, v. 23, no. 6, p. 1149-1160.
- Bryan, C.R., 1988, Geology and geochemistry of mid-Tertiary volcanic rocks in the eastern Chiricahua Mountains, southeastern Arizona: Albuquerque, University of New Mexico, M.S. thesis, 137 p.
- Bryan, C.R., 1989, Mid-Tertiary volcanism in the eastern Chiricahuas: The Portal caldera, in Pallister, J.S., comp., Excursion 7A: From silicic calderas to mantle nodules: Cretaceous to Quaternary volcanism, southern Basin and Range province, Arizona and New Mexico, in Chapin, C.E., and Zidek, J., eds., Field excursions to volcanic terranes in the western United States, Volume I: Southern Rocky Mountain region, IAVCEI General Assembly, Santa Fe, New Mexico, USA, June 25 - July 1, 1989: New Mexico Bureau of Mines and Mineral Resources Memoir 46, p. 153-157.
- Bryant, D.L., 1968, Diagnostic characteristics of the Paleozoic formations of southeastern Arizona, in Titley, S.R., ed., Southern Arizona Guidebook III: Arizona Geological Society, p. 33-47.
- Bryant, D.L., and McClymonds, N.E., 1961, Permian Concha Limestone and Rainvalley Formation, southeastern Arizona: American Association of Petroleum Geologists Bulletin, v. 45, no. 8, p. 1324-1333.
- Buck, L.I., 1961, Oil and gas possibilities of southeastern Arizona, in Oil, gas and helium in Arizona... its occurrence and potential: Phoenix, Arizona Development Board, p. 22-29.
- Bull, W.B., 1984, Alluvial fans and pediments of southern Arizona, in Smiley, T.L., Nations, J.D., Péwé, T.L., and Schafer, J.P., eds., Landscapes of Arizona - The geological story: Lanham, Md., University Press of America, p. 229-252.
- Burchard, E.F., 1934, Fluorspar deposits in western United States (with discussion), in Metal mining and nonmetallic minerals, 1934: American Institute of Mining and Metallurgical Engineers, Transactions, v. 109, p. 370-396.
- Burkham, D.E., 1970, , Precipitation, streamflow, and major floods at selected sites in the Gila River drainage basin above Coolidge Dam, Arizona: U.S. Geological Survey Professional Paper 655-B, 33 p.
- Burkham, D.E., 1972, Channel changes of the Gila River in Safford Valley, Arizona, 1846-1970: U.S. Geological Survey Professional Paper 655-G, p. G1-G24, 5 sheets, scale 1:62,500.
- Burkham, D.E., 1976, Flow from small watersheds adjacent to the study reach of the Gila River Phreatophyte Project, Arizona: U.S. Geological Survey Professional Paper 655-I, 19 p.
- Burkham, D.E., 1976, Hydraulic effects of changes in bottom-land vegetation on three major floods, Gila River in southeastern Arizona: U.S. Geological Survey Professional Paper 655-J, 14 p.
- Burkham, D.E., 1976, Effects of changes in an alluvial channel on the timing, magnitude, and transformation of flood waves, southeastern Arizona: U.S. Geological Survey Professional Paper 655-K, p. K1-K25.
- Butcher, R.D., 1978, Arizona's Chiricahuas: National Parks Conservation Magazine, v. 52, p. 5-9.
- Butler, B.S., and Wilson, E.D., 1938, General features, Part I, in Some Arizona ore deposits: Arizona Bureau of Mines Bulletin no. 145, p. 9-25.
- Butler, B.S., and Wilson, E.D., 1938, Clifton-Morenci district: Arizona Bureau of Mines Bulletin no. 145, p. 72-80.
- Butler, G.M., and Allen, M.A., 1921, Petroleum: Arizona Bureau of Mines Bulletin no. 116, 45 p.
- Butler, G.M., and Tenney, J.B., 1931, Petroleum: Arizona Bureau of Mines Bulletin no. 130, 50 p.
- Butler, W.C., 1971, Permian sedimentary environments in southeastern Arizona: Arizona Geological Society Digest, v. 9, p. 71-94.
- Cadigan, R.A., and Felmlee, J.K., 1977, Radioactive springs geochemical data related to uranium exploration: Journal of Geochemical Exploration, v. 8, nos. 1-2, p. 381-395.
- Calder, S.R., 1982, The geology of, and known mineral occurrences within, Wilderness Study Areas 4-22/23/24 A and B, Turtle Mountain - Gila Box: Arizona Bureau of Geology and Mineral Technology Open-File Report 83-08, 34 p.
- Calder, S.R., 1982, The geology of, and known mineral occurrences within, Wilderness Study Area 4-65, Dos Cabezas Mountains: Arizona Bureau of Geology and Mineral Technology Open-File Report 83-10, 75 p.

- Calder, S.R., 1982, The geology of, and known mineral occurrences within, Wilderness Study Area 4-8, Jackson Mountains - Black Rock: Arizona Bureau of Geology and Mineral Technology Open-File Report 83-07, 29 p.
- Calder, S.R., 1982, The geology of, and known mineral occurrences within, Wilderness Study Area 4-48, Whitlock Mountains: Arizona Bureau of Geology and Mineral Technology Open-File Report 83-05, 20 p.
- Calder, S.R., 1982, The geology of, and known mineral occurrences within, Wilderness Study Areas 4-14 and 4-16, Fishhook - Day mine: Arizona Bureau of Geology and Mineral Technology Open-File Report 83-09, 21 p.
- Cameron, T.E., and Frost, E.G., 1981, Regional development of major antiforms and synforms coincident with detachment faulting in California, Arizona, Nevada, and Sonora [*abs.*]: Geological Society of America Abstracts with Programs, v. 13, no. 7, p. 421-422.
- Campbell, M.R., 1904, The Deer Creek coal field, Arizona, in Contributions to Economic Geology, 1903: U.S. Geological Survey Bulletin 225, p. 240-258.
- Cantwell, R.J., 1967, Fossil Signodon from southeastern Arizona: Tucson, University of Arizona, M.S. thesis, 42 p.
- Caporuscio, F.A., 1979, Alkalic lavas from the San Carlos, Arizona province [*abs.*]: Eos, Transactions, American Geophysical Union, v. 60, no. 46, p. 972.
- Caporuscio, F.A., 1980, Petrology and geochemistry of the San Carlos alkalic lavas: Tempe, Arizona State University, M.S. thesis, 105 p.
- Carlisle, Donald, 1978, The distribution of calcretes and gypcretes in southwestern United States and their uranium favorability - Based on a study of deposits in western Australia and South West Africa (Namibia), with sections by P.M. Merifield, A.R. Orme, M.S. Kohl, and Oded Kolker, in consultation with O.R. Lunt: U.S. Department of Energy Report GJBX-29(78), 274 p. 5 sheets, scales 1:60,000 and 1:1,000,000.
- Carmody, T., 1980, A critical examination of the 'largest' floods in Arizona: A study to advance the methodology of assessing the vulnerability of bridges to floods for the Arizona Department of Transportation, General Report 1: Tucson, University of Arizona, College of Engineering, Engineering Experimental Station, 53 p.
- Carpenter, E.J., 1924, Soil survey of the San Simon area, Arizona: U.S. Department of Agriculture, Bureau of Soils, advance sheets, field operations of the Bureau of Soils, 1921, 39 p., 1 sheet.
- Carson, W.P., 1969, Computerized lineament tectonics and porphyry copper deposits in S.E. Arizona and S W. New Mexico: Stanford, Stanford University, Ph.D. dissertation.
- Cary, L.E., and Beschta, R.L., 1973, Probability distributions of snow course data for central Arizona, in Boster, R.S., ed., Hydrology and water resources in Arizona and the Southwest, v. 3: American Water Resources Association, Arizona Section, and Arizona Academy of Science, Hydrology Section, Annual Meeting, Tucson, Ariz., 1973, Proceedings, p. 8-16.
- Cather, S.M., Chamberlin, R.M., McIntosh, W.C., Witcher, James, Ratté, J.C., and Anderson, O.J., 1994, Second-day road log from Quemado Lake to Mangas Mountains, Omega, Quemado, Tejana Mesa and Red Hill, New Mexico, and Springerville and Alpine, Arizona, in Chamberlin, R.M., Kues, B.S., Cather, S.M., Barker, J.M., and McIntosh, W.C., eds., Mogollon Slope, west-central New Mexico and east-central Arizona: New Mexico Geological Society 45th Field Conference Guidebook, p. 47-77, 116-120.
- Cather, S.M., Chamberlin, R.M., and Ratté, J.C., 1994, Tertiary stratigraphy and nomenclature for western New Mexico and eastern Arizona, in Chamberlin, R.M., Kues, B.S., Cather, S.M., Barker, J.M., and McIntosh, W.C., eds., Mogollon Slope, west-central New Mexico and east-central Arizona: New Mexico Geological Society 45th Field Conference Guidebook, p. 259-266.
- Cather, S.M., and McIntosh, W.C., 1994, The Plio-Pleistocene Quemado Formation of west-central New Mexico, in Chamberlin, R.M., Kues, B.S., Cather, S.M., Barker, J.M., and McIntosh, W.C., eds., Mogollon Slope, west-central New Mexico and east-central Arizona: New Mexico Geological Society 45th Field Conference Guidebook, p. 279-281.
- Cayan, D.R., and Webb, R.H., 1992, El Nino/Southern Oscillation and streamflow in the western United States, in Diaz, H., and Markgraf, V., ed., El Nino: Historical and paleoclimatic aspects of the Southern Oscillation: New York, Cambridge University Press, p. 29-68.
- Chaffee, M.A., 1990, Geochemistry, in Peterson, J.A., ed., Preliminary mineral resource assessment of the Tucson and Nogales 1° by 2° quadrangles, Arizona: U.S. Geological Survey Open-File Report 90-0276, p. 19-40.
- Chakarun, J.D., 1973, Geology, mineralization and alteration of the Jhus Canyon area, Cochise County: Tucson, University of Arizona, M.S. thesis, 89 p.

- Childs, O.E., Knepp, R.A., Reynolds, S.J., Haxel, G., Thompson, S., III, and Wright, J., 1988, Correlation of stratigraphic units of North America (COSUNA) documentation records for southern Arizona and vicinity: Arizona Bureau of Geology and Mineral Technology Open-File Report 88-03, 94 p.
- Clark, R.B., 1974, Application of remote sensing in floodway delineation, in Boster, R.S., ed., Hydrology and water resources in Arizona and the Southwest, v. 4: American Water Resources Association, Arizona Section, and Arizona Academy of Science, Hydrology Section, Annual Meeting, Flagstaff, Ariz., 1974, Proceedings, p. 300-308.
- Clark, T.C., 1975, The Arizona water plan, a status report, in Arizona Watershed Symposium, 19th annual, Phoenix, September 24, 1975, Proceedings: Arizona Water Commission Report No. 7, p. 9-23.
- Clarke, F.W., 1915, Analyses of rocks and minerals from the Laboratory of the United States Geological Survey, 1880-1914: U.S. Geological Survey Bulletin 591, 376 p.
- Clay, D.W., 1960, Late Cenozoic stratigraphy in the Dry Mountain area, Graham County, Arizona: Tucson, University of Arizona, M.S. thesis, 68 p., 1 sheet, scale 1:8,000.
- Clemons, R.E., and James, H.L., 1978, Supplemental road log no. 4; Willcox to Bowie via Dos Cabezas and Apache Pass with historical notes on Dos Cabezas, Apache Pass, Cochise, the Butterfield Overland Mail, and Fort Bowie, in Callender, J.F., and others, eds., Land of Cochise--southeastern Arizona: New Mexico Geological Society 29th Field Conference Guidebook, p. 125-142.
- Cluff, C.B., 1961, Seasonal streamflow forecasting for central highlands, Arizona: Tucson, University of Arizona, M.S. thesis, 217 p., 1 sheet, scale 1:1,000,000.
- Cobban, W.A., and Hook, S.C., 1984, Mid-Cretaceous molluscan biostratigraphy and paleogeography of southwestern part of Western Interior, United States, in Westermann, G.E.G., ed., Jurassic-Cretaceous biochronology and paleogeography of North America: Geological Association of Canada Special Paper 27, p. 257-271.
- Cody, B.H., 1947, Milling practice at concentrator of Morenci Reduction Works: Mining Technology (A.I.M.E.), v. 11, no. 4, Technical Publication no. 2194, 26 p.
- Cole, G.A., 1963, The American Southwest and Middle America, in Frey, D.G., ed., Limnology in North America: Madison, University of Wisconsin, p. 393-434.
- Coll, A., 1910, The Dos Cabezas district of Arizona: Mining World [Chicago], v. 33, p. 816.
- Coll, A., 1910, The California district, Arizona: Mining World [Chicago], v. 33, p. 503.
- Condie, K.C., 1980, Proterozoic tectonic setting in New Mexico: New Mexico Geology, v. 2, no. 2, p. 27-29.
- Condie, K.C., 1987, Early Proterozoic volcanic regimes in southwestern North America, in Pharoah, T.C., and others, eds., Geochemistry and mineralization of Proterozoic volcanic suites: Geological Society of London Special Publication no. 33, p. 211-218.
- Condie, K.C., Bowling, G.P., and Vance, R.K., 1985, Geochemistry and origin of early Proterozoic supracrustal rocks, Dos Cabezas Mountains, southeastern Arizona: Geological Society of America Bulletin, v. 96, no. 5, p. 655-662.
- Coney, P.J., 1979, Tertiary evolution of Cordilleran metamorphic core complexes, in Armentrout, J.M., Cole, M.R., and Terbest, H., Jr., eds., Cenozoic Paleogeography of the western United States - Pacific Coast Paleogeography Symposium 3, Los Angeles, Calif., 1979: Society of Economic Paleontologists and Mineralogists, Pacific Section, Los Angeles, Calif., p. 15-28.
- Coney, P.J., 1980, Cordilleran metamorphic core complexes: An overview, in Crittenden, M.D., Jr., Coney, P.J., and Davis, G.H., eds., Cordilleran metamorphic core complexes: Geological Society of America Memoir 153, p. 7-31.
- Coney, P.J., and Reynolds, S.J., 1980, Cordilleran metamorphic core complexes and their uranium favorability, final report and appendices, with contributions by Davis, G.H., Keith, S.B., Trever, P.F., Lingrey, S.H., Kluth, C.F., Ferris, D.C., Dubois, J.F., and Hardy, J.J.: U.S. Department of Energy Report GJBX-258(80), 627 p., 20 sheets.
- Conference of Radiation Control Program Directors, Inc., 1978, Natural radioactivity contamination problems - A report of the task force: U.S. Environmental Protection Agency Report EPA-520/4-77-015, 99 p.
- Conley, J.N., 1975, Petroleum prospects of southeast Arizona, in Hills, J.M., ed., Exploration from the mountains to the basin: El Paso Geological Society, p. 37.
- Conley, J.N., and Koester, E.A., 1974, Well location map, Graham and Greenlee Co., Arizona: Arizona Oil and Gas Conservation Commission, County Well Location Map 8, 1 sheet, scale 1:500,000 [superseded by Conley, J.N., Koester, E.A., and Rauzi, S.L., 1995, Arizona Geological Survey Oil and Gas Publication OG-10].

- Conley, J.N., Koester, E.A., and Rauzi, S.L., 1995, Well location map, Graham and Greenlee Co., Arizona - wells posted to January 1995: Arizona Geological Survey Oil and Gas Publication OG-10, 1 sheet, scale 1:500,000.
- Conway, C.M., and Silver, L.T., 1989, Early Proterozoic rocks (1710-1615 Ma) in central to southeastern Arizona, in Jenney, J.P., and Reynolds, S.J., eds., Geologic evolution of Arizona: Arizona Geological Society Digest 17, p. 165-186.
- Cook, Annan, and Robinson, R.F., 1962, Geology of Kennecott Copper Corporation's Safford copper deposit, in Weber, R.H., and Peirce, H.W., eds., Guidebook of the Mogollon Rim region, east-central Arizona: New Mexico Geological Society 13th Field Conference Guidebook, p. 143-147.
- Cook, J.R., and Koller, G.R., 1980, Mesa 1° x 2° NTMS area, Arizona, data report (abbreviated), National Uranium Resource Evaluation Program, hydrogeochemical and stream sediment reconnaissance: U.S. Department of Energy Report GJBX-216(80), 17 p., 7 microfiche.
- Cook, S.S., 1994, The geologic history of supergene enrichment in the porphyry copper deposits of southwestern North America: University of Arizona Ph.D. dissertation, 163 p.
- Cooley, K.R., 1966, Rainfall and runoff relationships along the central highlands of Arizona and western New Mexico: Tucson, University of Arizona, M.S. thesis, 52 p. 2 sheets.
- Cooley, M.E., 1968, Some notes on the late Cenozoic drainage patterns in southeastern Arizona and southwestern New Mexico, in Tittley, S.R., ed., Southern Arizona Guidebook III: Arizona Geological Society, p. 75-78.
- Cooper, J.R., 1959, Reconnaissance geologic map of southeastern Cochise County, Arizona: U.S. Geological Survey Mineral Investigations Field Studies Map MF-213, 1 sheet, scale 1:125,000.
- Cooper, J.R., 1960, Reconnaissance map of the Willcox, Fisher Hills, Cochise, and Dos Cabezas quadrangles, Cochise and Graham Counties, Arizona: U.S. Geological Survey Mineral Investigations Field Studies Map MF-231, 1 sheet, scale 1:62,500.
- Cooper, J.R., 1961, Turkey-track porphyry--a possible guide for correlation of Miocene rocks in southeastern Arizona: Arizona Geological Society Digest, v. 4, p. 17-33.
- Copeland, P., 1986, Geochemistry and geology of the Pinal Schist, Cochise and Pima Counties, Arizona: Socorro, New Mexico Institute of Mining and Technology, M.S. thesis, 176 p.
- Copeland, P., and Condie, K.C., 1986, Geochemistry and tectonic setting of lower Proterozoic supracrustal rocks of the Pinal Schist, southeastern Arizona: Geological Society of America Bulletin, v. 97, no. 12, p. 1512-1520.
- Courtright, J.H., 1958, Progress report on investigations of some Cretaceous-Tertiary formations in southeastern Arizona: Arizona Geological Society Digest, v. 1, p. 7-9, accompanying chart.
- Creasey, S.C., 1959, Some phase relations in the hydrothermally altered rocks of porphyry copper deposits: Economic Geology, v. 54, no. 3, p. 351-373.
- Creasey, S.C., 1966, Hydrothermal alteration, in Tittley, S.R., and Hicks, C.L., eds., Geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 51-74.
- Creasey, S.C., 1984, The Schultze Granite, the Tea Cup Granodiorite, and the Granite Basin Porphyry; a geochemical comparison of mineralized and unmineralized stocks in southern Arizona: U.S. Geological Survey Professional Paper 1303, 41 p., 1 sheet, scale 1:62,500.
- Creasey, S.C., Jackson, E.D., and Gulbrandsen, R.A., 1961, Reconnaissance geologic map of parts of the San Pedro and Aravaipa Valleys, south-central Arizona: U.S. Geological Survey Mineral Investigations Field Studies Map MF-238, scale 1:125,000.
- Creighton, D.E., 1990, Cyclic streamflow test for validity of randomness, in French, R.H., ed., Hydraulics/Hydrology of Arid Lands, Proceedings of the International Symposium, San Diego, Calif., July 30-August 2, 1990: New York, American Society of Civil Engineers, p. 489-494.
- Crittenden, M.D., Jr., Coney, P.J., and Davis, G.H., eds., 1980, Cordilleran metamorphic core complexes: Geological Society of America Memoir 153, 490 p.
- Croft, A.R., 1956, Some aspects of the problem of increasing water yield from the Salt and Verde River drainages, Arizona, in Barr, G.W., ed., Recovering rainfall, more water for irrigation, Part II: Tucson, Arizona Watershed Program, p. 161-175.
- Cross, C., and Holloway, J., 1974, A megacryst-bearing alkali basalt, San Carlos, Arizona [*abs.*]: Geological Society of America Abstracts with Programs, v. 6, no. 5, p. 437.
- Culler, R.C., and others, 1970, Objectives, methods, and environment - Gila River Phreatophyte Project, Graham County, Arizona: U.S. Geological Survey Professional Paper 655-A, 25 p.

- Culler, R.C., Hanson, R.L., Myric, R.M., Turner, R.M., and Kipple, F.P., 1982, Evapotranspiration before and after clearing phreatophytes, Gila River flood plain, Graham County, Arizona: U.S. Geological Survey Professional Paper 655-P, 67 p.
- Cunningham, J.E., 1981, Preliminary detailed geologic map and cross sections of the Clifton Hot Springs and San Francisco River area: Arizona Bureau of Geology and Mineral Technology Open-File Report 81-22, 1 sheet, scale 1:24,000.
- Dale, V.B., 1959, Tungsten deposits of Yuma, Maricopa, Pinal, and Graham Counties, Arizona: U.S. Bureau of Mines Report of Investigations R.I. 5516, 68 p.
- Dale, V.B., Stewart, L.A., and McKinney, W.A., 1960, Tungsten deposits of Cochise, Pima, and Santa Cruz Counties, Ariz.: U.S. Bureau of Mines Report of Investigations R.I. 5650, 132 p.
- Damon, P.E., 1960, Correlation and chronology of ore deposits and volcanic rocks, Annual Progress Report No. 2, Contract AT(11-1)-689 to Research Division, U.S. Atomic Energy Commission: Tucson, University of Arizona, Geochronology Laboratories, [128] p. [variously paged].
- Damon, P.E., 1961, Correlation and chronology of ore deposits and volcanic rocks, Annual Progress Report No. 3, Contract AT(11-1)-689 to Research Division, U.S. Atomic Energy Commission: Tucson, University of Arizona, Geochronology Laboratories, [144] p. [variously paged].
- Damon, P.E., 1962, Correlation and chronology of ore deposits and volcanic rocks, Annual Progress Report No. 4, Contract AT(11-1)-689 to Research Division, U.S. Atomic Energy Commission: Tucson, University of Arizona, Geochronology Laboratories, [109] p. [variously paged].
- Damon, P.E., 1963, Correlation and chronology of ore deposits and volcanic rocks, Annual Progress Report No. 5, Contract AT(11-1)-689 to Research Division, U.S. Atomic Energy Commission: Tucson, University of Arizona, Geochronology Laboratories, [94] p. [variously paged].
- Damon, P.E., 1965, Correlation and chronology of ore deposits and volcanic rocks, Annual Progress Report no. COO-689-50, Contract AT(11-1)-689 to Research Division, U.S. Atomic Energy Commission: Tucson, University of Arizona, Geochronology Laboratories, [228] p. [variously paged].
- Damon, P.E., 1965, Summary of research accomplishments, correlation and chronology of ore deposits and volcanic rocks, in Damon, P.E., Correlation and chronology of ore deposits and volcanic rocks, Annual Progress Report no. COO-689-50, Contract AT(11-1)-689 to Research Division, U.S. Atomic Energy Commission: Tucson, University of Arizona, Geochronology Laboratories, p. 5-60.
- Damon, P.E., 1966, Correlation and chronology of ore deposits and volcanic rocks, Annual Progress Report no. COO-689-60, Contract AT(11-1)-689 to Research Division, U.S. Atomic Energy Commission: Tucson, University of Arizona, Geochronology Laboratories, [150] p. [variously paged].
- Damon, P.E., 1967, Correlation and chronology of ore deposits and volcanic rocks, Annual Progress Report no. COO-689-76, Contract AT(11-1)-689 to Research Division, U.S. Atomic Energy Commission: Tucson, University of Arizona, Geochronology Laboratories, [265] p. [variously paged].
- Damon, P.E., 1968, Correlation and chronology of ore deposits and volcanic rocks, Annual Progress Report no. COO-689-100, Contract AT(11-1)-689 to Research Division, U.S. Atomic Energy Commission: Tucson, University of Arizona, Geochronology Laboratories, [210] p. [variously paged].
- Damon, P.E., 1969, Correlation and chronology of ore deposits and volcanic rocks, Annual Progress Report no. COO-689-120, Contract AT(11-1)-689 to Research Division, U.S. Atomic Energy Commission: Tucson, University of Arizona, Geochronology Laboratories, [141] p. [variously paged].
- Damon, P.E., 1970, Correlation and chronology of ore deposits and volcanic rocks, Annual Progress Report no. COO-689-130, Contract AT(11-1)-689 to Research Division, U.S. Atomic Energy Commission: Tucson, University of Arizona, Geochronology Laboratories, [114] p. [variously paged].
- Damon, P.E., 1989, Evidence for origin of the rhyolite-andesite-diorite series by crustal melting during the mid-Tertiary orogeny in southeastern Arizona, in Jenney, J.P., and Reynolds, S.J., eds., Geologic evolution of Arizona: Arizona Geological Society Digest 17, p. 575-584.
- Damon, P.E., and Birkman, M., 1964, Potassium-argon dating of post-Laramide plutonic and volcanic rocks within the Basin and Range province of southeastern Arizona and adjacent areas: Arizona Geological Society Digest, v. 7, p. 63-78.
- Damon, P.E., Davidson, E.S., Elston, W.E., Kuellmer, F.J., Mayo, E.B., Marjaniemi, D., Peterson, D.W., Sheridan, M.F., and Gillerman, E., 1968, Volcanic geology, southwestern New Mexico and southeastern Arizona; Field Trip 1, in Titley, S.R., ed., Southern Arizona Guidebook III: Arizona Geological Society, p. 243-314.

- Damon, P.E., Long, Austin, and Sigalove, J.J., 1963, Arizona radiocarbon dates IV: *Radiocarbon*, v. 5, p. 283-301.
- Damon, P.E., Lynch, D.J., and Shafiqullah, M., 1984, Cenozoic landscape development in the Basin and Range province of Arizona, in Smiley, T.L., Nations, J.D., Péwé, T.L., and Schafer, J.P., eds., *Landscapes of Arizona - The geological story*: Lanham, Md., University Press of America, p. 175-206.
- Damon, P.E., and Mauger, R.L., 1966, Epeirogeny-orogeny viewed from the Basin and Range Province: *American Institute of Mining, Metallurgical, and Petroleum Engineers, Society of Mining Engineers, Transactions*, v. 235, p. 99-112.
- Damon, P.E., Mauger, R.L., and Bikerman, Micheal, 1964, K-Ar dating of Laramide plutonic and volcanic rocks within the Basin and Range province of Arizona and Sonora, in Sundaram, R.K., ed., *Cretaceous-Tertiary boundary including volcanic activity*: International Geological Congress, 22nd, New Delhi, India, 1964, pt. III, Proceedings of Section 3, p. 45-55.
- Damon, P.E., Shafiqullah, M., and Lynch, D.J., 1973, Geochronology of block faulting and basin subsidence in Arizona [*abs.*]: *Geological Society of America Abstracts with Programs*, v. 5, no. 7, p. 590.
- Darton, N.H., 1933, Guidebook of the western United States, Part F, The Southern Pacific lines, New Orleans to Los Angeles: U.S. Geological Survey Bulletin 845, 300 p.
- Davidson, E.S., 1960, Geology of the eastern part of the Safford Basin, Graham County, Arizona (a preliminary report): *Arizona Geological Society Digest*, v. 3, p. 123-126.
- Davies, J.F., 1989, Some temporal-spatial aspects of North American porphyry deposits: *Economic Geology*, v. 84, no. 8, p. 2300-2306.
- Davis, G.H., 1977, Characteristics of metamorphic core complexes, southern Arizona [*abs.*]: *Geological Society of America Abstracts with Programs*, v. 9, no. 7, p. 944.
- Davis, G.H., 1980, Structural characteristics of metamorphic core complexes, southern Arizona, in Crittendon, M.D., Jr., Coney, P.J., and Davis, G.H., eds., *Cordilleran metamorphic core complexes*: *Geological Society of America Memoir* 153, p. 35-77.
- Davis, G.H., and Hardy, J.J., Jr., 1980, Mid-Miocene listric normal faulting, in Coney, P.J., and Reynolds, S.J., *Cordilleran metamorphic core complexes and their uranium favorability, with contributions by G.H. Davis, and others*: U.S. Department of Energy Report GJBX-258(80), p. 159-186.
- Davis, G.H., and Hardy, J.J., Jr., 1981, The Eagle Pass detachment, southeastern Arizona; product of mid-Miocene listric(?) normal faulting in the southern Basin and Range: *Geological Society of America Bulletin*, v. 92, no. 10, p. 749-762.
- Davis, G.H., Naruk, S.J., and Thorman, C.H., 1987, Structural geology of the Rincon and Pinaleno metamorphic core complexes, southeast Arizona, in Davis, G.H., and VandenDolder, E.M., eds., *Geologic diversity of Arizona and its margins: Excursions to choice areas; Field-trip guidebook, 100th Annual Meeting, The Geological Society of America, Phoenix, Arizona, October 26-29, 1987*: *Arizona Bureau of Geology and Mineral Technology Special Paper* 5, p. 249-259.
- Davis, G.H., and VandenDolder, E.M., eds., 1987, *Geologic diversity of Arizona and its margins: Excursions to choice areas; Field-trip guidebook, 100th Annual Meeting, The Geological Society of America, Phoenix, Arizona, October 26-29, 1987*: *Arizona Bureau of Geology and Mineral Technology Special Paper* 5, 422 p.
- Davis, J.D., 1971, The distribution and zoning of the radioelements potassium, uranium, and thorium in selected porphyry copper deposits: Tucson, University of Arizona, M.S. thesis, 130 p.
- Davis, J.D., and Guilbert, J.M., 1973, Distribution of the radioelements potassium, uranium, and thorium in selected porphyry copper deposits: *Economic Geology*, v. 68, no. 2, p. 145-160.
- DeCicco, D.A., and Patterson, E.D., 1980, Leasable mineral and waterpower land classification map of the Clifton quadrangle, Arizona, New Mexico: U.S. Geological Survey Open-File Report 80-0254, scale 1:250,000.
- DeCicco, D.A., and Patterson, E.D., 1980, Leasable mineral and waterpower land classification map of the Douglas quadrangle, Arizona, New Mexico: U.S. Geological Survey Open-File Report 80-0493, scale 1:250,000.
- DeCicco, D.A., Patterson, E.D., and Morgan, R.D., 1980, Leasable mineral and waterpower land classification map of the Silver City quadrangle, New Mexico, Arizona: U.S. Geological Survey Open-File Report 80-0492, scale 1:250,000.
- Deveraux, W.B., 1881, The Deer Creek coal fields, Arizona: *Engineering Mining Journal*, v. 32, p. 404-405.
- Dewhurst, J., 1976, Chemical ratios of Laramide igneous rocks and their relation to a paleosubduction zone under Arizona: Tucson, University of Arizona, M.S. thesis, 128 p.

- Dickinson, R.G., 1959, The Cambrian and Ordovician systems of southeastern Arizona, in Heindl, L.A., ed., Southern Arizona Guidebook II, combined with the 2nd annual Arizona Geological Society Digest: Arizona Geological Society, p. 21-24.
- Dickinson, W.R., Fiorillo, A.R., Hall, D.L., Monreal, R., Potochnik, A.R., and Swift, P.N., 1989, Cretaceous strata of southern Arizona, in Jenney, J.P., and Reynolds, S.J., eds., Geologic evolution of Arizona: Arizona Geological Society Digest 17, p. 447-461.
- Dickinson, W.R., and Klute, M.A., eds., 1987, Mesozoic rocks of southern Arizona and adjacent areas: Arizona Geological Society Digest, v. 18, 393 p.
- Dickson, J.J., and Izett, G.A., 1981, Fission-track ages of air-fall tuffs in Pliocene basin-fill sediments near 111 Ranch, Graham County, Arizona: Isochron/West, no. 32, p. 13-15.
- Dokka, R.K., and Ross, T.M., 1995, Collapse of southwestern North America and the evolution of early Miocene detachment faults, metamorphic core complexes, the Sierra Nevada orocline, and the San Andreas fault system: *Geology*, v. 23, no. 12, p. 1075-1078.
- Dorr, J.V.N., 1969, Manganese, in Mineral and water resources of Arizona: Arizona Bureau of Mines Bulletin 180, p. 211-225.
- Dresher, W.H., Eyde, T.H., and Poole, J.L., 1977, Minerals accessibility on nonfederal lands, phase 1, Arizona test area, 77-10, A report prepared for the Materials Assessment Program, Minerals Accessibility Project, the Office of Technology Assessment, Congress of the United States: Tucson, University of Arizona, College of Mines, 67 p.
- Drewes, H.D., 1976, Laramide tectonics from Paradise to Hells Gate, southeastern Arizona, in Wilt, J.C., and Jenney, J.P., eds., Tectonic digest: Arizona Geological Society Digest, v. 10, p. 151-167.
- Drewes, H.D., 1980, Tectonic map of southeast Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1109, scale 1:125,000, 2 sheets.
- Drewes, H.D., 1981, Geologic map and sections of the Bowie Mountain South quadrangle, Cochise County, Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1363, 1 sheet, scale 1:24,000.
- Drewes, H.D., 1981, Tectonics of southeastern Arizona: U.S. Geological Survey Professional Paper 1144, 96 p., 10 plates.
- Drewes, H.D., 1982, Geologic map and sections of the Cochise Head quadrangle and adjacent areas, southeastern Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1312, 2 sheets, scale 1:24,000.
- Drewes, H.D., 1984, Geologic map and sections of the Bowie Mountain North quadrangle, Cochise County, Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1492, 1 sheet, scale 1:24,000.
- Drewes, H.D., 1985, Geologic map and structure sections of the Dos Cabezas quadrangle, Cochise County, Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1570, 1 sheet, scale 1:24,000.
- Drewes, H.D., 1986, Geologic map and structure sections of the Simmons Peak quadrangle, Cochise County, Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1569, 1 sheet, scale 1:24,000.
- Drewes, H.D., 1989, Tectonics of the eastern part of the Cordilleran orogenic belt, Chihuahua, New Mexico, and Arizona: Roadlog, in Hanshaw, P.M., ed., Sedimentation and tectonics of western North America, v. 2: American Geophysical Union, International Geological Congress, 28th, Field Trip Guidebook T121, p. 1-56.
- Drewes, H.D., n.d., Geologic map of the North End Roadless Area, Cochise County, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1412-A, scale 1:50,000 [not published as of 2-96].
- Drewes, H.D., Abrams, G.A., Hassemer, J.R., and Zelten, J.E., 1986, Mineral resources of the Dos Cabezas Mountains Wilderness Study Area, Cochise County, Arizona, Chapter D, in Mineral resources of Wilderness Study Areas - southeastern Arizona: U.S. Geological Survey Bulletin 1703-D, p. D1-D27, 1 sheet, scale 1:24,000.
- Drewes, H.D., and Bigsby, P.R., 1984, North End Roadless Area, Arizona, in Marsh, S.P., and others, eds., Wilderness mineral potential - Assessment of mineral resource potential in U.S. Forest Service lands studied 1964-84, v. 1: U.S. Geological Survey Professional Paper 1300, p. 90-93.
- Drewes, H.D., and Brooks, W.E., 1988, Geologic map and cross sections of the Pedregosa Mountains, Cochise County, Arizona [*Pedregosa Mts. East, Pedregosa Mts. West, Swede Peak, Bruno Peak, Chiricahua Peak, and Stanford Canyon 7.5 min.*]: U.S. Geological Survey Miscellaneous Investigations Series Map I-1827, 1 sheet, scale 1:48,000.
- Drewes, Harald, du Bray, E.A., and Pallister, J.S., 1995, Geologic map of the Portal quadrangle and vicinity, Cochise County, southeast Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-2450, 1 sheet, scale 1:24,000.

- Drewes, H.D., Houser, B.B., Hedlund, D.C., Richter, D.H., Thorman, C.H., and Finnell, T.L., 1985, Geologic map of the Silver City 1° x 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1310-C, 1 sheet, scale 1:250,000.
- Drewes, H.D., Klein, D.P., and Birmingham, S.D., 1988, Volcanic and structural controls of mineralization in the Dos Cabezas Mountains of southeastern Arizona: U.S. Geological Survey Bulletin 1676, 45 p., 1 sheet, scale 1:63,360.
- Drewes, H.D., Moss, C.K., Watts, K.C., Jr., Forn, C.L., and Bigsby, P.R., 1983, Mineral-resource potential map of the North End Roadless Area, Chiricahua Mountains, Cochise County, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1412-D, 9 p., 1 sheet, scale 1:50,000.
- Drewes, H.D., and Thorman, C.H., 1978, Major geologic structures between Lordsburg, New Mexico and Douglas and Tucson, Arizona, in Callender, J.F., Wilt, J.C., Clemons, R.E., and James, H.L., eds., Land of Cochise, southeastern Arizona: New Mexico Geological Society 29th Field Conference Guidebook, p. 291-295.
- Drewes, H.D., and Williams, F.E., 1973, Mineral resources of the Chiricahua Wilderness Area, Cochise County, Arizona, with a section on Aeromagnetic interpretation, by G.P. Eaton: U.S. Geological Survey Bulletin 1385-A, 53 p., scale 1:62,500.
- Drewes, Harald, 1996, A ramp-end strike-slip fault near Paradise, Chiricahua Mountains, southeastern Arizona [abs.]: Geological Society of America Abstracts with Programs, v. 28, no. 5, p. 63.
- du Bray, E.A., and Pallister, J.S., 1991, An ash flow caldera in cross section: Ongoing field and geochemical studies of the mid-Tertiary Turkey Creek Caldera, Chiricahua Mountains, SE Arizona: Journal of Geophysical Research, v. 96, no. B8, p. 13,435-13,457.
- du Bray, E.A., and Pallister, J.S., 1993, Preliminary geologic map of Chiricahua National Monument, Cochise County, Arizona, with digital geologic map data - Digital data (diskette): U.S. Geological Survey Open-File Report 93-0590-B, 1 high-density diskette, 3.5 inch, MS-DOS format.
- du Bray, E.A., and Pallister, J.S., 1993, Preliminary geologic map of Chiricahua National Monument, Cochise County, Arizona, with digital geologic map data - Text (paper copy): U.S. Geological Survey Open-File Report 93-0590-A, 14 p., 1 sheet, scale 1:24,000.
- du Bray, E.A., and Pallister, J.S., 1994, Geologic map of the Chiricahua Peak quadrangle, southeast Arizona: U.S. Geological Survey Geologic Quadrangle Map GQ-1733, 1 sheet, scale 1:24,000.
- du Bray, E.A., Yager, D.B., and Pallister, J.S., 1993, Rustler Park quadrangle, Cochise County, Arizona - Analytic data and geologic sample catalog, Chapter B, in Geologic sampling of the Chiricahua Mountains: U.S. Geological Survey Bulletin 2021-B, p. B1-B24, 1 sheet, scale 1:24,000.
- du Bray, E.A., Yager, D.B., and Pallister, J.S., 1993, Chiricahua Peak quadrangle, Cochise County, Arizona - Analytic data and geologic sample catalog, Chapter C, in Geologic sampling of the Chiricahua Mountains: U.S. Geological Survey Bulletin 2021-C, p. C1-C22, 1 sheet, scale 1:24,000.
- DuBois, S.M., and Smith, A.W., 1980, The 1887 earthquake in San Bernardino Valley, Sonora; historic accounts and intensity patterns in Arizona: Arizona Bureau of Geology and Mineral Technology Special Paper no. 3, 112 p.
- Dumble, E.T., 1902, Notes on the geology of southeastern Arizona: American Institute of Mining Engineers, Transactions, v. 31, p. 696-715.
- Dunbar, C.O., and Permian Subcommittee, National Research Council Committee of Stratigraphy, 1960, Correlation of Permian formations of North America: Geological Society of America Bulletin, v. 71, no. 12, p. 1763-1806.
- Duncan, D.C., comp., 1953, Reconnaissance investigations for uranium in black shale deposits of the western states during 1951 and 1952: U.S. Geological Survey, U.S. Atomic Energy Commission, Trace Elements Investigation Report TEI-381.
- Duncan, J.T., and Spencer, J.E., 1993, The AZGS core repository: Arizona Geological Survey Open-File Report 93-02, 29 p.
- Duncan, J.T., and Spencer, J.E., 1993, Uranium and radon in southeastern Arizona, in Spencer, J.E., ed., Radon in Arizona: Arizona Geological Survey Bulletin 199, p. 40-42.
- Duncan, J.T., Spencer, J.E., Eshraghi, P., and Emrick, S.M., 1993, A reconnaissance study of radon and other radionuclides in Arizona well water, in Spencer, J.E., ed., Radon in Arizona: Arizona Geological Survey Bulletin 199, p. 86-92.

- Dunn, P.G., 1978, Geologic structure of the Safford district, Arizona, in Jenney, J.P., and Hauck, H.R., eds., Proceedings of the Porphyry Copper Symposium, Tucson, Ariz., March 18-20, 1976: Arizona Geological Society Digest, v. 11, p. 9-15.
- Dunn, P.J., 1974, Chromian spinel inclusions in American peridots: Deutsche Gemmol. Gesellschaft, Zeitschrift, v. 23, p. 304-307.
- Eaton, G.P., 1969, Recent elevation changes in San Simon Valley, Arizona [*abs.*]: Geological Society of America Abstracts with Programs for 1969, Part 5, p. 21.
- Eaton, G.P., 1970, Altered (pyritized) rocks in San Simon Valley, southeastern Arizona, in Geological Survey Research 1970: U.S. Geological Survey Professional Paper 700-A, p. A37.
- Eaton, G.P., 1972, Deformation of Quaternary deposits in two intermontane basins of southern Arizona, U.S.A., in Tectonics: International Geological Congress, 24th, Montreal, Quebec, 1972, Proceedings, Section 3, p. 607-616.
- Eaton, G.P., and Timmons, C.E., 1966, Principal facts for gravity stations in Safford and San Simon Valleys, Arizona: U.S. Geological Survey Open-File Report.
- Edson, G.M., 1977, Some bedded zeolites, San Simon basin, southeastern Arizona: Tucson, University of Arizona, M.S. thesis, 65 p.
- Elevatorski, E.A., 1971, Arizona fluorspar: Arizona Department of Mineral Resources, 51 p.
- Elevatorski, E.A., 1978, Uranium deposits of Arizona - California - Nevada: Dana Point, Calif., Minobras, 125 p.
- Ellingson, S.B., and Milton, R.S., 1992, Ionic composition of high conductance waters of the arid southwest: Arizona-Nevada Academy of Science, Journal v. 26, no. 2, p. 156-170.
- Ellingson, S.B., and Redding, M.B., 1988, Random survey of VOC's, pesticides and inorganics in Arizona's drinking water wells, in Proceedings of FOCUS Conference on Southwestern Ground Water Issues March 23-25, 1988: Dublin, Ohio, National Water Well Association, p. 223-247.
- Elston, W.E., 1968, Terminology and distribution of ash flows of the Mogollon - Silver City - Lordsburg region, New Mexico, in Tittley, S.R., ed., Southern Arizona Guidebook III: Arizona Geological Society, p. 231-240.
- Elston, W.E., 1977, Cenozoic orogeny of Southwestern United States, ensialic analog of a backarc basin? [*abs.*]: Geological Society of America Abstracts with Programs, v. 9, no. 7, p. 966-967.
- Elston, W.E., 1984, Mid-Tertiary ash flow tuff cauldrons, southwestern New Mexico: Journal of Geophysical Research, v. 89, no. B10, p. 8733-8750.
- Elston, W.E., Bikerman, M., and Damon, P.E., 1968, Significance of new K-Ar dates from southwestern New Mexico, Appendix A-IV, in Damon, P.E., Correlation and chronology of ore deposits and volcanic rocks, Annual Progress Report no. COO-689-100: Tucson, University of Arizona, Geochronology Laboratories, p. AIV.1-AIV.30.
- Elston, W.E., Damon, P.E., Coney, P.J., Rhodes, R.C., Smith, E.I., and Bikerman, M., 1973, Tertiary volcanic rocks, Mogollon-Datil province, New Mexico, and surrounding region: K-Ar dates, patterns of eruption, and periods of mineralization: Geological Society of America Bulletin, v. 84, no. 7, p. 2259-2273.
- Ely, L.L., 1992, Large floods in the southwestern United States in relation to late-Holocene climatic variations: Tucson, University of Arizona, Ph.D. dissertation, 326 p.
- Emmons, S.F., 1901, Secondary enrichment of ore deposits: American Institute of Mining Engineers, Transactions, v. 30, p. 177-217.
- Enlows, H.E., 1951, The igneous geology of Chiricahua National Monument, Arizona: Tulsa Geological Society Digest, v. 19, p. 105-107.
- Enlows, H.E., 1955, Welded tuffs of Chiricahua National Monument, Arizona: Geological Society of America Bulletin, v. 66, no. 10, p. 1215-1246.
- Enz, R.W., 1968, Water supply outlook for Arizona (as of Jan. 15, 1968): U.S. Department of Agriculture, Soil Conservation Service, Cooperative Snow Survey Report, 11 p.
- Enz, R.W., 1975, Summary of snow survey measurements for Arizona and pertinent portions of New Mexico, 1938-1975: U.S. Department of Agriculture, Soil Conservation Service, Cooperative Snow Survey Report, 73 p.
- Enz, R.W., and Weller, Mary, 1964, Summary of snow survey measurements for Arizona, 1938-1964: U.S. Department of Agriculture, Soil Conservation Service, Cooperative Snow Survey Report, 50 p.
- Epis, R.C., and Gilbert, C.M., 1957, Early Paleozoic strata in southeastern Arizona: American Association of Petroleum Geologists Bulletin, v. 41, no. 10, p. 2223-2242.

- Erickson, R.C., 1968, Welded intrusive volcanic breccias in the Dos Cabezas Mountains, Arizona, Appendix A-III, in Damon, P.E., Correlation and chronology of ore deposits and volcanic rocks, Annual Progress Report no. COO-689-100: Tucson, University of Arizona, Geochronology Laboratories, p. AIII.1-AIII.41.
- Erickson, R.C., 1968, Geology and geochronology of the Dos Cabezas Mountains, Cochise County, Arizona, in Tittley, S.R., ed., Southern Arizona Guidebook III: Arizona Geological Society, p. 192-198.
- Erickson, R.C., 1969, Petrology and geochemistry of the Dos Cabezas Mountains, Cochise County, Arizona: Tucson, University of Arizona, Ph.D. dissertation, 441 p.
- Erickson, R.C., 1981, K-Ar and Rb-Sr geochronology of the Dos Cabezas Mountains, Cochise County, Arizona: Arizona Geological Society Digest, v. 13, p. 185-193.
- Erickson, R.C., 1986, Comment on 'Mesozoic ash-flow caldera fragments in southeastern Arizona and their relation to porphyry copper deposits' by P.W. Lipman and D.A. Sawyer: *Geology*, v. 14, no. 6, p. 539-540.
- Erickson, Rolfe, 1988, Geology of the Willcox North quadrangle and the southernmost Greasewood Mountain quadrangle, Arizona: Arizona Bureau of Geology and Mineral Technology Miscellaneous Map MM-88-B, 5 p., 1 sheet, scale 1:24,000.
- Erickson, R.C., and Drewes, H.D., 1984, Geologic map of the Luzena quadrangle, Cochise County, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1721, 1 sheet, scale 1:24,000.
- Erickson, R.C., and Drewes, H.D., 1984, Geologic map of the Railroad Pass quadrangle, Cochise County, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1688, 1 sheet, scale 1:24,000.
- Erjavec, J.L., 1981, The sulfur distribution in the sedimentary rocks of southeast Arizona: Tucson, University of Arizona, M.S. thesis, 114 p.
- Ethington, R.L., 1962, Devonian conodonts in Arizona, in Weber, R.H., and Peirce, H.W., eds., Guidebook of the Mogollon Rim region, east-central Arizona: New Mexico Geological Society 13th Field Conference Guidebook, p. 72-76.
- Ethington, R.L., and Clark, D.L., 1964, Conodonts from the El Paso Formation (Ordovician) of Texas and Arizona: *Journal of Paleontology*, v. 38, no. 4, p. 685-704.
- Evans, L.G., and Haimson, J.S., 1982, SWAB/RASA aquifer parameter study, final report for U.S. Geological Survey contract 14-08-0001-18268: Arizona Department of Water Resources, 21 p.
- Eyde, T.H., 1963, Final report, zeolite reconnaissance project 1960-1962: Union Carbide Nuclear Co., private report.
- Eyde, T.H., 1974, Exploration for deeply buried prophyry copper deposits in the southwestern United States: American Institute of Mining, Metallurgical, and Petroleum Engineers, Society of Mining Engineers, Transactions, v. 256, p. 342-345.
- Eyde, T.H., 1976, Natural zeolite exploration and exploitation in the western United States [*abs.*], in Sand, L.B., Sheppard, R.A., Haughan, D.E.W., Breck, D.W., and Kastner, M. (Program and Publication Committee), Zeolite '76, an international conference on the occurrence, properties, and utilization of natural zeolites, Tucson, Arizona, June 6 to 14, 1976, Program and Abstracts: Brockport, N.Y., State University College, p. 26.
- Eyde, T.H., 1978, Bowie zeolite, an Arizona industrial mineral: Arizona Bureau of Geology and Mineral Technology Fieldnotes, v. 8, no. 4., p. 1-5.
- Eyde, T.H., 1982, Zeolite deposits in the Gila and San Simon valleys of Arizona and New Mexico, in Austin, G.S., compiler, Industrial rocks and minerals of the Southwest: New Mexico Bureau of Mines and Mineral Resources Circular 182, p. 65-71.
- Eyde, T.H., and Eyde, D.T., 1985, The Bowie chabazite deposit [*abs.*], in Aggregates to zeolites (AZ), 21st Forum on the Geology of Industrial Minerals, Tucson, Ariz., April 9-12, 1985, Program with Abstracts: Arizona Bureau of Geology and Mineral Technology, p. 22.
- Eyde, T.H., and Eyde, D.T., 1985, The Bowie chabazite deposit [*abs.*], in Peirce, H.W., ed., Proceedings of the 21st Forum on the Geology of Industrial Minerals: Arizona Bureau of Geology and Mineral Technology Special Paper 4, p. 133.
- Eyde, T.H., and Wilt, J.C., 1989, Arizona industrial minerals: A growing industry in transition, in Jenney, J.P., and Reynolds, S.J., eds., Geologic evolution of Arizona: Arizona Geological Society Digest 17, p. 741-758.
- Fair, C.L., 1961, Geohydrology of the Safford Inner Valley: Arizona Geological Society Digest, v. 4, p. 125-130.
- Farnham, L.L., Stewart, L.A., and DeLong, C.W., 1961, Manganese deposits of eastern Arizona: U.S. Bureau of Mines Information Circular I.C. 7990, 178 p.
- Fellows, L.D., 1994, Oil show in geothermal test: Arizona Geology [Arizona Geological Survey], v. 24, no. 1, p. 1, 4.

- Fergusson, W.B., 1959, The Cretaceous system of southeastern Arizona, in Heindl, L.A., ed., *Southern Arizona Guidebook II*, combined with the 2nd annual Arizona Geological Society Digest: Arizona Geological Society, p. 43-47.
- Fernandez, L.A., Jr., and Enlows, H.E., 1966, Petrography of the Faraway Ranch Formation, Chiricahua National Monument, Arizona: *Geological Society of America Bulletin*, v. 77, no. 9, p. 1017-1030.
- Feth, J.H., 1954, Preliminary report of investigations of springs in the Mogollon Rim region, Arizona, with sections on: Base flow of streams, by N.D. White, and Quality of water, by J.D. Hem: U.S. Geological Survey Open-File Report, 100 p., 4 sheets, scales 1:80,000 and 1:95,000.
- Feth, J.H., 1961, A new map of western conterminous United States, showing the maximum known of inferred extent of Pleistocene lakes: U.S. Geological Survey Professional Paper 424B, p. B110-B112, fig. 47.1.
- Feth, J.H., and Hem, J.D., 1962, Springs along the Mogollon Rim in Arizona, in Weber, R.H., and Peirce, H.W., eds., *Guidebook of the Mogollon Rim region, east-central Arizona*: New Mexico Geological Society 13th Field Conference Guidebook, p. 129-134.
- Feth, J.H., and Hem, J.D., 1963, Reconnaissance of headwater springs in the Gila River drainage basin, Arizona: U.S. Geological Survey Water-Supply Paper 1619-H, 54 p., 4 sheets, scales 1:500,000, and 1:63,360.
- Ffolliott, P.F., 1970, Characterization of Arizona snowpack dynamics for prediction and management purposes: Tucson, University of Arizona, Ph.D. dissertation, 171 p.
- Ffolliott, P.F., 1989, Water quality of streamflow from selected forested watersheds in Arizona, in *Hydrology and water resources in Arizona and the Southwest*, v. 19: American Water Resources Association, Arizona Section, and Arizona-Nevada Academy of Science, Hydrology Section, Annual Meeting, Las Vegas, Nev., 1989, Proceedings, p. 1-5.
- Ffolliott, P.F., Fisher, D.L., and Thorud, D.B., 1972, A physiographic survey of the ponderosa pine type on the Salt-Verde River Basin: Tucson, University of Arizona, College of Agriculture, Agricultural Experiment Station, Technical Bulletin no. 200, 60 p.
- Ffolliott, P.F., and Gottfried, G.J., 1995, Evaluation of water balance models: An assessment in mixed conifer forests of Arizona, in Baker, M.B., Jr., and Avery, C.C., eds., *Hydrology and water resources in Arizona and the Southwest*, v. 22-25: American Water Resources Association, Arizona Section, and Arizona Academy of Science, Hydrology Section, Annual Meeting, Flagstaff, Ariz., 1995, Proceedings, p. 1-5.
- Ffolliott, P.F., and Thorud, D.B., 1974, A technique to evaluate snowpack profiles in and adjacent to forest openings, in Boster, R.S., ed., *Hydrology and water resources in Arizona and the Southwest*, v. 4: American Water Resources Association, Arizona Section, and Arizona Academy of Science, Hydrology Section, Annual Meeting, Flagstaff, Ariz., 1974, Proceedings, p. 10-17.
- Ffolliott, P.F., and Thorud, D.B., 1975, Water yield improvement by vegetation management: focus on Arizona: National Technical Information Service, PB-246055, 1,094 p. [microfiche].
- Ffolliott, P.F., and Thorud, D.B., 1977, Water yield improvement by vegetation management: *Water Resources Bulletin*, v. 13, no. 3, p. 564-570.
- Ffolliott, P.F., and Thorud, D.B., 1977, Water resources and multiple-use forestry in the Southwest: *Journal of Forestry*, v. 75, p. 469-472.
- Ffolliott, P.F., Thorud, D.B., and Enz, R.W., 1972, An analysis of yearly differences in snowpack inventory-prediction relationships, in Fogel, M.M., ed., *Hydrology and water resources in Arizona and the Southwest*, v. 2: American Water Resources Association, Arizona Section, and Arizona Academy of Science, Hydrology Section, Annual Meeting, Prescott, Ariz., May 5-6, 1972, Proceedings, p. 31-42.
- Fields, R.L., 1986, Data-processing activities of the southwest alluvial Basins, RASA study, in Anderson, T.W., and Johnson, A.I., eds., *Regional aquifer systems of the United States - southwest alluvial basins of Arizona*: Bethesda, Md., American Water Resources Association Monograph Series no. 7, p. 17-23.
- Fosness, J.L., 1925, Investigation of the zonal arrangement of mineral deposits in southeastern Arizona: Minneapolis, University of Minnesota, M.S. thesis.
- Freethy, G.W., 1986, Considerations in modeling ground-water flow in the alluvial basins of Arizona, in Anderson, T.W., and Johnson, A.I., eds., *Regional aquifer systems of the United States - southwest alluvial basins of Arizona*: Bethesda, Md., American Water Resources Association Monograph Series no. 7, p. 57-67.
- Freethy, G.W., and Anderson, T.W., 1986, Predevelopment hydrologic conditions in the alluvial basins of Arizona and adjacent parts of California and New Mexico: U.S. Geological Survey Hydrologic Investigations Atlas HA-664, 3 sheets, scale 1:500,000.

- Frederickson, R.S., 1974, The secondary dispersion of tungsten in some southern Arizona tungsten districts: University of Arizona M.S. thesis, 152 p.
- Frey, F.A., and Prinz, Martin, 1978, Ultramafic inclusions from San Carlos, Arizona: Petrologic and geochemical data bearing on their petrogenesis: *Earth and Planetary Science Letters*, v. 38, no. 1, p. 129-176.
- Galer, S.J.G., and O'Nions, R.K., 1989, Chemical and isotopic studies of ultramafic inclusions from the San Carlos Volcanic Field, Arizona: A bearing on their petrogenesis: *Journal of Petrology*, v. 30, part 4, p. 1033-1064.
- Galusha, T., Johnson, N.M., Lindsay, E.H., Opdyke, N.D., and Tedford, R.H., 1984, Biostratigraphy and magnetostratigraphy, late Pliocene rocks, 111 Ranch, Arizona: *Geological Society of America Bulletin*, v. 95, no. 6, p. 714-722.
- Garcia, M.O., and Muenow, D.W., 1979, Volatiles in titanium-rich amphibole megacrysts, southwest U.S.A. [*abs.*]: *Geological Society of America Abstracts with Programs*, v. 11, no. 7, p. 430.
- Garcia, M.O., Muenow, D.W., and Liu, N.W.K., 1980, Volatiles in Ti-rich amphibole megacrysts, southwest USA: *American Mineralogist*, v. 65, p. 306-312.
- Gatewood, J.S., Robinson, T.W., Colby, B.R., Hem, J.D., and Halpenny, L.C., 1950, Use of water by bottom-land vegetation in lower Safford Valley, Arizona: U.S. Geological Survey Water-Supply Paper 1103, 210 p., 5 sheets, scales 1:32,000 and 1:500,000.
- Gehrels, G.E., and Spencer, J.E., eds., 1990, Geologic excursions through the Sonoran Desert Region, Arizona and Sonora, Geological Society of America, Cordilleran section, 86th Annual Meeting, Tucson Ariz., March 14-16, 1990, Field-Trip Guidebook: Arizona Geological Survey Special Paper 7, 202 p.
- Gelderman, F.W., 1970, Soil survey of the Safford area, Arizona: U.S. Department of Agriculture, Soil Conservation Service, 57 p., 29 sheets, scale 1:20,000.
- Giardina, Salvatore, Jr., 1979, Structure map, southeastern Arizona [*with drill hole and geophysical profiles*]: Arizona Oil and Gas Conservation Commission Map G-13, 2 sheets, scale 1:375,000 [now available as Arizona Geological Survey Oil and Gas Publication OG-16].
- Gibbs, Ron, 1993, Microminerals from the Big Lue Mountains, Greenlee County, Arizona, and Grant County, New Mexico [*abs.*]: *New Mexico Geology* [New Mexico Bureau of Mines and Mineral Resources], v. 15, no. 1, p. 18.
- Gilbert, G.K., 1875, Report on the geology of portions of New Mexico and Arizona examined in 1873, in U.S. Army Engineer Department, Report upon geographical and geological explorations and surveys west of the one hundredth meridian, in charge of First Lieut. Geo. M. Wheeler, Volume 3 - Geology: Washington, D.C., U.S. Government Printing Office, p. 503-567.
- Gillerman, E., 1957, Geology of the central Peloncillo Mountains, Hidalgo County, New Mexico, and Cochise County, Arizona: Austin, University of Texas, Ph.D. dissertation.
- Gillerman, E., 1958, Geology of the central Peloncillo Mountains, Hidalgo County, New Mexico, and Cochise County, Arizona: *New Mexico Bureau of Mines and Mineral Resources Bulletin* 57, 152 p., 2 sheets, scale 1:48,000.
- Gilmour, Paul, 1977, Mineralized intrusive breccias as guides to concealed porphyry copper systems: *Economic Geology*, v. 72, no. 2, p. 290-298.
- Gilmour, Paul, 1982, Grades and tonnages of porphyry copper deposits, in Titley, S.R., ed., *Advances in geology of the porphyry copper deposits, southwestern North America*: Tucson, University of Arizona Press, p. 7-35.
- Gish, D.M., Keller, G.R., and Sbar, M.L., 1981, A refraction study of deep crustal structure of the Basin and Range: Colorado Plateau of eastern Arizona: *Journal of Geophysical Research*, v. 86, p. 6029-6038.
- Glazner, A.F., and Bartley, J.M., 1984, Timing and tectonic setting of Tertiary low-angle normal faulting and associated magmatism in the southwestern United States: *Tectonics*, v. 3, no. 3, p. 385-396.
- Goldhammer, R.K., and Elmore, R.D., 1984, Paleosols capping regressive carbonate cycles in the Pennsylvanian Black Prince Limestone, Arizona: *Journal of Sedimentary Petrology*, v. 54, no. 4, p. 1124-1137.
- Goldstone, L.A., and Stone, Claudia, comps., 1982, Temperature-depth profiles, well-location information, and tabulated temperatures for Arizona wells measured between May, 1979 and March, 1982: Arizona Bureau of Geology and Mineral Technology Open-File Report 82-07, 112 p.
- Granger, H.C., 1951, An occurrence of radioactive pyromorphite, Golondrina claims, Graham County, Arizona: U.S. Geological Survey, U.S. Atomic Energy Commission, Trace Elements Memorandum Report TEM-219, 3 p.
- Granger, H.C., and Raup, R.B., 1962, Reconnaissance study of uranium deposits in Arizona: U.S. Geological Survey Bulletin 1147-A, 54 p.
- Gray, Jane, 1960, Micropaleobotanical research on the late Tertiary sediments of Arizona: *Arizona Geological Society Digest*, v. 3, p. 133-135.

- Greenwood, E., 1969, Oil and gas in the Pedregosa Basin: Oil and Gas Journal, October 6, 1969, p. 171-173.
- Greenwood, E., 1970, Oil and gas possibilities in the Pedregosa Basin, in Woodward, L. A., ed., Tyrone-Big Hatchet Mountains-Florida Mountains region: New Mexico Geological Society 21st Field Conference Guidebook, p. 105.
- Greenwood, E., Kottowski, F.E., and Thompson, Sam, III, 1977, Petroleum potential and stratigraphy of Pedregosa Basin: Comparison with Permian and Orogrande basins: American Association of Petroleum Geologists Bulletin, v. 61, no. 9, p. 1448-1469.
- Griggs, R.L., and Wagner, H.C., 1966, Geology and ore deposits of the Steeple Rock mining district, Grant County, New Mexico: U.S. Geological Survey Bulletin 1222-E, p. E1-E29, 4 sheets, scales 1:2,400 and 1:24,000.
- Grimm, N.B., and Fisher, S.G., 1986, Nitrogen limitation potential of Arizona streams and rivers: Arizona-Nevada Academy of Science, Journal, v. 21, p. 31-43.
- Grose, L.T., 1975, Geothermal energy, geology, exploration, and developments, Part 1, in Betz, Frederick, Jr., ed., Environmental geology: Stroudsburg, Pa., Dowden, Hutchinson, and Ross, Inc., Benchmark Papers in Geology, v. 25, p. 130-143.
- Grover, N.C., 1939, Surface water supply of the United States, 1938, Part IX. Colorado River Basin: U.S. Geological Survey Water-Supply Paper 859, 285 p.
- Grover, N.C., Follansbee, Robert, Jacob, C.C., Purton, A.B., and Ellsworth, C.E., 1922, Surface water supply of the United States, 1918, Part IX. Colorado River Basin: U.S. Geological Survey Water-Supply Paper 479, 189 p.
- Grover, N.C., Follansbee, Robert, Porter, E.A., and Jacob, C.C., 1919, Surface water supply of the United States, 1916, Part IX. Colorado River Basin: U.S. Geological Survey Water-Supply Paper 439, 198 p.
- Grover, N.C., Follansbee, Robert, Purton, A.B., and McGlashan, H.D., 1925, Surface water supply of the United States, 1919-1920, Part IX. Colorado River Basin: U.S. Geological Survey Water-Supply Paper 509, 269 p.
- Grover, N.C., Follansbee, Robert, Purton, A.B., and Rice, R.C., 1927, Surface water supply of the United States, 1923, Part IX. Colorado River Basin: U.S. Geological Survey Water-Supply Paper 569, 189 p.
- Grover, N.C., Follansbee, Robert, Purton, A.B., and Rice, R.C., 1927, Surface water supply of the United States, 1922, Part IX. Colorado River Basin: U.S. Geological Survey Water-Supply Paper 549, 175 p.
- Guilbert, J.M., and Lowell, J.D., 1968, Potassic alteration in porphyry copper deposits [*abs.*]: Economic Geology, v. 63, p. 703.
- Gutman, S.I., and Heckmann, G.A., 1977, An integration of geophysical and Landsat data - northeastern Arizona: Arizona Geological Survey Oil and Gas Publication OG-22, 7 sheets, scale 1:500,000.
- Hagstrum, J.T., Lipman, P.W., and Moore, R.B., 1994, Late Cretaceous paleomagnetism of the Tombstone District and vicinity: Evidence for a rotational domain boundary in southeastern Arizona: Tectonics, v. 13, no. 5, p. 1295-1308.
- Hahman, F., Sr. [*sic*], Mancini, F., White, D., Chebab, M., Goldstone, L., and Weibel, B., 1980, Evaluation of geothermal energy in Arizona - Final report by Arizona Geothermal Planning Team - Volume 2 of 2, January 1 - December 31, 1979: U.S. Department of Energy, and Four Corners Regional Development Commission, 61 p. [first author name should be Hahman, W.R., Sr.]
- Hahman, W.R., Sr., 1979, Geothermal reservoir site evaluation in Arizona, semiannual progress report for the period July 15, 1978 - January 15, 1979: U.S. Department of Energy Report COO-4362-5, 157 p.
- Hahman, W.R., Sr., 1979, Geothermal reservoir site evaluation in Arizona, semiannual progress report for the period July 15, 1978 - January 15, 1979: Arizona Bureau of Geology and Mineral Technology Open-File Report 79-02, 91 p.
- Hahman, W.R., Sr., 1979, Geothermal studies in Arizona with two area assessments, progress report for the period January 16, 1979 - November 1, 1979: Arizona Bureau of Geology and Mineral Technology Open-File Report 79-07, 173 p.
- Hahman, W.R., Sr., 1979, Geothermal studies in Arizona with two area assessments, progress report for the period January 16, 1979 - November 1, 1979: U.S. Department of Energy Report ID-12009-1, 173 p.
- Hahman, W.R., Sr., Sbar, M.L., Swanberg, C.A., Young, C.T., Gish, D.M., Rybarczyk, S.M., Stone, Claudia, and Witcher, J.C., 1980, Arizona geothermal energy appraisal studies, final report, June 1978 - March 1980: Arizona Bureau of Geology and Mineral Technology Open-File Report 80-01, 144 p.
- Hall, D.B., 1993, Geomorphology of welded tuffs, Chiricahua National Monument, southeastern Arizona: University of Arizona Ph.D. dissertation, 187 p.
- Hall, D.B., 1993, Modelling potential failure of natural rock columns under static stresses and seismically induced dynamic resonances [*abs.*]: Geological Society of America Abstracts with Programs, v. 25, no. 6, p. A-460.

- Halpenny, L.C., and others, 1952, Ground water in the Gila River basin and adjacent areas, Arizona--a summary: U.S. Geological Survey Open-File Report, 224 p.
- Hamilton, W.B., 1981, 'Core complexes' of the Cordillera, in Howard, K.A., and others, eds., Tectonic framework of the Mohave and Sonoran Deserts, California and Arizona: U.S. Geological Survey Open-File Report 81-0503, p. 41.
- Hamilton, W.B., 1987, Crustal extension in the Basin and Range Province, southwestern United States, in Coward, M.P., Dewey, J.F., and Hancock, P.L., eds., Continental extensional tectonics: Geological Society of London Special Publication no. 28, p. 155-176.
- Hansen, A.R., Moulton, F.C., and Owings, B.F., 1980, Utah-Arizona hingeline-thrust belt - Potential new hydrocarbon province [*abs.*]: American Association of Petroleum Geologists Bulletin, v. 64, no. 5, p. 717-718.
- Hansen, A.R., Moulton, F.C., and Owings, B.F., 1980, Utah-Arizona overthrust-hingeline belt: Oil and Gas Journal, v. 78, no. 47, p. 188, 191, 192, 195, 196, 198, 199.
- Hanson, R.L., 1973, Evaluating the reliability of specific-yield determinations: U.S. Geological Survey Journal of Research, v. 1, no. 3, p. 371-376.
- Hanson, R.L., and Brown, S.G., 1972, Subsurface hydraulics in the area of the Gila River Phreatophyte Project, Graham County, Arizona: U.S. Geological Survey Professional Paper 655-F, 27 p.
- Hanson, R.L., and Dawdy, D.R., 1976, Accuracy of evapotranspiration rates determined by the water-budget method, Gila River flood plain, southeastern Arizona: U.S. Geological Survey Professional Paper 655-L, 35 p.
- Harbour, J., 1966, Stratigraphy and sedimentology of the upper Safford Basin sediments: Tucson, University of Arizona, Ph.D. dissertation, 242 p.
- Harbour, Jerry, 1960, Sedimentology and stratigraphy of the basin-fill sediments in the Safford Valley: Arizona Geological Society Digest, v. 3, p. 131-132.
- Harms, T.F., Bradley, L.A., Tidball, R.R., Motooka, J.M., and Conklin, N.M., 1985, Analytical results and sample locality maps of stream sediments, heavy-mineral concentrates, and plant samples from Black Rock, Fishhooks, and Needles Eye Wilderness Study Areas, Graham and Gila Counties, Arizona: U.S. Geological Survey Open-File Report 85-0462, 49 p., 3 sheets, scale 1:24,000.
- Harper, R.W., and Anderson, T.W., 1976, Maps showing groundwater conditions in the Concho, St. Johns, and White Mountains areas, Apache and Navajo Counties, Arizona - 1975: U.S. Geological Survey Water-Resources Investigations Open-File Report WRI 76-0104, 4 sheets, scale 1:125,000.
- Harrer, C.M., 1964, Reconnaissance of iron resources in Arizona: U.S. Bureau of Mines Information Circular I.C. 8236, 204 p.
- Harris, R.C., 1994, Uranium distribution in sediments of the Safford and Duncan basins, southeast Arizona, and implications for indoor radon: Arizona Geological Survey Open-File Report 94-04, 11 p., 2 sheets, scales 1:24,000 and 1:100,000.
- Harte, B., 1983, Mantle peridotites and process--the kimberlite sample, in Hawkesworthy, C. J., and Norry, M. J., eds., Continental basalts and their mantle xenoliths: Nantwich, Cheshire, U.K., Shiva Publishing Limited, p. 46-91.
- Hassemer, J.R., Ficklin, W.H., Motooka, J.M., and Watts, K.C., 1983, Analytical results for 328 water samples from the Silver City 1° X 2° quadrangle, Arizona and New Mexico, with contributions from D.J. Preston, S.M. Smaglik, and F.N. Ward: U.S. Geological Survey Open-File Report 83-0084, 42 p.
- Hassemer, J.R., Watts, K.C., and Ficklin, W.H., 1986, Reconnaissance hydrogeochemistry of the Silver City 1° X 2° quadrangle, New Mexico and Arizona; uranium, normalized uranium, and radon: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-L, scale 1:250,000.
- Hassemer, J.R., Watts, K.C., Forn, C.L., and Moiser, E.L., 1981, Methodology, statistical analysis, and listing of the spectrographic analyses of geochemical samples, Hells Hole Further Planning Area (RARE II), Greenlee County, Arizona, and Grant County, New Mexico: U.S. Geological Survey Open-File Report 81-0661, 136 p.
- Hassemer, J.R., Watts, K.C., Forn, C.L., and Moiser, E.L., 1983, Maps showing the distribution and relationships of selected metals in heavy-mineral concentrates of the Hells Hole Further Planning Area (RARE II), Greenlee County, Arizona, and Grant County, New Mexico: U.S. Geological Survey Miscellaneous Field Studies Map MF-1344-D, scale 1:100,000.
- Hastings, D.A., 1972, A geophysical investigation of the Point of Pines area, San Carlos Indian Reservation, Arizona: Tucson, University of Arizona, Ph.D. dissertation.
- Hastings, J.R., 1959, Vegetation change and arroyo cutting in southeastern Arizona: Arizona Academy of Science, Journal, v. 1, no. 2, p. 60-67.

- Hauck, W.R., 1985, Correlation and geochemical zonation of the mid-Tertiary volcanic and intrusive rocks in the Santa Teresa and northern Galiuro Mountains, Arizona: Tucson, University of Arizona, M.S. Thesis, 140 p.
- Hawkins, D.B., and Mumpton, F.A., 1976, The world of zeolites: *Geotimes*, v. 21, no. 12, p. 25-27.
- Hayes, P.T., 1970, Cretaceous paleogeography of southeastern Arizona and adjacent areas: U.S. Geological Survey Professional Paper 658-B, 42 p.
- Hayes, P.T., 1972, Stratigraphic nomenclature of Cambrian and Ordovician rocks of easternmost southern Arizona and adjacent westernmost New Mexico: U.S. Geological Survey Bulletin 1372-B, 21 p.
- Hayes, P.T., 1978, Cambrian and Ordovician rocks of southeastern Arizona and southwestern New Mexico, in Callender, J.F., Wilt, J.C., Clemons, R.E., and James, H.L., eds., *Land of Cochise, southeastern Arizona: New Mexico Geological Society 29th Field Conference Guidebook*, p. 165-173.
- Hayes, P.T., and Cone, G.C., 1975, Cambrian and Ordovician rocks of southern Arizona and New Mexico and westernmost Texas: U.S. Geological Survey Professional Paper 873, 98 p., 1 sheet.
- Hayes, P.T., and Drewes, H.D., 1968, Mesozoic sedimentary and volcanic rocks of southeastern Arizona, in Titley, S.R., ed., *Southern Arizona Guidebook III: Arizona Geological Society*, p. 49-58.
- Hayes, P.T., and Drewes, H.D., 1978, Mesozoic depositional history of southeastern Arizona, in Callender, J.F., Wilt, J.C., and Clemons, R.E., eds., *Land of Cochise, southeastern Arizona: New Mexico Geological Society 29th Field Conference Guidebook*, p. 201-207.
- Hedlund, D.C., 1990, Geology and mineral deposits of the Steeple Rock and Duncan mining districts, Grant and Hidalgo Counties, New Mexico, and Greenlee County, Arizona: U.S. Geological Survey Open-File Report 90-0239, 27 p.
- Hedlund, D.C., 1990, Preliminary geologic map of the Goat Camp Spring quadrangle, Grant County, New Mexico, and Greenlee County, Arizona: U.S. Geological Survey Open-File Report 90-0490, 1 sheet, scale 1:24,000.
- Hedlund, D.C., 1993, Geologic map of the Tillie Hall Peak quadrangle, Greenlee County, Arizona, and Grant County, New Mexico: U.S. Geological Survey Geologic Quadrangle Map GQ-1715, 1 sheet, scale 1:24,000.
- Heede, B.H., 1976, Equilibrium condition and sediment transport in an ephemeral mountain stream, in Chery, D.L., Jr., ed., *Hydrology and water resources in Arizona and the Southwest*, v. 6: American Water Resources Association, Arizona Section, and Arizona Academy of Science, Hydrology Section, Annual Meeting, Tucson, Ariz., 1976, Proceedings, p. 97-102.
- Heidrick, T.L., 1974, A dynamic model for fracturing and diking in Laramide plutons of Arizona [*abs.*]: *Geological Society of America Abstracts with Programs*, v. 6, no. 5, p. 445-446.
- Heidrick, T.L., and Rehrig, W.A., 1971, Mesoscopic fracturing in nonproductive Laramide stocks and porphyry copper deposits of Arizona, a comparative study [*abs.*]: *Geological Society of America Abstracts with Programs*, v. 3, no. 6, p. 387.
- Heidrick, T.L., and Titley, S.R., 1982, Fracture and dike patterns in Laramide plutons and their structural and tectonic implications, American southwest, in Titley, S.R., ed., *Advances in geology of the porphyry copper deposits, southwestern North America*: Tucson, University of Arizona Press, p. 73-91.
- Heikes, V.C., 1906, Arizona, in Lindgren, W., and others, *Gold and Silver*, in *Mineral Resources of the United States, calendar year 1905*: U.S. Geological Survey (Washington, D.C., Government Printing Office), p. 134-162.
- Heikes, V.C., 1907, Arizona, in Lindgren, W., and others, *Gold and Silver*, in *Mineral Resources of the United States, calendar year 1906*: U.S. Geological Survey (Washington, D.C., Government Printing Office), p. 147-177.
- Heikes, V.C., 1908, Arizona, in *Gold, Silver, Copper, Lead, and Zinc in Western States (mine production)*, in *Mineral Resources of the United States, calendar year 1907, Part I - Metallic Products*: U.S. Geological Survey (Washington, D.C., Government Printing Office), p. 150-187.
- Heikes, V.C., 1909, Arizona, in *Gold, Silver, Copper, Lead, and Zinc in the Western States (mine production)*, in *Mineral Resources of the United States, calendar year 1908, Part I - Metallic Products*: U.S. Geological Survey (Washington, D.C., Government Printing Office), p. 286-313.
- Heikes, V.C., 1910, Arizona, in *Gold, Silver, Copper, Lead, and Zinc in the Western States (mine production)*, in *Mineral Resources of the United States, calendar year 1909, Part I - Metals*: U.S. Geological Survey (Washington, D.C., Government Printing Office), p. 232-259.
- Heikes, V.C., 1911, Arizona, in *Gold, Silver, Copper, Lead, and Zinc in the Western States (mine production)*, in *Mineral Resources of the United States, calendar year 1910, Part I - Metals*: U.S. Geological Survey (Washington, D.C., Government Printing Office), p. 320-347.

- Heikes, V.C., 1912, Arizona, in Gold, Silver, Copper, Lead, and Zinc in the Western States (mine production), in Mineral Resources of the United States, calendar year 1911, Part I - Metals: U.S. Geological Survey (Washington, D.C., Government Printing Office), p. 420-462.
- Heikes, V.C., 1913, Arizona, in Precious and semiprecious metals in the Western States in 1912 (mine production), in Mineral Resources of the United States, calendar year 1912, Part I - Metals: U.S. Geological Survey (Washington, D.C., Government Printing Office), p. 536-568.
- Heikes, V.C., 1914, Gold, silver, copper, lead, and zinc in Arizona, in Mineral Resources of the United States, calendar year 1913, Part I - Metals: U.S. Geological Survey (Washington, D.C., Government Printing Office), p. 673-707.
- Heikes, V.C., 1916, Gold, silver, copper, lead, and zinc in Arizona, in Mineral Resources of the United States, 1914, Part I - Metals: U.S. Geological Survey (Washington, D.C., Government Printing Office), p. 427-475.
- Heikes, V.C., 1917, Gold, silver, copper, lead, and zinc in Arizona, in Mineral Resources of the United States, 1915, Part I - Metals: U.S. Geological Survey (Washington, D.C., Government Printing Office), p. 485-521.
- Heikes, V.C., 1919, Gold, silver, copper, lead, and zinc in Arizona (mines report), in Mineral Resources of the United States, 1916, Part I - Metals: U.S. Geological Survey (Washington, D.C., Government Printing Office), p. 283-319.
- Heikes, V.C., 1921, Gold, silver, copper, lead, and zinc in Arizona, in Mineral Resources of the United States, 1917, Part I - Metals: U.S. Geological Survey (Washington, D.C., Government Printing Office), p. 509-556.
- Heikes, V.C., 1921, Gold, silver, copper, lead, and zinc in Arizona, in Mineral Resources of the United States, 1918, Part I - Metals: U.S. Geological Survey (Washington, D.C., Government Printing Office), p. 329-368.
- Heikes, V.C., 1922, Gold, silver, copper, lead, and zinc in Arizona, in Mineral Resources of the United States, 1919, Part I - Metals: U.S. Geological Survey (Washington, D.C., Government Printing Office), p. 331-371.
- Heikes, V.C., 1922, Gold, silver, copper, lead, and zinc in Arizona, in Mineral Resources of the United States, 1920, Part I - Metals: U.S. Geological Survey (Washington, D.C., Government Printing Office), p. 339-364.
- Heikes, V.C., 1924, Gold, silver, copper, lead, and zinc in Arizona, in Mineral Resources of the United States, 1921, Part I - Metals: U.S. Geological Survey (Washington, D.C., Government Printing Office), p. 311-339.
- Heikes, V.C., 1925, Gold, silver, copper, lead, and zinc in Arizona, in Mineral Resources of the United States, 1922, Part I - Metals: U.S. Geological Survey (Washington, D.C., Government Printing Office), p. 489-518.
- Heikes, V.C., 1927, Gold, silver, copper, and lead in Arizona, in Mineral Resources of the United States, 1924, Part I - Metals: U.S. Geological Survey (Washington, D.C., Government Printing Office), p. 515-548.
- Heikes, V.C., 1927, Gold, silver, copper, lead, and zinc in Arizona, in Mineral Resources of the United States, 1923, Part I - Metals: U.S. Geological Survey (Washington, D.C., Government Printing Office), p. 515-548.
- Heikes, V.C., 1928, Gold, silver, copper, lead, and zinc in Arizona, in Mineral Resources of the United States, 1925, Part I - Metals: U.S. Geological Survey (Washington, D.C., Government Printing Office), p. 563-600.
- Heindl, L.A., 1952, Gila Conglomerate, in Shride, A.F., McKee, E.D., and Harshbarger, J.W., eds., Guidebook for field trip excursions in southern Arizona, Geological Society of America, Cordilleran Section Meeting, April 10-14, 1952, Tucson, Arizona: Arizona Geological Society, p. 112-116.
- Heindl, L.A., 1958, Cenozoic alluvial deposits of the Upper Gila River area, New Mexico and Arizona: Tucson, University of Arizona, Ph.D. dissertation, 249 p.
- Heindl, L.A., 1959, Introduction, in Heindl, L.A., ed., Southern Arizona Guidebook II, combined with the 2nd annual Arizona Geological Society Digest: Arizona Geological Society, p. xx, 1-4.
- Heindl, L.A., 1960, Geology of the lower Bonita Creek area (a preliminary report): Arizona Geological Society Digest, v. 3, p. 35-39.
- Heindl, L.A., 1962, Should the term 'Gila Conglomerate' be abandoned?, in Heindl, L.A., ed., Cenozoic geology of Arizona - a symposium: Arizona Geological Society Digest, v. 5, p. 73-88.
- Heindl, L.A., Anderson, R.Y., Davis, L.V., and Irwin, J.H., comps., 1965, Southwestern arid lands; INQUA, International Association for Quaternary Research, 7th Congress, Guidebook for Field Conference H: Lincoln, Nebraska Academy of Sciences, 109 p.
- Heindl, L.A., and McCullough, R.A., 1961, Geology and the availability of water in the lower Bonita Creek area, Graham County, Arizona: U.S. Geological Survey Water-Supply Paper 1589, 56 p., 2 sheets, scale 1:250,000.
- Hem, J.D., 1950, Quality of water of the Gila River Basin above Coolidge Dam, Arizona: U.S. Geological Survey Water-Supply Paper 1104, 230 p., 2 sheets.
- Hess, F.L., 1921, Molybdenum, in Mineral resources of the United States, 1918, Part I - Metals: U.S. Geological Survey (Washington, D.C., Government Printing Office), p. 795-805.

- Hewett, D.F., and Fleischer, M., 1960, Deposits of the manganese oxides: *Economic Geology*, v. 55, no. 1, p. 1-55.
- Heylman, E.B., 1978, Southeastern Arizona - oil and gas possibilities: *Oil and Gas Journal*, v. 76, July 10, p. 176-177.
- Hicks, C.J., 1979, Molybdenum occurrences in Arizona: Arizona Department of Mineral Resources Mineral Report no. 3, MR-3(79), 37 p.
- Hill, J.M., 1912, The mining districts of the western United States, with a Geologic Introduction by Waldemar Lindgren: U.S. Geological Survey Bulletin 507, 309 p.
- Hill, J.M., 1946, Report on SOM investigations in Arizona (except the Plateau province area): U.S. Atomic Energy Commission Report RMO-26, 98 p., 20 sheets, various scales.
- Hinderlider, M.C., and Swendsen, G.L., 1906, Report of progress of stream measurements for the calendar year 1905 - Part XI. - Colorado River drainage above Yuma: U.S. Geological Survey Water-Supply and Irrigation Paper no. 175, 194 p.
- Hjalmarson, H.W., and Kemna, S.P., 1991, Flood hazards of tributary-flow areas in southwestern Arizona: U.S. Geological Survey Water-Resources Investigations Report 91-4171, 58 p.
- Hollander, J.T., 1960, Geology and aquifer characteristics of the inner-valley alluvium in the Safford Valley, Arizona: *Arizona Geological Society Digest*, v. 3, p. 133-135.
- Hollister, V.F., 1978, Geology of the porphyry copper deposits of the Western Hemisphere: American Institute of Mining, Metallurgical, and Petroleum Engineers, Society of Mining Engineers, 219 p.
- Holloway, J.R., and Cross, C., 1978, The San Carlos alkaline rock association, in Burt, D.M., and Péwé, T.L., eds., *Guidebook to the geology of central Arizona; 74th Cordilleran Section Meeting, Geological Society of America, Arizona State University, Tempe, Arizona: Arizona Bureau of Geology and Mineral Technology Special Paper no. 2*, p. 171-173.
- Holloway, J.R., and Wohletz, K.H., 1978, Field guide [to the San Carlos area], in Burt, D.M., and Péwé, T.L., eds., *Guidebook to the geology of central Arizona; 74th Cordilleran Section Meeting, Geological Society of America, Arizona State University, Tempe, Arizona: Arizona Bureau of Geology and Mineral Technology Special Paper no. 2*, p. 173-176.
- Holm, D.A., 1938, The oil possibilities of Arizona: Arizona State Land Department, 56 p. [reprinted and now available as Arizona Geological Survey Oil and Gas Publication OG-34].
- Holzer, T.L., 1980, Overconsolidation of clastic aquifer systems in areas of man-induced land subsidence [abs.]: *Geological Society of America Abstracts with Programs*, v. 12, no. 7, p. 449.
- Holzer, T.L., 1980, Research at the U.S. Geological Survey on faults and earth fissures associated with land subsidence: *Engineering Geologist (Newsletter of the Engineering Geology Division, Geological Society of America)*, v. 15, no. 3, p. 1-3.
- Holzer, T.L., 1980, Reconnaissance maps of earth fissures and land subsidence, Bowie and Willcox areas, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1156, 2 sheets, scale 1:24,000.
- Holzer, T.L., 1981, Preconsolidation stress of aquifer systems in areas of induced land subsidence: *Water Resources Research*, v. 17, p. 693-704.
- Holzer, T.L., 1984, Ground failure induced by ground-water withdrawal from unconsolidated sediments, in Holzer, T.L., ed., *Man-induced Land Subsidence: Geological Society of America, Reviews in Engineering Geology*, v. 6, p. 67-105.
- Holzer, T.L., 1985, Surface deformation near ground failure associated with ground-water withdrawal [abs.]: *Eos, Transactions, American Geophysical Union*, v. 66, no. 46, p. 850.
- Holzer, T.L., 1986, Ground failure caused by groundwater withdrawal from unconsolidated sediments--United States, in Johnson, A.I., Carbognin, L., and Ubertini, L., eds., *Land subsidence: Proceedings of the Third International Symposium on Land Subsidence held in Venice, Italy, 19-25 March 1984: International Association of Hydrological Sciences (IAHS) Publication no. 151*, p. 747-756.
- Holzer, T.L., and Davis, S.N., 1981, Earth fissures caused by ground-water level declines, Sonoran and Mojave Deserts [abs.]: *Geological Society of America Abstracts with Programs*, v. 13, no. 2, p. 61-62.
- Horsnail, R.F., 1978, Safford district, Graham County, Arizona, in Lovering, R.G., and McCarthy, J.H., Jr., eds., *Conceptual models in exploration geochemistry; the Basin and Range Province of the western United States and northern Mexico: Journal of Geochemical Exploration*, v. 9, no. 2-3, p. 241-243.
- Horton, J.S., 1972, Management problems in phreatophyte and riparian zones: *Journal of Soil and Water Conservation*, v. 27, no. 2, p. 57-61.

- Horton, J.S., and Campbell, C.J., 1974, Management of phreatophyte and riparian vegetation for maximum multiple use values: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Research Paper RM-117, 23 p.
- House, P.K., and Hirschboeck, K.K., 1995, Hydroclimatological and paleohydrological context of extreme winter flooding in Arizona, 1993: Arizona Geological Survey Open-File Report 95-12, 27 p.
- Houser, B.B., 1990, Day one: Late Cenozoic stratigraphy and tectonics of the Safford Basin, southeastern Arizona, in Late Cenozoic stratigraphy and tectonics of the Safford, Tonto, and Payson Basins, southeastern and central Arizona, in Gehrels, G.E., and Spencer, J.E., eds., Geologic excursions through the Sonoran Desert Region, Arizona and Sonora, Geological Society of America, Cordilleran section, 86th Annual Meeting, Tucson Ariz., March 14-16, 1990, Field-Trip Guidebook: Arizona Geological Survey Special Paper 7, p. 20-24.
- Houser, B.B., Richter, D.H., and Shafiqullah, M., 1985, Geologic map of the Safford quadrangle, Graham County, Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1617, 1 sheet, scale 1:48,000.
- Howard, K.A., 1991, Intrusion of horizontal dikes: Tectonic significance of Middle Proterozoic diabase sheets widespread in the upper crust of the southwestern United States: Journal of Geophysical Research, v. 96, no. B7, p. 12,461-12,478.
- Huang, Lin, and Clayton, R.N., 1995, Nitrogen abundance and its isotopic composition in the mantle xenoliths ---- Preliminary results [abs.]: Eos, Transactions, American Geophysical Union, v. 76, no. 46, p. F641.
- Huddle, J.W., and Dobrovlny, E., 1952, Devonian and Mississippian rocks of central Arizona: U.S. Geological Survey Professional Paper 233-D, p. 67-112.
- Humble Geochemical Services, 1995, Geochemical analysis of the 1-Alpine Federal well: Arizona Geological Survey Contributed Report CR-95-A, 47 p.
- Hummer-Miller, S., and Knepper, D.H., Jr., 1990, Geophysics - remote sensing, in Peterson, J.A., ed., Preliminary mineral resource assessment of the Tucson and Nogales 1° by 2° quadrangles, Arizona: U.S. Geological Survey Open-File Report 90-0276, p. 57-64.
- Hutton, C.O., 1959, Occurrence of pseudomalachite at Safford, Arizona: American Mineralogist, v. 44, nos. 11/12, p. 1298-1301.
- Irving, A.J., 1980, Petrology and geochemistry of composite ultramafic xenoliths in alkalic basalts and implications for magmatic processes within the mantle: American Journal of Science, v. 280-A, p. 389-426.
- Irving, A.J., 1984, Trace element abundances in megacrysts and their host basalts - Constraints on partition coefficients and megacryst genesis: Geochimica et Cosmochimica Acta, v. 48, no. 6, p. 1201-1221.
- Izett, G.A., 1981, Volcanic ash beds: Recorders of upper Cenozoic silicic pyroclastic volcanism in the western United States: Journal of Geophysical Research, v. 86, no. B11, p. 10200-10222.
- Jamison, K., 1983, The depositional environment and petrographic analysis of the Lower Cretaceous Morita Formation, Bisbee Group, southeastern Arizona and northern Sonora, Mexico: Tucson, University of Arizona, M.S. thesis, 157 p.
- Jenness, J.E., Lopez, D.A., and LaFortune, J.R., comps., 1984, Map showing outcrops of pre-Quaternary ash-flow tuffs and volcanoclastic rocks, Basin and Range Province, Arizona: U.S. Geological Survey Water-Resources Investigations Report 83-4114-F, 16 p., 2 sheets, scale 1:500,000.
- Johannessen and Girard Consulting Engineers, Inc., 1981, Feasibility study for geothermal water space heating for the Safford Federal Prison Camp, Safford, Arizona: Arizona Bureau of Geology and Mineral Technology Open-File Report 81-27, 55 p.
- Johnson, B.D., 1978, Genetic stratigraphy and provenance of the Baca Formation, New Mexico and the Eagar Formation, Arizona: Austin, University of Texas, M.A. thesis, 150 p.
- Johnson, B.D., 1978, Genetic stratigraphy and provenance of Baca Formation of New Mexico and Eagar Formation of Arizona [abs.]: American Association of Petroleum Geologists Bulletin, v. 62, no. 3, p. 526.
- Johnson, J.W., 1982, State conditions, fluid flux, and solution-mineral equilibria during skarn formation in porphyry copper systems: Tucson, University of Arizona, M.S. prepublication manuscript, 48 p.
- Johnson, M.G., 1972, Placer gold deposits of Arizona: U.S. Geological Survey Bulletin 1355, 103 p., 1 sheet.
- Johnson, W.D., Jr., and Scarborough, R.B., comps., 1984, Map showing outcrops of granitic rocks, Basin and Range Province, Arizona: U.S. Geological Survey Water-Resources Investigations Report 83-4114-D, 33 p., 2 sheets, scale 1:500,000.
- Jones, E.L., Jr., and Ransome, F.L., 1920, Deposits of manganese ore in Arizona, in Contributions to economic geology, 1919; Pt. 1, Metals and nonmetals except fuels: U.S. Geological Survey Bulletin 710-D, p. 93-184.

- Jones, G.M., 1990, Mineral resources, with appendix - List of mines and prospects, in Peterson, J.A., ed., Preliminary mineral resource assessment of the Tucson and Nogales 1° by 2° quadrangles, Arizona: U.S. Geological Survey Open-File Report 90-0276, p. 68-129.
- Jones, J.E., 1977, Calculation of evapotranspiration using color-infrared photography - Gila River Phreatophyte Project: U.S. Geological Survey Professional Paper 655-O, 45 p.
- Jones, R.A., 1986, Arizona water supply outlook and federal-state-private cooperative snow surveys: U.S. Department of Agriculture, Soil Conservation Service.
- Jones, S.M., and Bacheller, W.D., 1953, Measured sections near Dos Cabezas, Arizona, in Kottowski, F.E., ed., Guidebook of southwestern New Mexico: New Mexico Geological Society 4th Field Conference Guidebook, p. 149.
- Joseph, P.E., 1915-16, Molybdenum - Second edition: Arizona Bureau of Mines Bulletin no. 5, 15 p.
- Joseph, P.E., 1915-16, Manganese: Arizona Bureau of Mines Bulletin no. 4, 14 p.
- Joseph, P.E., 1916, Copper: Arizona Bureau of Mines Bulletin no. 37, 14 p.
- Kaiser, E.P., Herring, B.F., and Rabbitt, J.C., 1954, Minor elements in some rocks, ores, and mill and smelter products: U.S. Geological Survey, U.S. Atomic Energy Commission, Trace Elements Investigation Report TEI-415, 119 p.
- Kalliokoski, J., Langford, F.F., and Ojakangas, R.W., 1978, Criteria for uranium occurrences in Saskatchewan and Australia as guides to favorability for similiar deposits in the United States (Study of uranium in Proterozoic metamorphic rocks): U.S. Department of Energy Report GJBX-114(78), 480 p.
- Karlstrom, K.E., and Bowring, S.A., 1988, Early Proterozoic assembly of tectonostratigraphic terranes in southwestern North America: *Journal of Geology*, v. 96, no. 5, p. 561-576.
- Karlstrom, K.E., and Bowring, S.A., 1991, Styles and timing of Early Proterozoic deformation in Arizona: Constraints on tectonic models, in Karlstrom, K.E., ed., Proterozoic geology and ore deposits of Arizona: Arizona Geological Society Digest 19, p. 1-10.
- Keane, John, 1991, Managing water supply variability: The Salt River Project, in Managing water resources in the west under conditions of climate uncertainty, Colloquium, Scottsdale, Arizona, November 14-16, 1990, Proceedings: Washington, D.C., National Academy Press, p. 303-323.
- Keith, S.J., Paylore, Patricia, DeCook, K.J., and Wilson, L.G., 1982, Bibliography on ground-water recharge in arid and semiarid areas: Tucson, University of Arizona, Water Resources Research Center, 149 p.
- Keith, Stanley B., 1979, The great southwestern Arizona overthrust oil and gas play: Arizona Bureau of Geology and Mineral Technology Fieldnotes, v. 9, no. 1, p. 10-14.
- Keith, Stanley B., Schnabel, L., DeWitt, E., Gest, D.E., and Wilt, J.C., 1983, Map, description and bibliography of the mineralized areas of the Basin and Range province in Arizona: U.S. Geological Survey Open-File Report 84-0086, 129 p., 1 sheet, scale 1:500,000.
- Keith, Stanley B., and Swan, M.M., 1995, Tectonic setting, petrology, and genesis of the Laramide porphyry copper cluster of Arizona, Sonora, and New Mexico, in Pierce, F.W., and Bolm, J.G., eds., Porphyry copper deposits of the American Cordillera: Arizona Geological Society Digest 20, p. 339-346.
- Keith, Stanley B., and Wilt, J.C., 1978, Supplemental road log no. 3, Tucson to Lordsburg via Interstate 10, in Callender, J.F., Wilt, J.C., Clemons, R.E., and James, H.L., eds., Land of Cochise, southeastern Arizona: New Mexico Geological Society 29th Field Conference Guidebook, p. 112-124.
- Keith, Stanton B., 1969, Pumice and pumicite, in Mineral and water resources of Arizona: Arizona Bureau of Mines Bulletin 180, p. 407-412.
- Keith, Stanton B., 1969, Gypsum and anhydrite, in Mineral and water resources of Arizona: Arizona Bureau of Mines Bulletin 180, p. 371-382.
- Keith, Stanton B., 1973, Index of mining properties in Cochise County, Arizona: Arizona Bureau of Mines Bulletin 187, 98 p. [reprinted 1985, Arizona Bureau of Geology and Mineral Technology].
- Kemna, S.P., 1990, Some geomorphic models of flood hazards on distributary flow areas in southern Arizona: Tucson, University of Arizona, M.S. thesis, 171 p.
- Keyes, Charles, 1934, Medley of Apache Group in Arizona: *Pan-American Geologist*, v. 61, no. 4, p. 302-306.
- King, R.U., 1969, Molybdenum and rhenium, in Mineral and water resources of Arizona: Arizona Bureau of Mines Bulletin 180, p. 230-238.
- King, R.U., 1970, Molybdenum in the United States, exclusive of Alaska and Hawaii: U.S. Geological Survey Mineral Investigations Resource Map MR-55, 21 p., scale 1:3,168,000.

- Kipple, F.P., 1977, The hydrologic history of the San Carlos Reservoir, Arizona, 1929-71, with particular reference to evapotranspiration and sedimentation - Gila River Phreatophyte Project: U.S. Geological Survey Professional Paper 655-N, 40 p.
- Kirdar, Edib, 1975, Arizona's frozen assets, volumetric forecasts from snowpack, in Arizona Watershed Symposium, 19th annual, Phoenix, September 24, 1975, Proceedings: Arizona Water Commission Report No. 7, p. 37-38.
- Kirdar, Edib, Schumann, H.H., and Warskow, W.L., 1977, The application of aerial and satellite snow-mapping techniques for multi-purpose reservoir system operations in Arizona, in 45th Annual Meeting, Western Snow Conference, April 18-21, 1977, Albuquerque, New Mexico: Western Snow Conference, p. 95-101.
- Klein, D., Long, C., Christopherson, K., and Boler, F., 1980, Reconnaissance geophysics in the Clifton and Gillard geothermal areas, SE Arizona: U.S. Geological Survey Open-File Report 80-0325, 21 p.
- Klein, D.P., 1984, Geophysical maps of the Gila-San Francisco Wilderness Study Area, Graham and Greenlee Counties, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1315-C, 1 sheet, scale 1:62,500.
- Klein, D.P., 1987, Aeromagnetic map of the Silver City 1° x 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1310-D, 1 sheet, scale 1:250,000.
- Klemic, H., 1969, Iron, in Mineral and water resources of Arizona: Arizona Bureau of Mines Bulletin 180, p. 168-182.
- Kligfield, R., Crespi, J., Naruk, S., and Davis, G.H., 1984, Displacement and strain patterns of extensional orogens: Tectonics, v. 3, no. 5, p. 577-609.
- Klute, M.A., 1987, Tectonic significance of sandstone petrofacies within the Bisbee Basin of southeastern Arizona, in Dickinson, W.R., and Klute, M.A., eds., Mesozoic rocks of southern Arizona and adjacent areas: Arizona Geological Society Digest, v. 18, p. 263-272.
- Klute, M.A., 1991, Sedimentology, sandstone petrofacies, and tectonic setting of the late Mesozoic Bisbee Basin, southeastern Arizona: Tucson, University of Arizona, Ph.D. dissertation, 268 p.
- Kluth, C.F., 1980, Pinaleno - Santa Teresa Mountains - Geology, in Coney, P.J., and Reynolds, S.J., Cordilleran metamorphic core complexes and their uranium favorability, with contributions by G.H. Davis, S.B. Keith, P.F. Trevor, S.H. Lingrey, C.F. Kluth, D.C. Ferris, J.F. Dubois, and J.J. Hardy: U.S. Department of Energy Report GJBX-258(80), p. 586-588.
- Knechtel, M.M., 1936, Geologic relations of the Gila Conglomerate in southeastern Arizona: American Journal of Science, 5th ser., v. 31, no. 182, p. 81-92.
- Knechtel, M.M., 1938, Geology and ground-water resources of the valley of Gila River and San Simon Creek, Graham County, Arizona, with a section on the Chemical character of the ground water by E.W. Lohr, in Contributions to the Hydrology of the United States, 1937: U.S. Geological Survey Water-Supply Paper 796-F, p. 181-222, 2 sheets, scale 1:96,000.
- Koester, E.A., 1971, Salt domes in Arizona: Arizona Oil and Gas Conservation Commission Geological Report no. 1, 23 p.
- Koester, E.A., 1972, New light on petroleum possibilities of the Basin and Range Province, Arizona [*abs.*]: American Association of Petroleum Geologists Bulletin, v. 56, no. 3, p. 633.
- Koester, E.A., and Conley, J.N., 1972, Well location map, Cochise County, Arizona: Arizona Oil and Gas Conservation Commission, County Well Location Map 4, 1 sheet, scale 1:500,000 [superseded by Koester, E.A., Conley, J.N., and Rauzi, S.L., 1995, Arizona Geological Survey Oil and Gas Publication OG-6].
- Koester, E.A., and Conley, J.N., 1972, Well location map, Pinal County, Arizona: Arizona Oil and Gas Conservation Commission, County Well Location Map 3, 1 sheet, scale 1:500,000 [superseded by Koester, E.A., Conley, J.N., and Rauzi, S.L., 1995, Arizona Geological Survey Oil and Gas Publication OG-5].
- Koester, E.A., Conley, J.N., and Rauzi, S.L., 1995, Well location map, Cochise County, Arizona - wells posted to January 1995: Arizona Geological Survey Oil and Gas Publication OG-6, 1 sheet, scale 1:500,000.
- Koester, E.A., Conley, J.N., and Rauzi, S.L., 1995, Well location map, Pinal County, Arizona - wells posted to January 1995: Arizona Geological Survey Oil and Gas Publication OG-5, 1 sheet, scale 1:500,000.
- Koller, G.R., 1980, Mesa NTMS 1° x 2° quadrangle area, supplemental data report, hydrogeochemical and stream sediment reconnaissance: U.S. Department of Energy Report GJBX-81(80), 61 p., 5 microfiche.
- Konieczki, A.D., and Wilson, R.P., 1992, Annual summary of groundwater conditions in Arizona, Spring 1986 to Spring 1987: U.S. Geological Survey Open-File Report 92-0054, 2 sheets, scale 1:1,000,000.

- Koschmann, A.H., and Bergendahl, M.H., 1968, Principal gold-producing districts of the United States: U.S. Geological Survey Professional Paper 610, 283 p.
- Koseluk, R.A., Elliott, W.C., and Ulmer, G.C., 1979, Gas inclusions and  $f_{O_2}$ -T data for olivines from San Carlos, Arizona [*abs.*]: Eos, Transactions, American Geophysical Union, v. 60, p. 419.
- Kottlowski, F.E., 1953, Third day's road log; Silver City, New Mexico to Dos Cabezas, Arizona, in Kottlowski, F.E., ed., Guidebook of southwestern New Mexico: New Mexico Geological Society 4th Field Conference Guidebook, p. 83-105.
- Kottlowski, F.E., and Havenor, K.C., 1962, Pennsylvanian rocks of the Mogollon Rim area, Arizona, in Weber, R.H., and Peirce, H.W., eds., Guidebook of the Mogollon Rim region, east-central Arizona: New Mexico Geological Society 13th Field Conference Guidebook, p. 77-83.
- Krieger, M.H., 1968, Stratigraphic relations of the Troy Quartzite (younger Precambrian) and the Cambrian formations in southeastern Arizona, in Titley, S.R., ed., Southern Arizona Guidebook III: Arizona Geological Society, p. 22-32.
- Kruger, J.M., 1991, Seismic crustal structure beneath the Safford Basin and Pinaleno Mountains: Implications for Cenozoic extension and metamorphic core complex uplift in SE Arizona: Tucson, University of Arizona, Ph.D. dissertation, 158 p.
- Kruger, J.M., and Johnson, R.A., 1994, Raft model of crustal extension: Evidence from seismic reflection data in southeast Arizona: *Geology*, v. 22, no. 4, p. 351-354.
- Kruger, J.M., Johnson, R.A., and Houser, B.B., 1994, Late Cenozoic half-graben evolution, detachment faulting and late stage core complex uplift from reflection seismic data in the Safford Basin of SE Arizona [*abs.*]: Geological Society of America Abstracts with Programs, v. 26, no. 7, p. A.219.
- Krumbein, W.C., and Nagel, F.G., 1953, Regional stratigraphic analysis of 'Upper Cretaceous' rocks of Rocky Mountain region: American Association of Petroleum Geologists Bulletin, v. 37, no. 5, p. 940-960.
- Krumbein, W.C., and Nagel, F.G., 1974, Regional stratigraphic analysis of 'Upper Cretaceous' rocks of Rocky Mountain region, in Braunstein, J., comp., Facies and the reconstruction of environments: American Association of Petroleum Geologists, Reprint Series no. 10, p. 80-100.
- Kuck, P.H., 1978, The behavior of molybdenum, tungsten, and titanium in the porphyry copper environment: University of Arizona Ph.D. dissertation, 277 p.
- Kumke, C.A., 1947, Sullivan copper mine, Cochise County, Arizona: U.S. Bureau of Mines Report of Investigations R.I. 4015, 4 p.
- Lachenbruch, A.H., and Sass, J.H., 1978, Models of an extending lithosphere and heat flow in the Basin and Range province, in Smith, R.B., and Eaton, G.P., eds., Cenozoic tectonics and regional geophysics of the western Cordillera: Geological Society of America Memoir 152, p. 209-250.
- Lachenbruch, A.H., and Sass, J.H., 1981, Heat flow and its implications for tectonics and volcanism in the Basin and Range Province [*abs.*], in Howard, K.A., Carr, M.D., and Miller, D.M., eds., Tectonic framework of the Mohave and Sonoran Deserts, California and Arizona: U.S. Geological Survey Open-File Report 81-0503, p. 56-58.
- Laine, R.P., 1974, Geological-geochemical relationships between porphyry copper and porphyry molybdenum ore deposits: Tucson, University of Arizona, Ph.D. dissertation, 326 p.
- Lance, J.F., 1959, Precambrian rocks of southeast Arizona, in Heindl, L.A., ed., Southern Arizona Guidebook II, combined with the 2nd annual Arizona Geological Society Digest: Arizona Geological Society, p. 12-15.
- Lance, J.F., 1960, Stratigraphic and structural position of Cenozoic fossil localities in Arizona: Arizona Geological Society Digest, v. 3, p. 155-159.
- Laney, R.L., 1977, Effects of phreatophyte removal on water quality in the Gila River Phreatophyte Project area, Graham County, Arizona, with a section on statistical analysis by Hjalmarson, H.W.: U.S. Geological Survey Professional Paper 655-M, 23 p., 2 sheets, scale 1:24,000.
- Lang, J.R., 1991, Isotopic and geochemical characteristics of Laramide igneous rocks in Arizona: Tucson, University of Arizona, Ph.D. dissertation, 142 p.
- Langbein, W.B., Hains, C.H., and Culler, R.C., 1951, Hydrology of stock-water reservoirs in Arizona: U.S. Geological Survey Circular 110, 18 p.
- Langer, W.H., Mulvihill, D.A., and Anderson, T.W., 1983, Maps showing ground-water levels, springs, and depth to ground water, Basin and Range Province, Arizona: U.S. Geological Survey Water-Resources Investigations Report 83-4114-B, 2 sheets, scale 1:500,000.

- Langton, J.M., 1971, Ore genesis in the Morenci-Metcalf district [*abs.*]: *Economic Geology*, v. 66, no. 8, p. 1268.
- Langton, J.M., 1973, Ore genesis in the Morenci-Metcalf district: American Institute of Mining, Metallurgical, and Petroleum Engineers, Society of Mining Engineers, Transactions, v. 254, p. 247-257.
- Langton, J.M., and Williams, S.A., 1982, Structural, petrological and mineralogical controls for the Dos Pobres ore body, Lone Star mining district, Graham County, Arizona, in Titley, S.R., ed., *Advances in geology of the porphyry copper deposits, southwestern North America*: Tucson, University of Arizona Press, p. 335-352.
- Lapham, M.C., and Neill, N.P., 1904, Soil survey of the Solomonsville area, Arizona: U.S. Department of Agriculture, Bureau of Soils (advance sheets, field operations of the Bureau of Soils, 1903), 30 p., 1 sheet, scale 1:65,000.
- Latta, J.S., IV, 1983, Geochemistry and petrology of the ash flows of Chiricahua National Monument, Arizona, and their relation to the Turkey Creek caldera: Tucson, University of Arizona, M.S. thesis, 194 p.
- Laughlin, A.W., Manzer, G.K., Jr., and Carden, J.R., 1974, Feldspar megacrysts in alkali basalts: *Geological Society of America Bulletin*, v. 85, no. 3, p. 413-416.
- Lausen, Carl, 1927, The occurrence of olivine bombs near Globe, Arizona: *American Journal of Science*, 5th ser., v. 14, p. 293-306.
- Lee, D.E., 1984, Analytical data for a suite of granitoid rocks from the Basin and Range Province: U.S. Geological Survey Bulletin 1602, 54 p.
- Leeman, W.P., 1970, The isotopic composition of strontium in late-Cenozoic basalts from the Basin-Range province, western United States: *Geochimica et Cosmochimica Acta*, v. 34, no. 8, p. 857-872.
- Lemmon, D.M., and Tweto, O.L., 1962, Tungsten in the United States exclusive of Alaska and Hawaii: U.S. Geological Survey Mineral Investigations Resource Map MR-25, 25 p., 1 sheet, scale 1:3,168,000.
- LeMone, D.V., 1959, Devonian stratigraphy of Cochise, Pima, Santa Cruz Counties, Arizona, and Hidalgo County, New Mexico: Tucson, University of Arizona, M.S. thesis, 108 p.
- Lepley, L.K., and Doss, A.K., 1975, Use of Earth Resources Technology Satellite - aeromagnetic, gravity, and thermal data for mapping potential geothermal resources [*abs.*]: *American Association of Petroleum Geologists Bulletin*, v. 59, no. 5, p. 915.
- Lepley, Larry, Abrams, M.J., and Readdy, Leigh, 1984, Safford, Arizona, porphyry copper test site report, Sect. 6, in Paley, H.N., ed., *The joint NASA/Geosat test case project, Final report, Part 2, v. 1*: American Association of Petroleum Geologists, p. 6.1-6.95.
- Levings, G.W., and Mann, L.J., 1980, Maps showing ground-water conditions in the upper Verde River area, Yavapai and Coconino Counties, Arizona - 1978: U.S. Geological Survey Water-Resources Investigations Open-File Report WRI 80-0726, 2 sheets, scale 1:125,000.
- Lindberg, F.A., 1982, Cretaceous sedimentary geology of the Rucker Canyon area, Cochise County, Arizona: Tucson, University of Arizona, M.S. prepublication manuscript, 61 p.
- Lindberg, F.A., 1987, Cretaceous sedimentary geology of the Rucker Canyon area, Cochise County, Arizona, in Dickinson, W.R., and Klute, M.A., eds., *Mesozoic rocks of southern Arizona and adjacent areas*: *Arizona Geological Society Digest*, v. 18, p. 283-299.
- Lindgren, Waldemar, 1905, The copper deposits of the Clifton-Morenci district, Arizona: U.S. Geological Survey Professional Paper 43, 375 p., 1 sheet, scale 1:62,500.
- Lindgren, Waldemar, 1905, Description of the Clifton quadrangle: U.S. Geological Survey, *Geologic Atlas of the United States*, Folio no. 129, 14 p., scale 1:62,500.
- Lindsay, E.H., 1978, Late Cenozoic vertebrate faunas, southeastern Arizona, in Callender, J.F., Wilt, J.C., Clemons, R.E., and James, H.L., eds., *Land of Cochise, southeastern Arizona*: New Mexico Geological Society 29th Field Conference Guidebook, p. 269-275.
- Lindsay, E.H., Opdyke, N.D., and Johnson, N.M., 1987, Late Cenozoic deposits, vertebrate faunas, and magnetostratigraphy of southeastern Arizona, in Davis, G.H., and VandenDolder, E.M., eds., *Geologic diversity of Arizona and its margins: Excursions to choice areas; Field-trip guidebook, 100th Annual Meeting, The Geological Society of America, Phoenix, Arizona, October 26-29, 1987*: Arizona Bureau of Geology and Mineral Technology Special Paper 5, p. 227-237.
- Lindsay, E.H., and Tessman, N.T., 1974, Cenozoic vertebrate localities and faunas in Arizona: *Arizona Academy of Science, Journal*, v. 9, no. 1, p. 3-24.
- Lines, H.L., 1940, Mining and milling methods and costs at the Ash Peak mine of the Veta Mines, Inc., Duncan, Arizona: U.S. Bureau of Mines Information Circular I.C. 7119, 26 p.

- Lipman, P.W., 1984, The roots of ash flow calderas in western North America: Windows into the tops of granitic batholiths: *Journal of Geophysical Research*, v. 89, no. B10, p. 8801-8841.
- Lipman, P.W., 1992, Ash-flow calderas as structural controls of ore deposits--Recent work and future problems, Chapter L, in Thorman, C.H., ed., *Application of structural geology to mineral and energy resources of the central and western United States: U.S. Geological Survey Bulletin* 2012, p. L1-L12.
- Lipman, P.W., and Sawyer, D.A., 1985, Mesozoic ash-flow caldera fragments in southeastern Arizona and their relation to porphyry copper deposits: *Geology*, v. 13, no. 9, p. 652-656.
- Lipman, P.W., and Sawyer, D.A., 1986, Reply to Comment (by R.C. Erickson) on 'Mesozoic ash-flow caldera fragments in southeastern Arizona and their relation to porphyry copper deposits' by P.W. Lipman and D.A. Sawyer: *Geology*, v. 14, no. 6, p. 540-541.
- Livaccari, R.F., and Perry, F.V., 1993, Isotopic evidence for preservation of Cordilleran lithospheric mantle during the Sevier-Laramide orogeny, western United States: *Geology*, v. 21, no. 8, p. 719-722.
- Livingston, D.E., 1973, A plate tectonic hypothesis for the genesis of porphyry copper deposits of the southern Basin and Range Province: *Earth and Planetary Science Letters*, v. 20, p. 171-179.
- Livingston, D.E., Mauger, R.L., and Damon, P.E., 1968, Geochronology of the emplacement, enrichment, and preservation of Arizona porphyry copper deposits: *Economic Geology*, v. 63, no. 1, p. 30-36.
- Long, K.B., 1994, Timing of mylonite formation, metamorphism, plutonism, detachment faulting, and basin formation in the Pinaleno-Jackson Mountain core complex, SE Arizona: University of Arizona M.S. prepublication manuscript, 25 p.
- Long, K.B., Baldwin, S.L., and Gehrels, G.E., 1995, Tectonothermal evolution of the Pinaleno-Jackson Mountain core complex, southeast Arizona: *Geological Society of America Bulletin*, v. 107, no. 10, p. 1231-1240.
- Long, K.R., 1995, Production and reserves of Cordilleran (Alaska to Chile) porphyry copper deposits, in Pierce, F.W., and Bolm, J.G., eds., *Porphyry copper deposits of the American Cordillera: Arizona Geological Society Digest* 20, p. 35-68.
- Loring, A.K., 1976, The age of basin-range faulting in Arizona, in Wilt, J.C., and Jenney, J.P., eds., *Tectonic digest: Arizona Geological Society Digest*, v. 10, p. 229-257.
- Lowell, J.D., 1974, Regional characteristics of porphyry copper deposits of the Southwest: *Economic Geology*, v. 69, no. 5, p. 601-617.
- Lowell, J.D., 1978, Thirty-year evolution of porphyry copper exploration in southwest USA; Part 2, Case histories of discoveries, in Jenney, J.P., and Hauck, H.R., eds., *Proceedings of the Porphyry Copper Symposium, Tucson, Ariz., March 18-20, 1976: Arizona Geological Society Digest*, v. 11, p. 175-178.
- Lowell, J.D., 1988, Gold mineralization in porphyry copper deposits: *Society of Mining Engineers, Inc., Preprint* 88-117, 17 p.
- Lowell, J.D., 1988, Gold mineralization in porphyry copper deposits discussed: *Mining Engineering*, v. 41, p. 227-231.
- Lowell, J.D., and Guilbert, J.M., 1970, Lateral and vertical alteration-mineralization zoning in porphyry ore deposits: *Economic Geology*, v. 65, no. 4, p. 373-408.
- Luning, R.H., Thiede, D.S., O'Neill, A.J., Nystrom, R.J., and White, D.L., 1982, National Uranium Resource Evaluation, Mesa quadrangle, Arizona: U.S. Department of Energy Report PGJ/F-032(82), 84 p., 4 microfiche, 20 sheets.
- Lynch, D.J., 1972, Reconnaissance geology of the Bernardino Volcanic Field, Cochise County, Arizona: Tucson, University of Arizona, M.S. thesis, 78 p.
- Lynch, D.J., 1976, Basalt eruptions in the Bernardino volcanic field of southeastern Arizona [*abs.*]: *Geological Society of America Abstracts with Programs*, v. 8, p. 604-605.
- Lynch, D.J., 1978, The mountains of fire, part I, southern Arizona: *Arizona Highways*, v. 54, p. 6-23.
- Lynch, D.J., 1978, The San Bernardino volcanic field of southeastern Arizona, in Callender, J.F., Wilt, J.C., Clemons, R.E., and James, H.L., eds., *Land of Cochise, southeastern Arizona: New Mexico Geological Society 29th Field Conference Guidebook*, p. 261-268.
- Lynch, D.J., 1989, Neogene volcanism in Arizona: The recognizable volcanoes, in Jenney, J.P., and Reynolds, S.J., eds., *Geologic evolution of Arizona: Arizona Geological Society Digest* 17, p. 681-700.
- Machette, M.N., Personius, S.F., Menges, C.M., and Pearthree, P.A., 1986, Map showing Quaternary and Pliocene faults in the Silver City 1° x 2° quadrangle and the Douglas 1° x 2° quadrangle, southeastern Arizona and southwestern New Mexico: U.S. Geological Survey Miscellaneous Field Studies Map MF-1465-C, 20 p., 1 sheet, scale 1:250,000.

- Magleby, D.N., and Mead, W.E., 1955, Airborne reconnaissance project, Dripping Spring Quartzite, Arizona: U.S. Atomic Energy Commission Report RME-2023, 17 p., 5 sheets.
- Mann, L.J., 1978, Water use may double in Apache County, in Geological Survey research 1978: U.S. Geological Survey Professional Paper 1100, p. 126.
- Mann, L.J., 1980, Maps showing hydrologic conditions in the San Francisco River area, Greenlee County, Arizona, 1978, a reconnaissance study: U.S. Geological Survey Water-Resources Investigations Open-File Report WRI 80-0441, 2 sheets, scale 1:125,000.
- Mann, L.J., and Nemecek, E.A., 1983, Geohydrology and water use in southern Apache County, Arizona: Arizona Department of Water Resources Bulletin 1, 86 p., 5 sheets, scales 1:250,000 and 1:500,000.
- Mann, L.J., White, N.D., and Wilson, R.P., 1978, Maps showing ground-water conditions in the Willcox area, Cochise and Graham Counties, Arizona - 1975: U.S. Geological Survey Water-Resources Investigations Open-File Report WRI 78-0060, 3 sheets, scale 1:125,000.
- Marjaniemi, D.K., 1968, Tertiary volcanism in the northern Chiricahua Mountains, Cochise County, Arizona, in Tittley, S.R., ed., Southern Arizona Guidebook III: Arizona Geological Society, p. 209-214.
- Marjaniemi, D.K., 1969, Geologic history of an ash-flow sequence and its source area in the Basin and Range province of southeastern Arizona: Tucson, University of Arizona, Ph.D. dissertation, 176 p., 2 sheets, scale 1:125,000.
- Marlowe, J.I., 1960, Diatremes and a ring intrusion on the San Carlos Indian Reservation: Arizona Geological Society Digest, v. 3, p. 150-154.
- Marlowe, J.I., 1960, Late Cenozoic geology of the lower Safford Valley -- A preliminary report: Arizona Geological Society Digest, v. 3, p. 127-129.
- Marlowe, J.I., 1961, Late Cenozoic geology of the lower Safford Basin on the San Carlos Indian Reservation, Arizona: Tucson, University of Arizona, Ph.D. dissertation, 184 p.
- Marsh, D.B., 1971, Magnetic terrain effects: University of Arizona M.S. thesis, 69 p.
- Martin, R.A., 1981, Geophysical surveys of the Hells Hole Further Planning Area (RARE II), Greenlee County, Arizona, and Grant County, New Mexico: U.S. Geological Survey Miscellaneous Field Studies Map MF-1344-B, scale 1:62,500.
- Martin, R.O.R., and Hanson, R.L., 1966, Reservoirs in the United States: U.S. Geological Survey Water-Supply Paper 1838, 115 p.
- Marvin, R.F., Mehnert, H.H., and Naeser, C.W., 1988, U.S. Geological Survey radiometric ages - Compilation 'C': Part two: Arizona and New Mexico: Isochron/West, no. 51, p. 5-13.
- Marvin, R.F., Naeser, C.W., Bikerman, M., Mehnert, H.H., and Ratté, J.C., 1987, Isotopic ages of post-Paleocene igneous rocks within and bordering the Clifton 1° x 2° quadrangle, Arizona--New Mexico: New Mexico Bureau of Mines and Mineral Resources Bulletin 118, 63 p., 1 sheet.
- Marvin, R.F., Naeser, C.W., and Mehnert, H.H., 1978, Tabulation of radiometric ages--including unpublished K-Ar and fission-track ages--for rocks in southeastern Arizona and southwestern New Mexico, in Callender, J.F., Wilt, J.C., and Clemons, R.E., eds., Land of Cochise, southeastern Arizona: New Mexico Geological Society 29th Field Conference Guidebook, p. 243-252.
- Marvin, R.F., Stern, T.W., Creasey, S.C., and Mehnert, H.H., 1973, Radiometric ages of igneous rocks from Pima, Santa Cruz, and Cochise Counties, southeastern Arizona: U.S. Geological Survey Bulletin 1379, 27 p.
- Mason, Brian, 1968, Kaersutite from San Carlos, Arizona, with comments on the paragenesis of this mineral: Mineralogical Magazine, v. 36, no. 283, p. 997-1002.
- Mathias, W.F., 1960, Detrital mineral studies of some Cenozoic sediments, Safford Valley, Arizona: Tucson, University of Arizona, M.S. thesis, 39 p.
- Matthews, D.A., 1995, Modeling winter storms over Arizona, final report, Volume II, Appendix A: Users guide for the Arizona airflow and microphysics model, prepared for Arizona Department of Water Resources under IGA-0-AG-30-08290: Denver, U.S. Bureau of Reclamation Report R-95-11, 80 p. [available from the National Technical Information Service, Springfield, VA, 22161, as PB96-106745].
- Matthews, D.A., and Medina, J.G., 1995, Modeling winter storms over arizona, final report, Volume I, prepared for Arizona Department of Water Resources under IGA-0-AG-30-08290: Denver, U.S. Bureau of Reclamation Report R-95-11, 85 p. [available from the National Technical Information Service, Springfield, VA, 22161, as PB96-106752].

- May, R.T., Smith, E.S., Dickson, R.E., and Nystrom, R.J., 1982, National Uranium Resource Evaluation, Douglas quadrangle, Arizona and New Mexico: U.S. Department of Energy Report PGJ/F-118(82), 78 p., 4 microfiche, 22 sheets, scale 1:250,000.
- Mayer, Larry, 1978, Lexicon of geologic names of southern Arizona, in Callender, J.F., Wilt, J.C., Clemons, R.E., and James, H.L., eds., Land of Cochise, southeastern Arizona: New Mexico Geological Society 29th Field Conference Guidebook, p. 143-155.
- Mayer, Larry, 1986, Topographic constraints on models of lithospheric stretching of the Basin and Range Province, western United States, in Mayer, L., ed., Extensional Tectonics of the southwestern United States: A perspective on processes and kinematics: Geological Society of America Special Paper 208, p. 1-14.
- Mayo, E.B., 1959, Volcanic geology of the northern Chiricahua Mountains, in Heindl, L.A., ed., Southern Arizona Guidebook II, combined with the 2nd annual Arizona Geological Society Digest: Arizona Geological Society, p. 134-138.
- Mayo, E.B., and Pye, W.D., 1959, General geology of southeastern Arizona, Trip V, road log, in Heindl, L.A., ed., Southern Arizona Guidebook II, combined with the 2nd annual Arizona Geological Society Digest: Arizona Geological Society, p. 227-251.
- McCandless, T.E., and Ruiz, J., 1993, Rhenium-osmium evidence for regional mineralization in southwestern North America: Science, v. 261, p. 1282-1286.
- McCaslin, J.C., 1971, Arizona surprises may outdo Dineh bi Keyah: Oil and Gas Journal, v. 69, Oct. 4, p. 135.
- McCaslin, J.C., 1978, Big Arizona lease play promises wildcats: Oil and Gas Journal, v. 76, no. 32, p. 137.
- McCord, R.D., II, 1994, Fossil tortoises of Arizona, in Boaz, Debra, Dornan, Michael, and Bolander, Susan, eds., Proceedings of the Fossils of Arizona Symposium, Volume II, November 19, 1994: Mesa, Ariz., Mesa Southwest Museum, and Southwest Paleontological Society, p. 83-89.
- McGuire, A.V., Dyar, M.D., and Ward, K.A., 1989, Neglected Fe<sup>3+</sup>/Fe<sup>2+</sup> ratios -- A study of Fe<sup>3+</sup> content of megacrysts from alkali basalts: Geology, v. 17, no. 8, p. 687-690.
- McIntosh, W.C., Chapin, C.E., Ratté, J.C., and Sutter, J.F., 1992, Time-stratigraphic framework for the Eocene-Oligocene Mogollon-Datil volcanic field, southwest New Mexico: Geological Society of America Bulletin, v. 104, no. 7, p. 851-871.
- McIntosh, W.C., Geissman, J.W., Chapin, C.E., Kunk, M.J., and Henry, C.D., 1992, Calibration of the latest Eocene-Oligocene geomagnetic polarity time scale using <sup>40</sup>Ar/<sup>39</sup>Ar dated ignimbrites: Geology, v. 20, no. 5, p. 459-463.
- McIntosh, W.C., Kedzie, L.L., and Sutter, J.F., 1991, Paleomagnetism and <sup>40</sup>Ar/<sup>39</sup>Ar ages of ignimbrites, Mogollon-Datil volcanic field, southwestern New Mexico: New Mexico Bureau of Mines and Mineral Resources Bulletin 135, 79 p.
- McKee, E.H., and Silberman, M.L., 1975, Cenozoic igneous history of the southern Cordillera south of 42 degrees N. [abs.]: Geological Society of America Abstracts with Programs, v. 7, no. 7, p. 1196-1197.
- McLemore, V.T., 1993, Geology and geochemistry of the Steeple Rock district, Grant County, New Mexico, and Greenlee County, Arizona: El Paso, University of Texas, Ph.D. dissertation, 499 p.
- McLemore, V.T., 1994, Volcanic-epithermal deposits in the Mogollon-Datil Volcanic Field, west-central New Mexico, in Chamberlin, R.M., Kues, B.S., Cather, S.M., Barker, J.M., and McIntosh, W.C., eds., Mogollon Slope, west-central New Mexico and east-central Arizona: New Mexico Geological Society 45th Field Conference Guidebook, p. 299-309.
- McQueen, I.S., and Miller, R.F., 1972, Soil-moisture and energy relationships associated with riparian vegetation near San Carlos, Arizona: U.S. Geological Survey Professional Paper 655-E, 51 p.
- Mead, W.E., and Wells, R.L., 1953, Preliminary reconnaissance of the Dripping Spring Quartzite Formation in Gila and Pinal Counties, Arizona: U.S. Atomic Energy Commission Report RME-4037, 9 p., 1 sheet.
- Meeves, H.C., 1966, Nonpegmatitic beryllium occurrences in Arizona, Colorado, New Mexico, Utah, and four adjacent states: U.S. Bureau of Mines Report of Investigations R.I. 6828, 68 p.
- Melchiorre, E.B., 1994, Geology of the Enebro Mountain area, Greenlee County, Arizona: Arizona Geological Survey Contributed Map CM-94-A, 1 sheet, scale 1:10,600.
- Melton, M.A., 1960, Origin of the drainage of southeastern Arizona: Arizona Geological Society Digest, v. 3, p. 113-122.
- Melton, M.A., 1965, The geomorphic and paleoclimatic significance of alluvial deposits in southern Arizona: Journal of Geology, v. 73, no. 1, p. 1-38.

- Menzies, M.A., and Hawkesworth, C.J., 1987, Upper mantle processes and composition, in Nixon, P.H., ed., *Mantle xenoliths*: New York, Wiley-Interscience, p. 725-738.
- Merrill, R.K., 1984, Development of the landscape in east-central Arizona, in Smiley, T.L., Nations, J.D., Péwé, T.L., and Schafer, J.P., eds., *Landscapes of Arizona - The geological story*: Lanham, Md., University Press of America, p. 137-149.
- Meyer, W.J., 1977, Regional cementation patterns in Mississippian limestones of southern New Mexico and Arizona [*abs.*]: *American Association of Petroleum Geologists Bulletin*, v. 61, no. 5, p. 813.
- Michel, Jacqueline, and Jordana, M.J., 1987, Nationwide distribution of Ra-228, Ra-226, Rn-222, and U in groundwater, in Graves, Barbara, ed., *Radon, radium and other radioactivity in ground water - Hydrogeologic impact and application to indoor airborne contamination*: Lewis Publishers, p. 227-240.
- Mielke, J.E., 1964, Trace element investigation of the 'Turkey Track' porphyry, southeastern Arizona: *Arizona Geological Society Digest*, v. 7, p. 87-96.
- Mielke, J.E., 1965, Trace element investigation of the 'Turkey Track' porphyry, southeastern Arizona: Tucson, University of Arizona, M.S. thesis, 91 p.
- Miller, M.L., 1970, General soil map, Apache County, Arizona: U.S. Department of Agriculture, Soil Conservation Service, 12 p., 2 sheets, scale 1:500,000.
- Miller, M.L., and Larsen, Kermit, 1975, Soil survey of Apache County, Arizona, central part: U.S. Department of Agriculture, Soil Conservation Service, 82 p., 103 sheets, scale 1:31,680.
- Miller, R.D., and Weathers, G., 1953, [*Mineral Park area, Dos Cabezas district*]: U.S. Atomic Energy Commission Preliminary Reconnaissance Report, File A-P-74, 1 p. [also available in U.S. Atomic Energy Commission Report RME-154, p. 84].
- Mining Reporter, 1906, Revival of gold mining in Clifton-Morenci district, Arizona: *Mining Reporter*, v. 53, no. 16, p. 386-388.
- Mining World, 1948, Arizona, in *Precipitates--Southwest*: *Mining World* [San Francisco], v. 10, no. 12, November 1948, p. 74, 76, 78.
- Mining World, 1960, Kennecott sinks shaft to develop Safford copper deposits: *Mining World* [San Francisco], v. 22, no. 10, p. 29.
- Mining World, 1961, Phelps Dodge pays \$3,500,000 for 299 Arizona copper claims: *Mining World* [San Francisco], v. 23, no. 2, p. 19.
- Mitcham, T.W., 1978, Structural reconnaissance of the southwest porphyry copper province, in Jenney, J.P., and Hauck, H.R., eds., *Proceedings of the Porphyry Copper Symposium*, Tucson, Ariz., March 18-20, 1976: *Arizona Geological Society Digest*, v. 11, p. 93-98.
- Molenaar, C.M., 1983, Major depositional cycles and regional correlations of Upper Cretaceous rocks, southern Colorado Plateau and adjacent areas, in Reynolds, M.W., and Dolly, E.D., eds., *Mesozoic paleogeography of the west-central United States - Rocky Mountain Paleogeography Symposium 2*, Denver, Colo., 1983: *Society of Economic Paleontologists and Society of Economic Paleontologists and Mineralogists, Rocky Mountain Section*, Denver, Colo., p. 201-224.
- Mondale, K.D., Mumpton, F.A., and Aplan, F.F., 1976, Beneficiation of zeolite from Bowie, Arizona [*abs.*], in Sand, L.B., Sheppard, R.A., Haughan, D.E.W., Breck, D.W., and Kastner, M. (Program and Publication Committee), *Zeolite '76, an international conference on the occurrence, properties, and utilization of natural zeolites*, Tucson, Arizona, June 6 to 14, 1976, Program and Abstracts: Brockport, N.Y., State University College, p. 49.
- Moodie, K.B., and Van Devender, T.H., 1974, Pleistocene turtles from the Whetlock [*sic*] oil well locality, Graham County, Arizona [*abs.*]: *Arizona Academy of Science, Journal*, v. 9, 1974 Proceedings Supplement, p. 35.
- Moodie, K.B., and Van Devender, T.R., 1978, Fossil box turtles (genus *Terrapene*) from southern Arizona: *Herpetologica*, v. 32, p. 172-174.
- Moolick, R.T., and Durek, J.J., 1966, The Morenci district, in Tittley, S.R., and Hicks, C.L., eds., *Geology of the porphyry copper deposits, southwestern North America*: Tucson, University of Arizona Press, p. 221-231.
- Moore, Darrell, and Barrick, J.E., 1988, Upper Devonian-Lower Mississippian conodont biostratigraphy and depositional patterns, southwestern New Mexico and southeastern Arizona: *New Mexico Geology* [New Mexico Bureau of Mines and Mineral Resources], v. 10, no. 2, p. 25-32.
- Moore, R.T., 1962, Geologic cross-sections, Section 7, in Moore, R.T., and Wilson, E.D., *Geologic cross-sections of Arizona*: Arizona Bureau of Mines, 1 sheet [now available as Arizona Geological Survey Map M-7-3].

- Moore, R.T., 1969, Gold, in Mineral and water resources of Arizona: Arizona Bureau of Mines Bulletin 180, p. 156-167.
- Moore, R.T., 1969, Cobalt and nickel, in Mineral and water resources of Arizona: Arizona Bureau of Mines Bulletin 180, p. 114-117.
- Moore, R.T., 1969, Beryllium, in Mineral and water resources of Arizona: Arizona Bureau of Mines Bulletin 180, p. 102-113.
- Moore, R.T., 1969, Lead and zinc, in Mineral and water resources of Arizona: Arizona Bureau of Mines Bulletin 180, p. 182-205.
- Moore, R.T., and Roseveare, G.H., 1969, Silver, in Mineral and water resources of Arizona: Arizona Bureau of Mines Bulletin 180, p. 251-270.
- Moore, R.T., and Roseveare, G.H., [1952?], History of mining in Graham County, Arizona: Arizona Bureau of Mines, unpublished manuscript, 23 p.
- Moore, R.T., and Vuich, J.S., 1977, An evaluation of the olivine resources of the San Carlos Apache Indian Reservation and recommendations for potential development: Arizona Bureau of Mines, unpublished manuscript, 26 p.
- Morgan, Paul, Sass, J.H., Grubb, F.V., and Williams, C.F., 1995, Heat flow and Cenozoic geodynamics [*sic*] of the southwestern Colorado Plateau [*abs.*]: Eos, Transactions, American Geophysical Union, v. 76, no. 46, p. F619.
- Morrison, R.B., 1965, Geologic map of the Duncan and Canador Peak quadrangles, Arizona and New Mexico [*Round Mtn., Duncan, Whitlock Peak, and Hot Well 7.5 min*]: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-442, 7 p., 1 sheet, scale 1:48,000.
- Morrison, R.B., 1975, Tucson 1° x 2° quadrangle, ease of excavation and potential erodibility, phases 4 and 5: Arizona Bureau of Geology and Mineral Technology Open-File Report 83-03, 3 p., 1 sheet, scale 1:250,000.
- Morrison, R.B., 1991, Quaternary geology of the southern Basin and Range province, in Morrison, R.B., ed., Quaternary nonglacial geology: Conterminous U.S.: Geological Society of America, The Geology of North America, v. K-2, p. 353-371.
- Morrison, R.B., and Cooley, M.E., 1973, Assessment of flood damage in Arizona by means of ERTS-1 imagery, in Freden, S.C., Mercanti, E.P., and Becker, M.A., eds., Symposium on significant results obtained from the Earth Resources Technology Satellite-1 - Vol. I: Technical presentations, Section A: U.S. National Aeronautics and Space Administration Special Publication 327, p. 755-760.
- Morrison, R.B., and Cooley, M.E., 1973, Application of ERTS-1 multispectral imagery to monitoring the present episode of accelerated erosion in southern Arizona, in Freden, S.C., Mercanti, E.P., and Becker, M.A., eds., Symposium on significant results obtained from the Earth Resources Technology Satellite-1 - Vol. I: Technical presentations, Section A: U.S. National Aeronautics and Space Administration Special Publication 327, p. 283-290.
- Morrison, R.B., and White, P.G., 1976, Monitoring flood inundation, in Williams, R.S., and Carter, W.D., eds., ERTS-1, A new window on our planet: U.S. Geological Survey Professional Paper 929, p. 196-208.
- Moss, C.K., and Abrams, G.A., 1985, Geophysical maps of the North End Roadless Area, Cochise County, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1412-C, 2 sheets, scale 1:50,000.
- Mouat, D.A., Miller, D.A., and Foster, K.E., 1976, The use of remote sensing imagery for environmental land use and flood hazard mapping: Journal of Environmental Sciences, v. 19, no. 3, p. 19-26.
- Moulton, D.L., 1992, DRASTIC analysis of the potential for groundwater pollution in Pinal County, Arizona, with a fissures study by Steven Slaff: Arizona Geological Survey Open-File Report 92-13, 67 p., 11 sheets, scale 1:250,000.
- Mullens, R.L., 1967, Stratigraphy and environment of the Toroweap Formation (Permian) north of Ashfork, Arizona: Tucson, University of Arizona, M.S. thesis, 101 p.
- Muller, A.B., 1973, Salinity problems of the Safford Valley, an interdisciplinary analysis, in Boster, R.S., ed., Hydrology and water resources in Arizona and the Southwest, v. 3: American Water Resources Association, Arizona Section, and Arizona Academy of Science, Hydrology Section, Annual Meeting, Tucson, Ariz., 1973, Proceedings, p. 136-144.
- Muller, A.B., Battaile, J.F., Bond, L.A., and Lamson, P.W., 1973, An analysis of the water quality problems of the Safford Valley, Arizona: University of Arizona, Department of Hydrology, Technical Reports on Natural Resource Systems, Report no. 15, 126 p.
- Muller, A.B., 1978, Determination of the basement complex configuration in the Safford Valley, Arizona, by Bouguer gravity anomaly techniques: Arizona-Nevada Academy of Science, Journal, v. 13, no. 1, p. 3-6.

- Myers, G.M., 1983, Tungsten occurrences in Arizona and their possible relationship to metallogenesis: Tucson, University of Arizona, M.S. thesis, 96 p., 10 sheets.
- Naruk, S.J., 1983, Calculation of shear strain and translation values from mylonitic gneiss in a metamorphic core complex: Tucson, University of Arizona, M.S. prepublication manuscript, 79 p., scale 1:365,000.
- Naruk, S.J., 1986, Strain and displacement across the Pinaleno Mountains shear zone, Arizona, U.S.A.: *Journal of Structural Geology*, v. 8, no. 1, p. 35-46.
- Naruk, S.J., 1987, Kinematic significance of mylonitic foliation: University of Arizona Ph.D. dissertation, 72 p.
- Naruk, S.J., 1987, Displacement calculations across a metamorphic core complex mylonite zone: Pinaleno Mountains, southeastern Arizona: *Geology*, v. 15, no. 7, p. 656-660.
- Naruk, S.J., and Bykerk-Kauffman, A., 1990, Late Cretaceous and Tertiary deformation of the Santa Catalina metamorphic core complex, Arizona, in Gehrels, G.E., and Spencer, J.E., eds., *Geologic excursions through the Sonoran Desert Region, Arizona and Sonora*, Geological Society of America, Cordilleran section, 86th Annual Meeting, Tucson Ariz., March 14-16, 1990, Field-Trip Guidebook: Arizona Geological Survey Special Paper 7, p. 41-50.
- National Weather Service, 1981, The disastrous southern California and central Arizona floods, and mudslides of February 1980, A report to the Administrator: U.S. Department of Commerce, National Oceanic and Atmospheric Administration Natural Disaster Survey Report NWS-81-1, 134 p. [available from the National Technical Information Service, Springfield, VA, 22161, as PB82-185406].
- Nations, J.D., 1989, Cretaceous history of northeastern and east-central Arizona, in Jenney, J.P., and Reynolds, S.J., eds., *Geologic evolution of Arizona: Arizona Geological Society Digest* 17, p. 435-446.
- Nations, J.D., 1993, Stratigraphy, depositional environments and paleontology of Late Cretaceous rocks of northeastern and east-central Arizona, in Boaz, Debra, and Dornan, Michael, eds., *Proceedings of the First Annual Symposium, Fossils of Arizona: Mesa, Ariz., Mesa Southwest Museum, and Southwest Paleontological Society*, p. 46-62.
- Nations, J.D., and Landye, J.J., 1974, Cenozoic plant and animal fossils of Arizona [*and Appendix A-D*], in Smiley, T.L., Nations, J.D., Péwé, T.L., and Schafer, J.P., eds., *Landscapes of Arizona - The geological story*: Lanham, Md., University Press of America, p. 7-35, 428-479.
- Nations, J.D., Landye, J.J., and Hevly, R.H., 1982, Location and chronology of Tertiary sedimentary deposits in Arizona: A review, in Ingersoll, R.V., and Woodburne, M.O., eds., *Cenozoic nonmarine deposits of California and Arizona: Society of Economic Paleontologists and Mineralogists, Pacific Section, Los Angeles, Calif.*, p. 107-122.
- Nations, J.D., and Lindsay, Everett, 1976, Pleistocene Equus from Salt River terrace gravels, Phoenix, Arizona: *Arizona-Nevada Academy of Science, Journal*, v. 11, no. 1, p. 27-28.
- Nealey, L.D., and Sheridan, M.F., 1989, Post-Laramide volcanic rocks of Arizona and northern Sonora, Mexico, and their inclusions, in Jenney, J.P., and Reynolds, S.J., eds., *Geologic evolution of Arizona: Arizona Geological Society Digest* 17, p. 609-647.
- Newberry, R.J., and Einaudi, M.T., 1981, Tectonic and geochemical setting of tungsten skarn mineralization in the Cordillera, in Dickinson, W.R., and Payne, W.D., eds., *Relations of tectonics to ore deposits in the southern Cordillera: Arizona Geological Society Digest*, v. 14, p. 99-111.
- Newlin, C.W., 1980, Central Arizona water control study, in *Arizona Water Symposium, 23rd and 24th annual*, Phoenix, September 27, 1979, and September 24, 1980, *Proceedings: Arizona Department of Water Resources Report No. 2*, p. 59-61 [available for inspection at Tucson, University of Arizona Library, Special Collections].
- Nielson, J.E., 1987, Evolution of the lower lithosphere near the California-Arizona crustal transect: Evidence from xenoliths [*abs.*]: *Geological Society of America Abstracts with Programs*, v. 19, no. 17, p. 789.
- Niemuth, N.J., 1982, The primary copper industry of Arizona in 1981: Arizona Department of Mineral Resources Special Report no. 5, SR-5, 48 p.
- Norby, R.D., 1971, Conodont biostratigraphy of the Mississippian rocks of southeastern Arizona: Tempe, Arizona State University, M.S. thesis, 195 p., 7 sheets.
- Norton, D.L., 1982, Fluid and heat transport phenomena typical of copper-bearing pluton environments, southeastern Arizona, in Tittley, S.R., ed., *Advances in geology of the porphyry copper deposits, southwestern North America*: Tucson, University of Arizona Press, p. 59-72.
- Norton, D.L., Gerlach, T., DeCook, K.J., and Sumner, J. S., 1975, Geothermal water resources in Arizona: Feasibility study - Project Completion Report, OWRT project no. A-054-ARIZ: Tucson, University of Arizona, Water Resources Research Center, 50 p., 3 sheets, scale 1:1,000,000.

- Norton, D.L., Titley, S.R., Gerlach, T., and Knight, J., 1975, Hydrothermal systems notebook: Tucson, University of Arizona, Department of Geosciences, 173 p.
- O'Haire, R.T., 1975, Arizona turquoise: Fieldnotes [Arizona Bureau of Mines], v. 5, no. 2, p. 4-5, 8.
- O'Neill, A.J., and Thiede, D.S., 1982, National Uranium Resource Evaluation, Silver City Quadrangle, New Mexico and Arizona: U.S. Department of Energy Report PGJ/F-131(82), 87 p., 14 microfiche, 18 sheets, scales 1:12,000, 1:24,000, 1:500,000.
- Okaya, D.A., and Frost, E.G., 1987, Three-dimensional geometry of regional seismic character terranes derived from seismic reflection profiles, Colorado Plateau to Salton Trough crustal transect [*abs.*]: Geological Society of America Abstracts with Programs, v. 19, no. 7, p. 793.
- Oppenheimer, J.M., 1980, Gravity modeling of the alluvial basins, southern Arizona: Tucson, University of Arizona, M.S. thesis, 81 p.
- Oppenheimer, J.M., and Sumner, J.S., 1980, Depth-to-bedrock map, Basin and Range province, Arizona: Tucson, University of Arizona, Department of Geosciences, Laboratory of Geophysics, 1 sheet, scale 1:1,000,000.
- Oppenheimer, J.M., and Sumner, J.S., 1981, Gravity modeling of the basins in the Basin and Range province, Arizona: Arizona Geological Society Digest, v. 13, p. 111-115, 1 sheet, scale 1:1,000,000.
- Osborn, H.B., 1984, Estimating precipitation in mountainous regions: Journal of Hydraulic Engineering, v. 110, no. 10, p. 1859-1863.
- Owen, J.R., and Shown, L.M., 1973, Interpretation; Apollo 9 photography of parts of southern Arizona and southern New Mexico: U.S. Geological Survey Open-File Report 73-0215, 16 p., scale 1:650,000.
- Packard, F.A., 1955, Stratigraphy of the Upper Mississippian Paradise Formation of southeastern Arizona and southwestern New Mexico: Madison, University of Wisconsin, M.S. thesis.
- Paige, Sidney, 1909, Marble prospects in the Chiricahua Mountains, Arizona, in Contributions to economic geology, 1908; pt. I, metals and nonmetals except fuels: U.S. Geological Survey Bulletin 380, p. 299-311.
- Pallister, J.S., comp., 1989, Excursion 7A: From silicic calderas to mantle nodules: Cretaceous to Quaternary volcanism, southern Basin and Range province, Arizona and New Mexico, in Chapin, C.E., and Zidek, J., eds., Field excursions to volcanic terranes in the western United States, Volume I: Southern Rocky Mountain region, IAVCEI General Assembly, Santa Fe, New Mexico, USA, June 25 - July 1, 1989: New Mexico Bureau of Mines and Mineral Resources Memoir 46, p. 121-185.
- Pallister, J.S., and du Bray, E.A., 1989, Field guide to volcanic and plutonic features of the Turkey Creek caldera, Chiricahua Mountains, southeast Arizona, in Pallister, J.S., comp., Excursion 7A: From silicic calderas to mantle nodules: Cretaceous to Quaternary volcanism, southern Basin and Range province, Arizona and New Mexico, in Chapin, C.E., and Zidek, J., eds., Field excursions to volcanic terranes in the western United States, Volume I: Southern Rocky Mountain region, IAVCEI General Assembly, Santa Fe, New Mexico, USA, June 25 - July 1, 1989: New Mexico Bureau of Mines and Mineral Resources Memoir 46, p. 138-152.
- Pallister, J.S., and du Bray, E.A., 1992, Geologic map of the Fife Peak quadrangle, Cochise County, Arizona: U.S. Geological Survey Open-File Report 92-0242, 9 p., 2 sheets, scale 1:24,000.
- Pallister, J.S., and du Bray, E.A., 1994, Geologic map of the Fife Peak quadrangle, Cochise County, Arizona: U.S. Geological Survey Geologic Quadrangle Map GQ-1708, 1 sheet, scale 1:24,000.
- Pallister, J.S., du Bray, E.A., and Latta, J.S., IV, 1992, Geologic map of the Rustler Park quadrangle, southeast Arizona: U.S. Geological Survey Open-File Report 92-0241, 21 p., 5 sheets, scale 1:24,000.
- Pallister, J.S., du Bray, E.A., and Latta, J.S., IV, 1994, Geologic map of the Rustler Park quadrangle, Cochise County, Arizona: U.S. Geological Survey Geologic Quadrangle Map GQ-1696, 1 sheet, scale 1:24,000.
- Pallister, J.S., du Bray, E.A., Rosenbaum, J.G., Snee, L.W., and Yager, D.B., 1990, Calderas in 3-D, Chiricahua Mountains, southeastern Arizona, in Gehrels, G.E., and Spencer, J.E., eds., Geologic excursions through the Sonoran Desert Region, Arizona and Sonora, Geological Society of America, Cordilleran section, 86th Annual Meeting, Tucson Ariz., March 14-16, 1990, Field-Trip Guidebook: Arizona Geological Survey Special Paper 7, p. 31-40.
- Papke, K.G., 1952, Geology and ore deposits of the eastern portion of the Hilltop mine area, Cochise County, Arizona: Tucson, University of Arizona, M.S. thesis, 99 p.
- Park, D.M., Culler, R.C., and Turner, R.M., 1978, Management of flood-plain vegetation, 1967 to 1972, San Carlos Indian Reservation, Arizona: U.S. Geological Survey Open-File Report 78-0412, 82 p.
- Parker, C.F., 1949, The Verde River, parts I and II: Arizona Highways, v. 25, no. 10, p. 16-25; v. 25, no. 11, p. 10-15.

- Parker, R.L., 1969, Niobium and tantalum, in Mineral and water resources of Arizona: Arizona Bureau of Mines Bulletin 180, p. 238-242.
- Parsons, A.B., 1933, The porphyry coppers: American Institute of Mining and Metallurgical Engineers, 581 p.
- Parsons, A.B., 1957, The porphyry coppers in 1956: American Institute of Mining, Metallurgical, and Petroleum Engineers, 270 p.
- Pasteris, J.D., 1987, Fluid inclusions in mantle xenoliths, in Nixon, P.H., ed., Mantle xenoliths: New York, Wiley-Interscience, p. 691-707.
- Pawlowski, M.R., 1994, Regional geology of the Morenci area [*abs.*], in SME, 1994 Annual Meeting and Exhibit, February 14-17, Albuquerque, New Mexico, Program and abstracts: Society for Mining, Metallurgy, and Exploration, Inc., p. 47.
- Pay Dirt, 1984, Studies indicate Arizona has tremendous deposits of salt: Pay Dirt, no. 538, April 1984, p. 5A-6A.
- Peale, A.C., 1886, Lists and analyses of the mineral springs of the United States [a preliminary study]: U.S. Geological Survey Bulletin 32, 235 p.
- Pearthree, P.A., 1986, Late Quaternary faulting and seismic hazard in southeastern Arizona and adjacent portions of New Mexico and Sonora, Mexico: Arizona Bureau of Geology and Mineral Technology Open-File Report 86-08, 20 p.
- Pearthree, P.A., McKittrick, M.A., Jackson, G.W., and Demsey, K.A., 1988, Geologic map of Quaternary and upper Tertiary deposits, Tucson 1° x 2° quadrangle, Arizona: Arizona Geological Survey Open-File Report 88-21, 1 sheet, scale 1:250,000.
- Peirce, H.W., 1969, Tin, in Mineral and water resources of Arizona: Arizona Bureau of Mines Bulletin 180, p. 270-271.
- Peirce, H.W., 1969, Gem materials, in Mineral and water resources of Arizona: Arizona Bureau of Mines Bulletin 180, p. 357-364.
- Peirce, H.W., 1969, Perlite, in Mineral and water resources of Arizona: Arizona Bureau of Mines Bulletin 180, p. 403-407.
- Peirce, H.W., 1969, Diatomite, in Mineral and water resources of Arizona: Arizona Bureau of Mines Bulletin 180, p. 337-342.
- Peirce, H.W., 1969, Salines, in Mineral and water resources of Arizona: Arizona Bureau of Mines Bulletin 180, p. 417-424.
- Peirce, H.W., 1981, Major Arizona salt deposits: Fieldnotes [Arizona Bureau of Geology and Mineral Technology], v. 11, no. 4, p. 1-5.
- Peirce, H.W., 1983, Earth materials evaluation, Arizona RARE II areas: Arizona Bureau of Geology and Mineral Technology Open-File Report 83-13, 23 p.
- Peirce, H.W., 1984, Some late Cenozoic basins and basin deposits of southern and western Arizona, in Smiley, T.L., Nations, J.D., Péwé, T.L., and Schafer, J.P., eds., Landscapes of Arizona - The geological story: Lanham, Md., University Press of America, p. 207-227.
- Peirce, H.W., 1984, The Mogollon escarpment: Fieldnotes [Arizona Bureau of Geology and Mineral Technology], v. 14, no. 2, p. 8-11.
- Peirce, H.W., 1985, Arizona's backbone: The Transition Zone: Fieldnotes [Arizona Bureau of Geology and Mineral Technology], v. 15, no. 3, p. 1-6.
- Peirce, H.W., Damon, P.E., and Shafiqullah, M., 1978, 'Plateau uplift' in Arizona--A conceptual review [*abs.*], in Papers presented to the Conference on Plateau Uplift: Mode and Mechanism, A Lunar and Planetary Institute Topical Conference: Houston, Lunar and Planetary Institute, LPI Contribution 329, p. 37-39.
- Peirce, H.W., Damon, P.E., and Shafiqullah, M., 1979, An Oligocene(?) Colorado Plateau edge in Arizona: Tectonophysics, v. 61, no. 1, p. 1-24.
- Peirce, H.W., and Garcia, M.M., 1983, Asbestos - Toward a perspective: Fieldnotes [Arizona Bureau of Geology and Mineral Technology], v. 13, no. 1, p. 1-9.
- Peirce, H.W., Jones, Nile, and Rogers, Ralph, 1977, A survey of uranium favorability of Paleozoic rocks in the Mogollon Rim and Slope region--east central Arizona: Arizona Bureau of Geology and Mineral Technology Circular 19, 71 p.
- Peirce, H.W., Keith, S.B., and Wilt, J.C., 1970, Coal, oil, natural gas, helium, and uranium in Arizona: Arizona Bureau of Mines Bulletin 182, 289 p., 19 sheets, scales 1:300,000, 1:500,000, 1:1,000,000, 1:2,500,000 [reprinted 1975].

- Peirce, H.W., and Wilt, J.C., 1970, Coal, in Peirce, H.W., Keith, S.B., and Wilt, J.C., Coal, oil, natural gas, helium, and uranium in Arizona: Arizona Bureau of Mines Bulletin 182, p. 11-41.
- Perry, F.V., Baldrige, W.S., and DePaolo, D.J., 1987, The role of asthenosphere and lithosphere in the genesis of late Cenozoic basaltic rocks from the Rio Grande Rift and adjacent regions of the southwestern United States: *Journal of Geophysical Research*, v. 92, no. B9, p. 9193-9213.
- Petar, A.V., 1932, Molybdenum: U.S. Bureau of Mines Economic Paper 15, 38 p.
- Peterson, Jocelyn A., ed., 1990, Preliminary mineral resource assessment of the Tucson and Nogales 1° by 2° quadrangles, Arizona: U.S. Geological Survey Open-File Report 90-0276, 134 p., 24 sheets, scale 1:250,000.
- Peterson, Jocelyn A., Bergquist, J.R., Reynolds, S.J., and Page-Nedell, S.S., 1990, Geology, in Peterson, J.A., ed., Preliminary mineral resource assessment of the Tucson and Nogales 1° by 2° quadrangles, Arizona: U.S. Geological Survey Open-File Report 90-0276, p. 8-18.
- Peterson, Jocelyn A., Page-Nedell, S.S., and Bergquist, J.R., 1984, Map showing mineral-resource potential of U.S. Forest Service and Bureau of Land Management Wilderness Study Areas in Arizona: U.S. Geological Survey Open-File Report 84-0408, 14 p., 1 sheet, scale 1:1,000,000.
- Péwé, T.L., 1974, Department of Geology, Arizona State University, in *Geology at Arizona's universities: Fieldnotes [Arizona Bureau of Mines]*, v. 4, no. 4, p. 2, 5-7, 10.
- Phoenix Geophysics, Inc., 1981, Report on the reconnaissance resistivity and VLF-EM surveys of the Safford Valley area, Graham County, Arizona: Arizona Bureau of Geology and Mineral Technology Open-File Report 81-23, 22 p., 15 sheets, scale 1:65,000.
- Pike, W.S., Jr., 1947, Intertonguing marine and nonmarine Upper Cretaceous deposits of New Mexico, Arizona, and southwestern Colorado: *Geological Society of America Memoir* 24, 103 p., 3 sheets, scale 1:500,000.
- Pine, G.L., 1968, Devonian stratigraphy and paleogeography in Gila, Graham, Greenlee, and Pinal counties, Arizona: Tucson, University of Arizona, Ph.D. dissertation, 305 p.
- Ponce, D.A., 1990, Geophysics - gravity and magnetic methods, in Peterson, J.A., ed., Preliminary mineral resource assessment of the Tucson and Nogales 1° by 2° quadrangles, Arizona: U.S. Geological Survey Open-File Report 90-0276, p. 41-56.
- Pool, D.R., 1984, Aquifer geology of alluvial basins of Arizona, in Repogle, J.A., and Renard, K.G., eds., *Water today and tomorrow, Specialty Conference, Irrigation and Drainage Division of the American Society of Civil Engineers, Flagstaff, Arizona, July 24-26, 1984, Proceedings: American Society of Civil Engineers*, p. 683-690.
- Pool, D.R., 1986, Aquifer geology of alluvial basins of Arizona, in Anderson, T.W., and Johnson, A.I., eds., *Regional aquifer systems of the United States - southwest alluvial basins of Arizona: Bethesda, Md., American Water Resources Association Monograph Series no. 7*, p. 25-36.
- Potter, G.M., Ipsen, A.O., and Wells, R.R., 1946, Concentration of manganese ores from Gila, Greenlee, and Graham Counties, Arizona: U.S. Bureau of Mines Report of Investigations 3842, 12 p.
- Poulson, E.N., and Stromberg, L.K., 1950, Soil survey of the Duncan area, Arizona-New Mexico: U.S. Department of Agriculture, and University of Arizona, Agricultural Experiment Station, series 1941, no. 1, 48 p., 2 sheets, scale 1:16,000.
- Poulson, E.N., and Youngs, F.O., 1938, Soil survey of the upper Gila Valley area, Arizona: U.S. Department of Agriculture, and University of Arizona, Agricultural Experiment Station, series 1933, no. 15, 41 p., 1 sheet, scale 1:62,500.
- Powers, R.S., 1976, Geology of the Summit Mountains and vicinity, Grant County, New Mexico and Greenlee County, Arizona: Houston, Tex., University of Houston, M.S. thesis, 107 p., 4 sheets, scale 1:62,500.
- Preece, R.K., III, 1986, Intrusive-hosted alteration and mineralization within the Morenci porphyry copper deposit, Arizona [abs.]: *Geological Society of America Abstracts with Programs*, v. 18, no. 6, p. 722.
- Prinz, Martin, and Nehru, C.E., 1969, Comments on 'Kaersutite from San Carlos, Arizona, with comments on the paragenesis of this mineral' by Brian Mason: *Mineralogical Magazine*, v. 37, no. 287, p. 333-337.
- Pye, W.D., 1959, Catalog of principal sedimentary formation names in southern Arizona and northern Sonora, in Heindl, L.A., ed., *Southern Arizona Guidebook II, combined with the 2nd annual Arizona Geological Society Digest: Arizona Geological Society*, p. 274-281.
- Pye, W.D., 1960, Preliminary petrographic study of some Cretaceous coals in Arizona: *Arizona Geological Society Digest*, v. 3, p. 109-110.
- Quick J.D., 1976, Contact alteration and mineralization of stratified rocks in southeastern Arizona: University of Arizona M.S. thesis, 183 p.

- Rabb, D.D., and Vuich, J.S., 1975, San Carlos Indian Reservation Peridot Mine, Inspection Report B75-2: Arizona Bureau of Mines, unpublished manuscript, 14 p.
- Raines, G.L., 1984, Preliminary map showing limonitic areas in the Silver City 1° X 2° quadrangle, Arizona and New Mexico: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-Q, 1 sheet, scale 1:250,000.
- Rango, Albert, 1981, Applications systems verification and transfer project - Volume I: Operational applications of satellite snow-cover observations - Executive summary: U.S. National Aeronautics and Space Administration Technical Paper 1822, 81 p. [NTIS N82-20617].
- Ransome, F.L., 1916, Some Paleozoic sections in Arizona and their correlation, in *Shorter Contributions to General Geology*, 1916: U.S. Geological Survey Professional Paper 98-K, p. 133-166, 3 sheets, scales 1:250,000 and 1:2,500,000 [published separately as U.S. Geological Survey Professional Paper 98-K; U.S. Geological Survey Professional Paper 98 published in 1923].
- Rao, A.R., and Durgunoglu, A., 1987, Variability in periodicities exhibited by tree ring data, in *The Influence of Climate Change and Climatic Variability on the Hydrologic Regime and Water Resources*, Proceedings of the Vancouver Symposium, August 1987: International Association of Hydrological Sciences (IAHS) Publication no. 168, p. 133-141.
- Ratté, J.C., 1982, Geologic map of the Lower San Francisco Wilderness Study Area and contiguous roadless area, Greenlee County, Arizona, and Catron and Grant Counties, New Mexico: U.S. Geological Survey Miscellaneous Field Studies Map MF-1463-B, 1 sheet, scale 1:62,500.
- Ratté, J.C., Bove, D.J., Cather, S.M., Chamberlin, R.M., Crews, S.G., and McIntosh, W.C., 1994, Third-day road log, from Alpine, Arizona, to Luna, Reserve, Apache Creek, Horse Springs and Datil, New Mexico, in Chamberlin, R.M., Kues, B.S., Cather, S.M., Barker, J.M., and McIntosh, W.C., eds., *Mogollon Slope, west-central New Mexico and east-central Arizona*: New Mexico Geological Society 45th Field Conference Guidebook, p. 79-111, 116-120.
- Ratté, J.C., Hassemer, J.R., Martin, R.A., and Briggs, J.P., 1982, Mineral resource potential map of the Hells Hole Further Planning Area (RARE II), Greenlee County, Arizona and Grant County, New Mexico [*Tillie Hall Peak and Big Lue Mts. 7.5 min*]: U.S. Geological Survey Miscellaneous Field Studies Map MF-1344-E, 7 p., 1 sheet, scale 1:62,500.
- Ratté, J.C., Hassemer, J.R., Martin, R.A., and Lane, Michael, 1982, Mineral resource potential map of the Lower San Francisco Wilderness Study Area, Greenlee County, Arizona and Catron and Grant Counties, New Mexico [*Tillie Hall Peak and Big Lue Mts. 7.5 min*]: U.S. Geological Survey Miscellaneous Field Studies Map MF-1463-C, 6 p., 1 sheet, scale 1:62,500.
- Ratté, J.C., and Hedlund, D.C., 1981, Geologic map of the Hells Hole Further Planning Area (RARE II), Greenlee County, Arizona, and Grant County, New Mexico [*Tillie Hall Peak and Big Lue Mts. 7.5 min*]: U.S. Geological Survey Miscellaneous Field Studies Map MF-1344-A, 1 sheet, scale 1:62,500.
- Ratté, J.C., Landis, E.R., Gaskill, D.L., and Damon, P.E., 1968, Geology of the Blue Range Primitive Area, Arizona-New Mexico [*abs.*], in Damon, P.E., *Correlation and chronology of ore deposits and volcanic rocks*, Annual Progress Report no. COO-689-100: Tucson, University of Arizona, Geochronology Laboratories, p. AIX.9.
- Ratté, J.C., Landis, E.R., Gaskill, D.L., and Raabe, R.G., 1969, Mineral resources of the Blue Range Primitive Area, Greenlee County, Arizona and Catron County, New Mexico, with a section on Aeromagnetic Interpretation by G.P. Eaton, in *Studies Related to Wilderness--Primitive Areas*: U.S. Geological Survey Bulletin 1261-E, p. E1-E91, 2 sheets, scale 1:62,500.
- Raup, R.B., Jr., 1953, Southwest district, in *Search for and geology of radioactive deposits - Semiannual progress report*, December 1, 1952 to May 31, 1953: U.S. Geological Survey, U.S. Atomic Energy Commission, Trace Elements Investigation Report TEI-330, p. 213-216.
- Rauzi, S.L., 1994, Geothermal test hints at oil potential in eastern Arizona volcanic field: *Oil and Gas Journal*, v. 92, no. 1, p. 52-54.
- Rauzi, S.L., 1994, Implications of live oil shows in eastern Arizona geothermal test: Arizona Geological Survey Open-File Report 94-01, 17 p., 12 sheets, scale 1:500,000.
- Raydon, G.T., 1953, *Geology of the northeastern Chiricahua Mountains, Arizona*: Berkeley, University of California, M.A. thesis.
- Rea, D.K., and Bryant, D.L., 1968, Permian red chert-pebble conglomerate in Earp Formation, southeastern Arizona: *American Association of Petroleum Geologists Bulletin*, v. 52, no. 5, p. 809-819.
- Reagan, A.B., 1903, *Geology of the Fort Apache region in Arizona*: *American Geologist*, v. 32, no. 5, p. 265-308.

- Reber, L.E., Jr., 1916, The mineralization at Clifton-Morenci: *Economic Geology*, v. 11, no. 6, p. 528-573.
- Reber, L.E., Jr., 1916, Relation between ore deposition, rock alteration, and magmatic differentiation at Morenci, Arizona: New Haven, Conn., Yale University, Ph.D. dissertation.
- Rehrig, W.A., and Heidrick, T.L., 1972, Regional fracturing in Laramide stocks of Arizona and its relationship to porphyry copper mineralization: *Economic Geology*, v. 67, no. 2, p. 198-213.
- Rehrig, W.A., and Heidrick, T.L., 1976, Regional tectonic stress during the Laramide and late Tertiary intrusive periods, Basin and Range province, Arizona, in Wilt, J.C., and Jenney, J.P., eds., *Tectonic digest: Arizona Geological Society Digest*, v. 10, p. 205-228.
- Rehrig, W.A., and Reynolds, S.J., 1977, A northwest zone of metamorphic core complexes in Arizona [abs.]: *Geological Society of America Abstracts with Programs*, v. 9, no. 7, p. 1139.
- Rehrig, W.A., and Reynolds, S.J., 1980, Geologic and geochronologic reconnaissance of a northwest-trending zone of metamorphic core complexes in southern and western Arizona, in Crittenden, M.D., Jr., Coney, P.J., and Davis, G.H., eds., *Cordilleran metamorphic core complexes: Geological Society of America Memoir 153*, p. 131-157.
- Reiter, Marshall, and Shearer, Charles, 1979, Terrestrial heat flow in eastern Arizona: A first report: *Journal of Geophysical Research*, v. 84, no. B11, p. 6115-6120.
- Remick, W.H., 1989, Maps showing groundwater conditions in the Duncan-Virden Valley Basin, Greenlee and Cochise Counties, Arizona, and Hidalgo and Grant Counties, New Mexico - 1987: Arizona Department of Water Resources Hydrologic Map Series Report no. 16, 2 sheets, scale 1:125,000.
- Renner, J.L., White, D.E., and Williams, D.L., 1975, Hydrothermal convection systems, in White, D.E., and Williams, D.L., eds., *Assessment of geothermal resources of the United States--1975: U.S. Geological Survey Circular 726*, p. 5-57.
- Repetski, J.E., and Drewes, H.D., 1979, Ordovician Montoya Group extended westward in southeastern Arizona, in *Geological Survey Research 1979: U.S. Geological Survey Professional Paper 1150*, p. 83.
- Richard, Kenyon, and Courtright, J.H., 1960, Some Cretaceous-Tertiary relationships in southeastern Arizona and New Mexico: *Arizona Geological Society Digest*, v. 3, p. 1-7.
- Richard, S.M., 1994, Preliminary reconstruction of Miocene extension in the Basin and Range of Arizona and adjacent areas: *Arizona Geological Survey Open-File Report 94-05*, 11 p., 1 sheet, scale 1:1,000,000.
- Richmond, D.L., 1971, General soil map, Cochise County, Arizona: U.S. Department of Agriculture, Soil Conservation Service, 52 p., 1 sheet, scale 1:500,000.
- Richmond, D.L., 1973, General soil map, Greenlee County, Arizona: U.S. Department of Agriculture, Soil Conservation Service, 49 p., 1 sheet, scale 1:500,000.
- Richmond, D.L., 1973, General soil map, Graham County, Arizona: U.S. Department of Agriculture, Soil Conservation Service, 74 p., 1 sheet, scale 1:500,000.
- Richter, D.H., Houser, B.B., and Damon, P.E., 1983, Geologic map of the Guthrie quadrangle, Graham and Greenlee Counties, Arizona [*Ash Peak, Tollgate Tank, Guthrie, and Gila Box 7.5 min*]: U.S. Geological Survey Miscellaneous Investigations Series Map I-1455, 1 sheet, scale 1:48,000.
- Richter, D.H., Houser, B.B., Watts, K.C., Klein, D.P., Sharp, W.N., Drewes, H., Hedlund, D.C., Raines, G.L., and Hassemer, J.R., 1987, The conterminous United States Mineral Assessment Program: Background information to accompany folio of geologic and mineral resource maps of the Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Circular 975, 22 p.
- Richter, D.H., and Lawrence, V.A., 1981, Geologic map of the Gila-San Francisco Wilderness Study Area, Graham and Greenlee Counties, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1315-A, 1 sheet, scale 1:62,500.
- Richter, D.H., and Lawrence, V.A., 1983, Mineral deposit map of the Silver City 1° x 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1310-B, 70 p., 1 sheet, scale 1:250,000.
- Richter, D.H., Lawrence, V.A., Drewes, H.D., Young, T.H., Enders, M.S., Damon, P.E., and Thorman, C.H., 1990, Geologic map of the San Simon quadrangle and parts of the Summit Hills and Mondel quadrangles, Cochise, Graham, and Greenlee Counties, Arizona, and Hidalgo County, New Mexico: U.S. Geological Survey Miscellaneous Investigations Series Map I-1951, 1 sheet, scale 1:48,000.
- Richter, D.H., Shafiqullah, M., and Lawrence, V.A., 1981, Geologic map of the Whitlock Mountains and vicinity, Graham County, Arizona [*Whitlock Cienega, Javelina Peak, Whitlock Mts. NE, and Dry Mountain 7.5 min*]: U.S. Geological Survey Miscellaneous Investigations Series Map I-1302, 1 sheet, scale 1:48,000.

- Richter, D.H., and Sharp, W.N., 1984, Mineral resource potential of the Silver City 1° X 2° quadrangle, New Mexico - Arizona: Map D - Zinc and lead resource potential: U.S. Geological Survey Open-File Report 84-0629-D, 1 sheet, scale 1:250,000.
- Richter, D.H., and Sharp, W.N., 1984, Mineral resource potential of the Silver City 1° X 2° quadrangle, New Mexico - Arizona: Map F - Tin resource potential: U.S. Geological Survey Open-File Report 84-0629-F, 1 sheet, scale 1:250,000.
- Richter, D.H., and Sharp, W.N., 1984, Mineral resource potential of the Silver City 1° X 2° quadrangle, New Mexico - Arizona: Map M - Area in which resource potentials are designated; area in which no resource potential is designated: U.S. Geological Survey Open-File Report 84-0629-M, 1 sheet, scale 1:250,000.
- Richter, D.H., and Sharp, W.N., 1984, Mineral resource potential of the Silver City 1° X 2° quadrangle, New Mexico - Arizona: Map E - Gold and silver resource potential: U.S. Geological Survey Open-File Report 84-0629-E, 1 sheet, scale 1:250,000.
- Richter, D.H., and Sharp, W.N., 1984, Mineral resource potential of the Silver City 1° X 2° quadrangle, New Mexico - Arizona: Map A - Geologic map: U.S. Geological Survey Open-File Report 84-0629-A, 1 sheet, scale 1:250,000.
- Richter, D.H., and Sharp, W.N., 1984, Mineral resource potential of the Silver City 1° X 2° quadrangle, New Mexico - Arizona: Map I - Tungsten and beryllium resource potential: U.S. Geological Survey Open-File Report 84-0629-I, 1 sheet, scale 1:250,000.
- Richter, D.H., and Sharp, W.N., 1984, Mineral resource potential of the Silver City 1° X 2° quadrangle, New Mexico - Arizona: Map B - Copper resource potential: U.S. Geological Survey Open-File Report 84-0629-B, 1 sheet, scale 1:250,000.
- Richter, D.H., and Sharp, W.N., 1984, Mineral resource potential of the Silver City 1° X 2° quadrangle, New Mexico - Arizona: Map L - Zeolites and diatomite resource potential: U.S. Geological Survey Open-File Report 84-0629-L, 1 sheet, scale 1:250,000.
- Richter, D.H., and Sharp, W.N., 1984, Mineral resource potential of the Silver City 1° X 2° quadrangle, New Mexico - Arizona: Map J - Uranium resource potential: U.S. Geological Survey Open-File Report 84-0629-J, 1 sheet, scale 1:250,000.
- Richter, D.H., and Sharp, W.N., 1984, Mineral resource potential of the Silver City 1° X 2° quadrangle, New Mexico - Arizona: Map H - Manganese and manganese-iron resource potential: U.S. Geological Survey Open-File Report 84-0629-H, 1 sheet, scale 1:250,000.
- Richter, D.H., and Sharp, W.N., 1984, Mineral resource potential of the Silver City 1° X 2° quadrangle, New Mexico - Arizona: Map K - Fluorite resource potential: U.S. Geological Survey Open-File Report 84-0629-K, 1 sheet, scale 1:250,000.
- Richter, D.H., and Sharp, W.N., 1984, Mineral resource potential of the Silver City 1° X 2° quadrangle, New Mexico - Arizona: Map C - Molybdenum resource potential: U.S. Geological Survey Open-File Report 84-0629-C, 1 sheet, scale 1:250,000.
- Richter, D.H., and Sharp, W.N., 1984, Mineral resource potential of the Silver City 1° X 2° quadrangle, New Mexico - Arizona: Map G - Iron, nickel, and cobalt resource potential: U.S. Geological Survey Open-File Report 84-0629-G, 1 sheet, scale 1:250,000.
- Richter, D.H., Sharp, W.N., Watts, K.C., Raines, G.L., Houser, B.B., and Klein, D.P., 1986, Maps showing mineral resource assessment of the Silver City 1° x 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1310-F, 24 p., 1 sheet, scale 1:250,000.
- Robertson, F.N., 1984, Solubility controls of fluorine, barium and chromium in ground water in alluvial basins of Arizona, in Hitchon, Brian, and Wallick, E.I., eds., Proceedings of the First Canadian/American Conference on Hydrogeology: Worthington, Ohio, National Water Well Association, p. 96-102.
- Robertson, F.N., 1984, Trace elements in ground water in southern Arizona [abs.], in Repogle, J.A., and Renard, K.G., eds., Water today and tomorrow, Specialty Conference, Irrigation and Drainage Division of the American Society of Civil Engineers, Flagstaff, Arizona, July 24-26, 1984, Proceedings: American Society of Civil Engineers, p. 674.
- Robertson, F.N., 1986, Occurrence and solubility controls of trace elements in ground water in alluvial basins of Arizona, in Anderson, T.W., and Johnson, A.I., eds., Regional aquifer systems of the United States - southwest alluvial basins of Arizona: Bethesda, Md., American Water Resources Association Monograph Series no. 7, p. 69-80.

- Robertson, F.N., 1989, Arsenic in ground-water under oxidizing conditions, south-west United States: *Environmental Geochemistry and Health*, v. 11, no. 3/4, p. 171-185.
- Robertson, F.N., 1991, Geochemistry of ground-water in alluvial basins of Arizona and adjacent parts of Nevada, New Mexico, and California: U.S. Geological Survey Professional Paper 1406-C, p. C1-C90.
- Robertson, F.N., and Garrett, W.B., 1988, Distribution of fluoride in ground water in the alluvial basins of Arizona and adjacent parts of California, Nevada, and New Mexico: U.S. Geological Survey Hydrologic Investigations Atlas HA-665, 3 sheets, scale 1:500,000.
- Robinson, G.M., and Peterson, D.E., 1962, Notes on earth fissures in southern Arizona: U.S. Geological Survey Circular 466, 7 p.
- Robinson, R.F., and Cook, A., 1966, The Safford copper deposit, Lone Star mining district, Graham County, Arizona, in Titley, S.R., and Hicks, C.L., eds., *Geology of the porphyry copper deposits, southwestern North America*: Tucson, University of Arizona Press, p. 251-266.
- Roeske, R.H., 1978, Methods for estimating the magnitude and frequency of floods in Arizona: U.S. Geological Survey Open-File Report 78-0711, 82 p.
- Roeske, R.H., Garrett, J.M., and Eychaner, J.H., 1989, Floods of October 1983 in southeastern Arizona: U.S. Geological Survey Water-Resources Investigations Report 85-4225-C, 77 p.
- Rose, A.W., 1970, Zonal relations of wallrock alteration and sulfide distribution at porphyry copper deposits: *Economic Geology*, v. 65, no. 8, p. 920-936.
- Rose, A.W., and Burt, D.M., 1979, Hydrothermal alteration, in Barnes, H.L., ed., *Geochemistry of hydrothermal ore deposits* (2d ed.): New York, John Wiley and Sons, Inc., 173-235.
- Rose, A.W., and Cook, D.R., 1966, Radioactive age dates of porphyry copper deposits in western United States [abs.], in *Abstracts for 1965: Geological Society of America Special Paper 87*, p. 141-142.
- Ross, C.A., 1973, Pennsylvanian and Early Permian depositional history southeastern Arizona: *American Association of Petroleum Geologists Bulletin*, v. 57, no. 5, p. 887-912.
- Ross, C.A., 1977, Lower Permian stratigraphy and fusulinacean biostratigraphy of southeastern Arizona [abs.]: *Geological Society of America Abstracts with Programs*, v. 9, p. 70.
- Ross, C.A., 1978, Pennsylvanian and Early Permian depositional framework, southeastern Arizona, in Callender, J.F., Wilt, J.C., Clemons, R.E., and James, H.L., eds., *Land of Cochise, southeastern Arizona*: New Mexico Geological Society 29th Field Conference Guidebook, p. 193-200.
- Ross, C.A., 1979, Depositional cycles in North American upper Paleozoic strata [abs.]: *Geological Society of America Abstracts with Programs*, v. 11, no. 7, p. 505.
- Ross, C.A., and Sabins, F.F. Jr., 1965, Early and Middle Pennsylvanian fusulinids from southeast Arizona: *Journal of Paleontology*, v. 39, no. 2, p. 173-209.
- Ross, C.P., 1925, Geology and ore deposits of the Aravaipa and Stanley Mining districts, Graham County, Arizona: U.S. Geological Survey Bulletin 763, 120 p., 3 sheets, scales 1:63,360, 1:125,000.
- Ross, C.P., 1925, Ore deposits of the Saddle Mountain and Banner mining districts, Arizona: U.S. Geological Survey Bulletin 771, 72 p., 5 sheets, scales 1:1,500, 1:3,800, 1:62,500, 1:130,000.
- Rubel, A.C., 1915-16, Coal in Arizona: Arizona Bureau of Mines Bulletin no. 17, 12 p.
- Rubel, A.C., 1915-16, Tungsten - Second issue: Arizona Bureau of Mines Bulletin no. 11, 17 p.
- Rumble, D., II, Hoering, T.C., and Boctor, N., 1979, Oxygen isotopic geochemistry of ultramafic nodules and basanite from San Carlos, Arizona: *Carnegie Institution of Washington Year Book*, v. 78, p. 492-493.
- Russell, P.L., 1947, Steeple Rock lead-zinc district, Grant County, New Mexico: U.S. Bureau of Mines Report of Investigations 4073, 13 p.
- Ryan, G.S., 1985, Mineral investigation of the Black Rock Wilderness Study Area, Graham County, Arizona: U.S. Bureau of Mines Mineral Land Assessment Open File Report MLA 5-85, 13 p.
- Ryan, G.S., 1985, Mineral investigation of the Fishhooks Wilderness Study Area, Graham County, Arizona: U.S. Bureau of Mines Mineral Land Assessment Open File Report MLA 17-85, 8 p.
- Sabins, F.F., Jr., 1955, *Geology of the Cochise Head and western part of the Vanar Quadrangles, Arizona*: New Haven, Yale University, Ph.D. dissertation.
- Sabins, F.F., Jr., 1957, *Geology of the Cochise Head and western part of the Vanar quadrangles, Arizona [San Simon Cienega, Blue Mountain, Cochise Head, Bowie Mtn. South, Vanar, Vanar NW, Little Wood Canyon, Bowie Mtn. North 7.5 min]*: *Geological Society of America Bulletin*, v. 68, no. 10, p. 1315-1341, 1 sheet, scale 1:62,500.

- Sabins, F.F., Jr., 1957, Stratigraphic relations in Chiricahua and Dos Cabezas Mountains, Arizona: American Association of Petroleum Geologists Bulletin, v. 41, no. 3, p. 466-510.
- Sabins, F.F., Jr., and Ross, C.A., 1963, Late Pennsylvanian-Early Permian fusulinids from southeast Arizona: Journal of Paleontology, v. 37, no. 2, p. 323-365.
- Sabins, F.F., Jr., and Ross, C.A., 1965, Stratigraphy and fusulinids of Naco Group in Chiricahua and Dos Cabezas Mountains, Arizona, in Fitzsimmons, J.P., and Lochman-Balk, C., eds., Guidebook of southwestern New Mexico II: New Mexico Geological Society 16th Field Conference Guidebook, p. 148-157.
- Salomonson, V.V., 1973, Hydrological applications of ERTS [abs.]: Eos, Transactions, American Geophysical Union, v. 54, no. 7, p. 700-701.
- Sargent, K.A., and Bedinger, M.S., 1985, Geologic and hydrologic characterization and evaluation of the Basin and Range Province relative to the disposal of high-level radioactive waste, Part II, Geologic and hydrologic characterization: U.S. Geological Survey Circular 904-B, 30 p.
- Sarle, C.J., 1922, Sketch of the geology of the Dos Cabezas Mountains of southeastern Arizona [abs.]: Science, new series, v. 55, p. 544.
- Sauer, C., 1930, Basin and Range forms in the Chiricahua area: Berkeley, University of California Publications in Geology, v. 3, no. 6, p. 339-414.
- Sawyer, D.A., and Pallister, J.S., 1989, Geologic framework of the southern Basin and Range, in Pallister, J.S., comp., Excursion 7A: From silicic calderas to mantle nodules: Cretaceous to Quaternary volcanism, southern Basin and Range province, Arizona and New Mexico, in Chapin, C.E., and Zidek, J., eds., Field excursions to volcanic terranes in the western United States, Volume I: Southern Rocky Mountain region, IAVCEI General Assembly, Santa Fe, New Mexico, USA, June 25 - July 1, 1989: New Mexico Bureau of Mines and Mineral Resources Memoir 46, p. 121-126.
- Sawyer, M.B., Gurmendi, A.C., Daley, M.R., and Howell, S.B., 1992, Principal deposits of strategic and critical minerals in Arizona: U.S. Bureau of Mines, Special Publication, 334 p.
- Sbar, M.L., 1980, Analysis of short-term microearthquake activity related to potential geothermal areas in Arizona, in Hahman, W.R., Sr., and others, Arizona geothermal energy appraisal studies, final report, June 1978 - March 1980: Arizona Bureau of Geology and Mineral Technology Open-File Report 80-01, p. v, vi, 1-11.
- Sbar, M.L., 1980, Analysis of short-term microearthquake activity related to potential geothermal areas in Arizona: Arizona Bureau of Geology and Mineral Technology Open-File Report 80-01c, 13 p. [also included in Arizona Bureau of Geology and Mineral Technology Open-File Report 80-01].
- Scarborough, R.B., 1975, Chemistry and age of late Cenozoic air-fall ashes in southeastern Arizona: Tucson, University of Arizona, M.S. thesis, 107 p.
- Scarborough, R.B., 1979, Report on the general geologic history of the Mesa NTMS quadrangle with accompanying 1:250,000 compilation maps of geology and metallic mineral occurrences: Arizona Bureau of Geology and Mineral Technology Open-File Report 79-03, 78 p., 2 sheets, scale 1:250,000.
- Scarborough, R.B., 1981, Radioactive occurrences and uranium production in Arizona: U.S. Department of Energy Report GJBX-143(81), 297 p., 21 sheets, scales 1:24,000, 1:62,500, 1:125,000 and 1:250,000 [also released as Arizona Bureau of Geology and Mineral Technology Open-File Report 81-01].
- Scarborough, R.B., 1981, Radioactive occurrences and uranium production in Arizona - Final report: Arizona Bureau of Geology and Mineral Technology Open-File Report 81-01, 297 p., 21 sheets, scales 1:24,000, 1:62,500, 1:125,000 and 1:250,000 [also released as U.S. Department of Energy Report GJBX-143(81)].
- Scarborough, R.B., and Pearthree, P.A., 1988, Reconnaissance assessment of Quaternary faulting in the Gila region from San Carlos Reservoir to Coolidge, Arizona: Arizona Geological Survey Open-File Report 88-15, 12 p., 1 sheet, scale 1:250,000.
- Scarborough, R.B., and Peirce, H.W., 1978, Late Cenozoic basins of Arizona, in Callender, J.F., Wilt, J.C., and Clemons, R.E., eds., Land of Cochise: New Mexico Geological Society 29th Field Conference Guidebook, p. 253-259.
- Schern, M., 1975, Physical, environmental, and economic aspects of exploration within the Blue Range primitive area [abs.], in Seager, W.R., Clemons, R.E., and Callender, J.F., eds., Guidebook of the Las Cruces Country: New Mexico Geological Society 26th Field Conference Guidebook, p. 343.
- Schleh, E.E., 1966, Review of sub-Tamarao unconformity in Cordilleran region: American Association of Petroleum Geologists Bulletin, v. 50, no. 2, p. 269-282.
- Schnabel, Lorraine, and Welty, J.W., 1986, Bibliography for metallic mineral districts in Cochise, Graham, and Greenlee Counties, Arizona: Arizona Bureau of Geology and Mineral Technology Circular 24, 38 p.

- Schroeder, T.J., and Riggs, N.R., 1996, Morphology and structure of a small-volume rhyolitic dome field in eastern Arizona [*abs.*]: Geological Society of America Abstracts with Programs, v. 28, no. 5, p. 110.
- Schumacher, Dietmar, 1976, Late Devonian tectonism in southeastern Arizona [*abs.*]: Geological Society of America Abstracts with Programs, v. 8, no. 5, p. 627-628.
- Schumacher, Dietmar, 1978, Devonian stratigraphy and correlations in southeastern Arizona, in Callender, J.F., Wilt, J.C., Clemons, R.E., and James, H.L., eds., Land of Cochise, southeastern Arizona: New Mexico Geological Society 29th Field Conference Guidebook, p. 175-181.
- Schumacher, Dietmar, Witter, D.P., Meader, S.J., and Keith, S.B., 1976, Late Devonian tectonism in southeastern Arizona, in Wilt, J.C., and Jenney, J.P., eds., Tectonic digest: Arizona Geological Society Digest, v. 10, p. 59-70.
- Schumann, H.H., 1975, Operational applications of satellite snowcover observations and landsat data-collection system operations in central Arizona, in Arizona Watershed Symposium, 19th annual, Phoenix, September 24, 1975, Proceedings: Arizona Water Commission Report No. 7, p. 24-30.
- Schumann, H.H., 1980, Satellite snowcover and runoff monitoring in central Arizona, in Rango, Albert, and Peterson, Ralph, eds., Operational Applications of Satellite Snowcover Operations, Proceedings of a final workshop, Sparks, Nevada, April 16-17, 1979: U.S. National Aeronautics and Space Administration Conference Publication 2116, p. 107-126. [available for inspection at Arizona Geological Survey, 416 W. Congress, Suite 100, Tucson, Ariz.].
- Schumann, H.H., 1981, Applications systems verification and transfer project - Volume II: Operational applications of satellite snow-cover observations and data-collections systems in the Arizona test site: U.S. National Aeronautics and Space Administration Technical Paper 1823, 54 p. [NTIS N82-20618].
- Schumann, H.H., and Genualdi, R.B., 1986, Land subsidence, earth fissures, and water-level change in southern Arizona: Arizona Bureau of Geology and Mineral Technology Open-File Report 86-14, 1 sheet, scale 1:500,000.
- Schumann, H.H., and Genualdi, R.B., 1986, Land subsidence, earth fissures, and water-level change in southern Arizona: Arizona Bureau of Geology and Mineral Technology Map M-23, 1 sheet, scale 1:1,000,000.
- Schumann, H.H., Laney, R.L., and Cripe, L.S., 1986, Land subsidence and earth fissures caused by ground-water depletion in southern Arizona, in Anderson, T.W., and Johnson, A.I., eds., Regional aquifer systems of the United States - southwest alluvial basins of Arizona: Bethesda, Md., American Water Resources Association Monograph Series no. 7, p. 81-91.
- Schumann, H.H., and Swanson, Edwin, 1993, Arizona stream water quality, in National water summary 1990-91, hydrologic events and stream water quality: U.S. Geological Survey Water-Supply Paper 2400, p. 171-178.
- Schumann, H.H., and Swanson, Edwin, 1993, Arizona, stream water quality, in Paulson, R.W., and others, comps., National water summary 1990-91 - hydrologic events and stream water quality: U.S. Geological Survey Water-Supply Paper 2400, p. 171-177.
- Schwab, K.J., 1995, Maps showing groundwater conditions in the Big Chino Sub-basin of the Verde River Basin, Coconino and Yavapai Counties, Arizona - 1992: Arizona Department of Water Resources Hydrologic Map Series Report no. 28, 1 sheet, scale 1:250,000.
- Schwab, K.W., 1996, Organic matter and thermal maturity analyses of the Upper Cretaceous sediments between 3,267 and 3,365 feet in the 1 Alpine Federal Well, Apache County, Arizona: Arizona Geological Survey Contributed Report CR-96-B, 90 p.
- Schwartz, G.M., 1947, Hydrothermal alteration in the 'porphyry copper' deposits: Economic Geology, v. 42, no. 4, p. 319-352.
- Schwartz, G.M., 1956, Argillic alteration and ore deposits: Economic Geology, v. 51, no. 5, p. 407-414.
- Schwartz, G.M., 1959, Hydrothermal alteration: Economic Geology, v. 54, no. 2, p. 161-183.
- Schwartz, R.J., and Magleby, D.N., 1955, Final report, airborne reconnaissance project, Dripping Spring Quartzite, Gila County, Arizona: U.S. Atomic Energy Commission Report RME-2081, 19 p., 1 sheet, scale 1:700,000 (approx.).
- Schwennesen, A.T., 1919, Geology and water resources of the Gila and San Carlos Valleys in the San Carlos Indian Reservation, Arizona: U.S. Geological Survey Water-Supply Paper 450-A, 27 p., 2 sheets, scale 1:48,000.
- Scott, R.C., and Barker, F.B., 1962, Data on uranium and radium in ground water in the United States 1954 to 1957: U.S. Geological Survey Professional Paper 426, 115 p., 2 sheets, scale 1:7,000,000.
- Scott, R.W., 1979, Depositional model of early Cretaceous coral-algal-rudist reefs, Arizona: American Association of Petroleum Geologists Bulletin, v. 63, no. 7, p. 1108-1127.

- Scott, R.W., 1981, Biotic relations in early Cretaceous coral-algal-rudist reefs, Arizona: *Journal of Paleontology*, v. 55, p. 463-478.
- Scott, R.W., and Brinckle, P.L., 1977, Biotic zonation of a Lower Cretaceous coral-algal-rudist reef, Arizona, in Ginsberg, R.N., ed., *International Coral Reef Symposium*, 3rd, Miami, Fla., 1977, Proceedings, v. 2: University of Miami, Rosenstiel School of Marine and Atmospheric Sciences, p. 182-189.
- Seager, W.R., Shafiqullah, M., Hawley, J.W., and Marvin, R.F., 1984, New K-Ar dates from basalts and the evolution of the southern Rio Grande rift: *Geological Society of America Bulletin*, v. 95, no. 1, p. 87-99.
- Sease, G.D., 1993, Structural and kinematic analysis of Middle Proterozoic tectonites, Dos Cabezas Mountains, Arizona: Dallas, Southern Methodist University, M.S. thesis.
- Seff, Philip, 1960, Preliminary report of the stratigraphy of the 111 Ranch beds, Graham County, Arizona: *Arizona Geological Society Digest*, v. 3, p. 137-140.
- Seff, Philip, 1962, Stratigraphic geology and depositional environments of the 111 Ranch area, Graham County, Arizona: Tucson, University of Arizona, Ph.D. dissertation, 171 p.
- Seff, Philip, 1964, Petrography and origin of the 111 Ranch cherts, Graham County, Arizona: *Arizona Geological Society Digest*, v. 7, p. 115-121.
- Senterfit, R.M., and Klein, D.P., 1992, Audio-Magneto-Telluric investigation at Turkey Creek caldera, Chiricahua Mountains, southeastern Arizona, Chapter K, in *Application of structural geology to mineral and energy resources of the central and western United States: U.S. Geological Survey Bulletin* 2012, p. K1-K9.
- Settle, Mark, Abrams, M.J., Conel, J.E., Goetz, A.F.H., and Lang, H.R., 1984, Sensor assessment, Sect. 2, in Paley, H.N., ed., *The joint NASA/Geosat test case project, Final report, Part 2, v. 1: American Association of Petroleum Geologists*, p. 2.1-2.24.
- Settle, Mark, Taranik, J.V., Goetz, A.F.H., Abrams, M.J., Conel, J.E., and Lang, H.R., 1984, Project description, Sect. 1, in Paley, H.N., ed., *The joint NASA/Geosat test case project, Final report, Part 2, v. 1: American Association of Petroleum Geologists*, p. 1.1-1.12.
- Shackley, M.S., 1988, Sources of archaeological obsidian in the Southwest - An archaeological, petrological, and geochemical study: *American Antiquity*, v. 53, no. 4, p. 752-772.
- Shackley, M.S., 1992, The upper Gila River as an archaeological obsidian source region - Implications for models of exchange and interaction: *Geoarchaeology: An International Journal*, v. 7, no. 4, p. 1-12.
- Shafiqullah, M., Damon, P.E., Lynch, D.J., Kuck, P.H., and Rehrig, W.A., 1978, Mid-Tertiary magmatism in southeastern Arizona, in Callender, J.F., Wilt, J.C., Clemons, R.E., and James, H.L., eds., *Land of Cochise, southeastern Arizona: New Mexico Geological Society 29th Field Conference Guidebook*, p. 231-241.
- Shafiqullah, M., Damon, P.E., Lynch, D.J., Reynolds, S.J., Rehrig, W.A., and Raymond, R.H., 1980, K-Ar geochronology and geologic history of southwestern Arizona and adjacent areas, in Jenney, J.P., and Stone, Claudia, eds., *Studies in western Arizona: Arizona Geological Society Digest*, v. 12, p. 201-260.
- Shafiqullah, M., Damon, P.E., and Peirce, H.W., 1976, Late Cenozoic tectonic development of Arizona Basin and Range province [*abs.*], in *International Geological Congress, 25th, Sydney, Australia, 1976, Abstracts, v. 1: International Geological Congress*, p. 99.
- Shapiro, Sidney, and Shapiro, H.E., 1974, How water brings the desert to life: *Reclamation Era*, v. 60, no. 2, p. 1-7.
- Sharp, W.N., 1986, Petrochemistry of igneous rocks, Silver City 1° x 2° quadrangle, New Mexico and Arizona: *U.S. Geological Survey Miscellaneous Investigations Series Map I-1310-H*, 7 p., 2 sheets, scale 1:250,000.
- Shearer, Charles, and Reiter, Marshall, 1981, Terrestrial heat flow in Arizona: *Journal of Geophysical Research*, v. 86, no. B7, p. 6249-6260.
- Sheppard, R.A., Gude, A.J., III, and Edson, G.M., 1976, Bowie zeolite deposit, Cochise and Graham Counties, Arizona, in Sand, L.B., Sheppard, R.A., Haughan, D.E.W., Breck, D.W., and Kastner, M. (Program and Publication Committee), *Zeolite '76, an international conference on the occurrence, properties, and utilization of natural zeolites*, Tucson, Arizona, June 6 to 14, 1976, Program and Abstracts: Brockport, N.Y., State University College, p. 73-90.
- Sheppard, R.A., Gude, A.J., III, and Edson, G.M., 1978, Bowie zeolite deposit, Cochise and Graham Counties, Arizona, in Sand, L.B., and Mumpton, F.A., eds., *Natural zeolites, occurrence, properties, use*: New York, Pergamon Press, p. 319-328.
- Sheridan, M.F., 1984, Volcanic landforms, in Smiley, T.L., Nations, J.D., Péwé, T.L., and Schafer, J.P., eds., *Landscapes of Arizona - The geological story*: Lanham, Md., University Press of America, p. 79-109.

- Shields, J.C., II, 1940, Geology and ore deposits of the Dives and Gold Ridge Groups, Dos Cabezas, Arizona: Tucson, University of Arizona, M.S. thesis, 67 p.
- Shipley, H., 1967, The long drink, water conveyance in natural and artificial channels, in Gardner, J.L., and Myers, L.E., eds., Water supplies for arid regions: Washington, D.C., American Association for the Advancement of Science, Committee on Desert and Arid Zones Research Contribution No. 10, p. 38-44.
- Shride, A.F., 1958, Younger Precambrian geology in southeastern Arizona [abs.]: Geological Society of America Bulletin, v. 69, no. 12, p. 1744.
- Shride, A.F., 1961, Some aspects of younger Precambrian geology in southern Arizona: Tucson, University of Arizona, Ph.D. dissertation, 234 p.
- Shride, A.F., 1967, Younger Precambrian geology in southern Arizona: U.S. Geological Survey Professional Paper 566, 89 p.
- Sillitoe, R.H., 1972, A plate tectonic model for the origin of porphyry copper deposits: Economic Geology, v. 67, no. 2, p. 184-197.
- Sillitoe, R.H., 1975, Subduction and porphyry copper deposits in southwestern North America - A reply to recent objections: Economic Geology, v. 70, no. 8, p. 1474-1477.
- Silver, L.T., 1974, Precambrian and 'Precambrian (?)' crystalline rocks of the southwestern Basin and Range Province of California and Arizona [abs.]: Geological Society of America Abstracts with Programs, v. 6, no. 3, p. 253-254.
- Silver, L.T., 1978, Precambrian formations and Precambrian history in Cochise County, southeastern Arizona, in Callender, J.F., Wilt, J.C., Clemons, R.E., and James, H.L., eds., Land of Cochise, southeastern Arizona: New Mexico Geological Society 29th Field Conference Guidebook, p. 157-163.
- Simons, F.S., 1961, Geologic map of the Klondyke quadrangle, Arizona: U.S. Geological Survey Open-File Report, 4 sheets, scale 1:62,500.
- Simons, F.S., 1962, Devitrification dikes and giant spherulites from Klondyke, Arizona: American Mineralogist, v. 47, nos. 7/8, p. 871-885.
- Simons, F.S., 1963, Composite dike of andesite and rhyolite at Klondyke, Arizona: Geological Society of America Bulletin, v. 74, no. 8, p. 1049-1055.
- Simons, F.S., 1964, Geology of the Klondyke quadrangle, Graham and Pinal Counties, Arizona [*Klondyke, Oak Grove Canyon, Cobre Grande Mtn., and Booger Canyon 7.5 min*]: U.S. Geological Survey Professional Paper 461, 173 p.
- Simons, F.S., 1987, Geologic map of the Black Rock Wilderness Study Area, Graham County, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1918, 1 sheet, scale 1:24,000.
- Simons, F.S., 1987, Geologic map of the Fishhooks Wilderness Study Area, Graham County, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1919, 1 sheet, scale 1:24,000.
- Simons, F.S., Theobald, P.K., Tidball, R.R., Erdman, J.A., Harms, T.F., Griscom, A., and Ryan, G.S., 1987, Mineral resources of the Needles Eye Wilderness Study Area, Gila County, Arizona, Chapter B, in Mineral resources of Wilderness Study Areas - southeastern Arizona: U.S. Geological Survey Bulletin 1703-B, p. B1-B7, 1 sheet, scale 1:24,000.
- Simons, F.S., Theobald, P.K., Tidball, R.R., Erdman, J.A., Harms, T.F., Griscom, A., and Ryan, G.S., 1987, Mineral resources of the Black Rock Wilderness Study Area, Graham County, Arizona, Chapter C, in Mineral resources of Wilderness Study Areas - southeastern Arizona: U.S. Geological Survey Bulletin 1703-C, p. C1-C9, 1 sheet, scale 1:24,000.
- Simons, F.S., Theobald, P.K., Tidball, R.R., Erdman, J.A., Harms, T.F., Griscom, A., and Ryan, G.S., 1987, Mineral resources of the Fishhooks Wilderness Study Area, Graham County, Arizona, Chapter A, in Mineral resources of Wilderness Study Areas - southeastern Arizona: U.S. Geological Survey Bulletin 1703-A, p. A1-A5, 1 sheet, scale 1:50,000.
- Sims, D.B., 1993, Geology of the Ash Peak Mine, Greenlee County, Arizona: Tucson, University of Arizona, M.S. thesis, 49 p., 2 sheets, scale 1:480 and 1:6,000.
- Skotnicki, Steve, 1993, Index to geologic maps in the Mesa 1° X 2° quadrangle, Arizona: Arizona Geological Survey Open-File Report 93-19, 18 p., 3 sheets, scale 1:250,000.
- Slaughter, A.L., and Clabaugh, S.E., 1945, Preliminary report on a trace elements reconnaissance in central and southwestern states: U.S. Geological Survey, Trace Elements Investigation Report TEI-9, 59 p.

- Smith, H.V., Draper, G.E., Buehrer, T.F., Fuller, W.H., and Marx, G.W., 1963, Quality of Arizona domestic waters: Tucson, University of Arizona, College of Agriculture, Agricultural Experiment Station, Report 217, 77 p.
- Smith, H.V., Draper, G.E., and Fuller, W.H., 1964, The quality of Arizona irrigation waters: Tucson, University of Arizona, College of Agriculture, Agricultural Experiment Station, Report 223, 96 p.
- Smith, L.P., 1981, Long-term streamflow histories of the Salt and Verde Rivers, Arizona, as reconstructed from tree rings - U.S. Army Corps of Engineers contract DACW-09-80-C-0071: Tucson, University of Arizona, Laboratory of Tree-Ring Research, 129 p.
- Smith, L.P., and Stockton, C.W., 1981, Reconstructed stream flow for the Salt and Verde Rivers from tree-ring data: *Water Resources Bulletin*, v. 17, no. 6, p. 939-947.
- Smith, R.L., 1960, Zones and zonal variations in welded ash flows: U.S. Geological Survey Professional Paper 354, p. 149-159, 1 sheet, scale 1:63,360 [also issued separately in 1960 as U.S. Geological Survey Professional Paper 354-F].
- Smith, R.L., 1960, Ash flows: *Geological Society of America Bulletin*, v. 71, no. 6, p. 795-841.
- Solomon, R.M., Ffolliott, P.F., and Thorud, D.B., 1975, Characterization of snowmelt runoff efficiencies, in Symposium conducted by the Irrigation and Drainage Division of the American Society of Civil Engineers, Logan, Utah, August 11-13, 1975, Proceedings: New York, American Society of Civil Engineers, p. 306-326.
- Soreghan, G.S., 1994, Stratigraphic responses to geologic processes: Late Pennsylvanian eustasy and tectonics in the Pedregosa and Orogrande basins, Ancestral Rocky Mountains: *Geological Society of America Bulletin*, v. 106, no. 9, p. 1195-1211.
- Spencer, J.E., 1984, Role of tectonic denudation in warping and uplift of low-angle normal faults: *Geology*, v. 12, no. 2, p. 95-98.
- Spencer, J.E., ed., 1993, Radon in Arizona: *Arizona Geological Survey Bulletin* 199, 96 p., 2 sheets, scales 1:32,000 and 1:1,000,000.
- Spencer, J.E., and Reynolds, S.J., 1989, Middle Tertiary tectonics of Arizona and adjacent areas, in Jenney, J.P., and Reynolds, S.J., eds., *Geologic evolution of Arizona: Arizona Geological Society Digest* 17, p. 539-574.
- Spencer, J.E., and Welty, J.W., 1989, Mid-Tertiary ore deposits in Arizona: *Arizona Bureau of Geology and Mineral Technology Open-File Report* 86-12, 40 p. [superseded by Spencer, J.E., and Welty, J.W. (1989), in *Arizona Geological Society Digest* 17, p. 585-607].
- Spencer, J.E., and Welty, J.W., 1989, Mid-Tertiary ore deposits in Arizona, in Jenney, J.P., and Reynolds, S.J., eds., *Geologic evolution of Arizona: Arizona Geological Society Digest* 17, p. 585-607.
- Stabler, Herman, 1911, Some stream waters of the western United States, with chapters on sediment carried by the Rio Grande and the industrial application of water analyses: U.S. Geological Survey Water-Supply Paper 274, 188 p.
- Stewart, J.H., 1980, Regional tilt patterns of late Cenozoic basin-range fault blocks, western United States: *Geological Society of America Bulletin*, v. 91, no. 8, p. 460-464.
- Stewart, J.H., and Johannesen, D.C., 1979, Map showing regional tilt patterns of late Cenozoic Basin-Range fault blocks in western United States: U.S. Geological Survey Open-File Report 79-1134, 1 sheet, scale 1:2,500,000.
- Stewart, L.A., 1955, Chrysotile-asbestos deposits of Arizona: U.S. Bureau of Mines Information Circular I.C. 7706, 124 p.
- Stewart, L.A., 1956, Chrysotile-asbestos deposits of Arizona (supplement to Information Circular 7706): U.S. Bureau of Mines Information Circular I.C. 7745, 41 p.
- Stewart, L.A., and Pfister, A.J., 1960, Barite deposits of Arizona: U.S. Bureau of Mines Report of Investigations R.I. 5651, 89 p.
- Stone, C., 1978, Geothermal leasing and drilling activity in Arizona, in Hahman, W.R., Sr., ed., *Low-temperature geothermal reservoir site evaluation in Arizona - Quarterly progress report, February 1-April 30, 1978*: U.S. Department of Energy Report COO-4362-4, p. 92-108.
- Stone, Claudia, 1979, An overview of the geothermal potential of the Springerville area, Arizona: *Arizona Bureau of Geology and Mineral Technology Open-File Report* 79-02a, 25 p.
- Stone, Claudia, 1979, Springerville-Alpine geothermal project: Results of heat flow drilling: *Arizona Bureau of Geology and Mineral Technology Open-File Report* 79-16, 21 p.
- Stone, Claudia, 1980, Springerville, Arizona - Results of heat flow drilling, in Hahman, W.R., Sr., and others, *Arizona geothermal energy appraisal studies, final report, June 1978 - March 1980*: *Arizona Bureau of Geology and Mineral Technology Open-File Report* 80-01, p. 100-116.

- Stone, Claudia, 1980, Springerville Geothermal Project - Geology, geochemistry, geophysics - Final report: Arizona Bureau of Geology and Mineral Technology Open-File Report 80-04, 23 p.
- Stone, C., 1980, Heat flow along the southern Colorado Plateau margin, east-central Arizona [*abs.*]: Eos, Transactions, American Geophysical Union, v. 61, no. 17, p. 363.
- Stone, Claudia, 1989, A summary appraisal of the principal geothermal resource areas in Arizona, in Jenney, J.P., and Reynolds, S.J., eds., Geologic evolution of Arizona: Arizona Geological Society Digest 17, p. 817-825.
- Stosch, H.G., Jagoutz, E., Carlson, R.W., and Lugmair, G.W., 1979, Mantle differentiation as recorded by ultramafic nodules, oceanic mantle beneath continental crust [*abs.*]: Eos, Transactions, American Geophysical Union, v. 60, no. 46, p. 971.
- Stoyanow, A.A., 1926, Notes on recent stratigraphic work in Arizona: American Journal of Science, 5th ser., v. 12, no. 70, p. 311-324.
- Stoyanow, A.A., 1936, Correlation of Arizona Paleozoic formations: Geological Society of America Bulletin, v. 47, p. 459-540.
- Strangway, D.W., Simpson, J., and York, D., 1976, Paleomagnetic studies of volcanic rocks from the Mogollon Plateau area of Arizona and New Mexico, in Elston, W.E., and Northrop, S.A., eds., Cenozoic volcanism in southwestern New Mexico: New Mexico Geological Society Special Publication 5, p. 119-124.
- Stringham, B., 1958, Relationship of ore to porphyry in the Basin and Range Province, U.S.A.: Economic Geology, v. 53, no. 7, p. 806-822.
- Stringham, B., 1960, Differences between barren and productive intrusive porphyry: Economic Geology, v. 55, no. 8, p. 1622-1630.
- Stringham, B., 1966, Igneous rock types and host rocks associated with porphyry copper deposits, in Tittley, S.R., and Hicks, C.L., eds., Geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 35-40.
- Stueber, A.M., and Ikramuddin, M., 1974, Rubidium, strontium, and isotopic composition of strontium in ultramafic nodule minerals and host basalts: Geochimica et Cosmochimica Acta, v. 38, no. 2, p. 207-216.
- Stump, E., 1978, Structural elements of the southern Basin and Range [*abs.*]: Geological Society of America Abstracts with Programs, v. 10, no. 3, p. 149.
- Swan, M.M., 1975, The Texas Lineament, tectonic expression of a Precambrian orogeny [*abs.*]: Geological Society of America Abstracts with Programs, v. 7, no. 7, p. 1288-1289.
- Swan, M.M., 1976, The Stockton Pass fault: An element of the Texas lineament: Tucson, University of Arizona, M.S. thesis, 119 p.
- Swanberg, C.A., 1978, Chemistry, origin and potential of geothermal resources in southwestern New Mexico and southeastern Arizona, in Callender, J.F., Wilt, J.C., Clemons, R.E., and James, H.L., eds., Land of Cochise, southeastern Arizona: New Mexico Geological Society 29th Field Conference Guidebook, p. 349-351.
- Tangborn, Wendell, Keane, J.L., and Leytham, K.M., 1985, Application of streamflow forecasts to operating a multi-reservoir system in central Arizona, in A Critical Assessment of Forecasting in Water Quality Goals in Western Water Resources Management, Symposium held in Seattle, Washington, June 11-13, 1984, Proceedings: Bethesda, Md., American Water Resources Association, p. 73-81.
- Tellier, A., 1974, Arizona, Gillard Hot Springs: Geothermal Energy Magazine, v. 2, p. 20-31.
- Tellier, A.H., 1973, Geothermal waters of Arizona: Tempe, Arizona State University, M.S. thesis, 30 p.
- Tellman, Barbara, Yarde, Rick, and Wallace, M.G., 1995, Where to find information about the history of Arizona rivers, a computerized bibliography: Tucson, University of Arizona, Water Resources Research Center, Issue Paper No. 17, 24 p.
- Tenney, J.B., 1928, The mineral industries of Arizona: Arizona Bureau of Mines Bulletin no. 125, 135 p.
- Tenney, J.B., 1929, History of mining in Arizona, Vol. 1 - Text: Arizona Bureau of Mines, unpublished manuscript, p. 1-401.
- Tenney, J.B., 1929, History of mining in Arizona, Vol. 2 - Appendix (Charts): Arizona Bureau of Mines, unpublished manuscript, p. 402-514.
- Tenney, J.B., 1929, Arizona copper prospects: Engineering and Mining Journal, v. 127, no. 19, p. 752-754.
- Tenney, J.B., 1930, Second report on the mineral industries of Arizona: Arizona Bureau of Mines Bulletin no. 129, 108 p.

- Tennyson, L.C., Ffolliott, P.F., and Thorud, D.B., 1973, A preliminary assessment of snowfall interception in Arizona ponderosa pine forest, in Boster, R.S., ed., *Hydrology and water resources in Arizona and the Southwest*, v. 3: American Water Resources Association, Arizona Section, and Arizona Academy of Science, Hydrology Section, Annual Meeting, Tucson, Ariz., 1973, Proceedings, p. 17-20.
- Texas Instruments, Inc., 1975, Airborne geophysical survey, southeast Arizona: U.S. Energy Research and Development Administration Report GJO-1643, 86 sheets.
- Texas Instruments, Inc., 1978, Aerial radiometric and magnetic reconnaissance survey of portions of Arizona-New Mexico - Douglas quadrangle, v. 2-F: U.S. Department of Energy Report GJBX-23(79), 124 sheets, scale 1:500,000.
- Texas Instruments, Inc., 1978, Aerial radiometric and magnetic reconnaissance survey of portions of Arizona-New Mexico - Final report, v. 1 - Instrumentation and methods: U.S. Department of Energy Report GJBX-23(79), 55 p., 92 microfiche.
- Texas Instruments, Inc., 1978, Aerial radiometric and magnetic reconnaissance survey of portions of Arizona-New Mexico - Silver City quadrangle, v. 2-D: U.S. Department of Energy Report GJBX-23(79), 208 sheets, scale 1:500,000.
- Texas Instruments, Inc., 1978, Aerial radiometric and magnetic reconnaissance survey of portions of Arizona-New Mexico - Mesa quadrangle, v. 2-A: U.S. Department of Energy Report GJBX-23(79), 165 sheets, scale 1:500,000.
- Texas Instruments, Inc., 1978, Aerial radiometric and magnetic reconnaissance survey of portions of Arizona-New Mexico - Clifton quadrangle, v. 2-B: U.S. Department of Energy Report GJBX-23(79), 164 sheets, scale 1:500,000.
- Texas Instruments, Inc., 1978, Aerial radiometric and magnetic reconnaissance survey of portions of Arizona-New Mexico - Tucson quadrangle, v. 2-C: U.S. Department of Energy Report GJBX-23(79), 215 sheets, scale 1:500,000.
- Thomas, N.O., and Harbeck, G.E., Jr., 1956, Reservoirs in the United States: U.S. Geological Survey Water-Supply Paper 1360-A, p. 1-99 [superseded by Martin, R.O.R., and Hanson, R.L., 1966].
- Thompson, G.A., and Burke, D.B., 1974, Regional geophysics of the Basin and Range province: *Annual Review of Earth and Planetary Sciences*, v. 2, p. 213-237.
- Thompson, R.C., 1947, Milling practice at new lead-zinc concentrator of Phelps Dodge Corporation: *Mining Technology (A.I.M.E.)*, v. 11, no. 4, Technical Publication no. 2192, 10 p.
- Thompson, T.H., Nuter, Janet, and Anderson, T.W., 1984, Maps showing distribution of dissolved solids and dominant chemical type in ground water, Basin and Range Province, Arizona: U.S. Geological Survey Water-Resources Investigations Report 83-4114-C, 4 sheets, scale 1:500,000.
- Thorman, C.H., 1981, Geology of the Pinaleno Mountains, Arizona: A preliminary report: *Arizona Geological Society Digest*, v. 13, p. 5-12.
- Thorman, C.H., and Naruk, S.J., 1987, Generalized bedrock geologic map and distribution of mylonitic rocks in the eastern Pinaleno Mountains, Graham County, Arizona: U.S. Geological Survey Open-File Report 87-0614, 1 sheet, scale 1:48,000.
- Thorud, D.B., and Ffolliott, P.F., 1971, Progress in developing forest management guidelines for increasing snowpack water yields, in Evans, D.D., ed., *Hydrology and water resources in Arizona and the Southwest*, v. 1: American Water Resources Association, Arizona Section, and Arizona Academy of Science, Hydrology Section, Annual Meeting, Tempe, Ariz., 1971, Proceedings, p. 291-300.
- Thorud, D.B., and Ffolliott, P.F., 1972, Development of management guidelines for increasing snowpack water yields from ponderosa pine forests in Arizona, in Csallany, S.C., McLaughlin, T.G., and Striffler, W.D., eds., *Watersheds in Transition*, Proceedings of a symposium... held at Fort Collins, Colorado, June 19-22, 1972: Urbana, Ill., American Water Resources Association, Proceedings Series no. 14, p. 171-174.
- Thorud, D.B., and Ffolliott, P.F., 1975, Arizona's frozen assets: snowpack management, in *Arizona Watershed Symposium*, 19th annual, Phoenix, September 24, 1975, Proceedings: Arizona Water Commission Report No. 7, p. 31-34.
- Titley, S.R., 1959, Igneous rocks of the Basin and Range Province in Arizona, in Heindl, L.A., ed., *Southern Arizona Guidebook II*, combined with the 2nd annual Arizona Geological Society Digest: Arizona Geological Society, p. 85-88.

- Titley, S.R., ed., 1968, Southern Arizona Guidebook III; Prepared for field trips held in connection with Geological Society of America, Cordilleran Section 64th Annual Meeting, April 11-13, 1968, Tucson, Arizona: Arizona Geological Society, 354 p.
- Titley, S.R., 1972, Copper mining and Arizona land use planning - A geologist speaks: Fieldnotes [Arizona Bureau of Mines], v. 2., no. 4, p. 1-3, 5, 8, and 10.
- Titley, S.R., 1981, Porphyry copper: American Scientist, v. 69, no. 6, p. 632-638.
- Titley, S.R., ed., 1982, Advances in geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, 560 p.
- Titley, S.R., 1982, The style and progress of mineralization and alteration in porphyry copper systems, American southwest, in Titley, S.R., ed., Advances in geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 93-116.
- Titley, S.R., 1982, Geologic setting of porphyry copper deposits, southeastern Arizona, in Titley, S.R., ed., Advances in geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, p. 37-58.
- Titley, S.R., 1985, Gold and silver production in Arizona and its relationship to geologic setting - implications [abs.]: Geological Society of America Abstracts with Programs, v. 17, no. 4, p. 268.
- Titley, S.R., 1987, The crustal heritage of silver and gold ratios in Arizona ores: Geological Society of America Bulletin, v. 99, no. 6, p. 814-826.
- Titley, S.R., 1989, Regional variation of silver and gold ratios in vein ores of Arizona: Economic Geology Monograph 6, p. 626-636.
- Titley, S.R., and Anthony, E.Y., 1989, Laramide mineral deposits in Arizona, in Jenney, J.P., and Reynolds, S.J., eds., Geologic evolution of Arizona: Arizona Geological Society Digest 17, p. 485-514.
- Titley, S.R., and Hicks, C.L., eds., 1966, Geology of the porphyry copper deposits, southwestern North America: Tucson, University of Arizona Press, 287 p.
- Titley, S.R., and Marozas, D.C., 1995, Processes and products of supergene copper enrichment, in Pierce, F.W., and Bolm, J.G., eds., Porphyry copper deposits of the American Cordillera: Arizona Geological Society Digest 20, p. 156-168.
- Toro, J., Gehrels, G.E., Johnson, R.A., Biggs, T.H., Centeno-Garcia, E., Colburn, N.I., Jackson, J.L., Kruger, J.M., Meader, N.M., Pitts, G.S., Restrepo, P.A., and Skirvin, S.M., 1990, Geological map of the Black Rock detachment, Santa Teresa Mountains, SE Arizona: Arizona Geological Survey Contributed Map CM-90-B, 1 sheet, scale 1:12,000.
- Trace, R.D., 1947, The Fourth of July and Luckie No. 1 and No. 2 fluor spar veins, Greenlee County, Arizona: U.S. Geological Survey Mineral Investigations Preliminary Strategic Map 3-207, 6 p., 7 sheets.
- Trapp, R.A., 1994, Bibliography of geologic reports and maps for Apache County, Arizona, south of Interstate 40: Arizona Geological Survey Open-File Report 94-20, 22 p.
- Trapp, R.A., 1996, Bibliography of geologic reports and maps for Apache County, Arizona, south of Interstate 40 (supercedes Arizona Geological Survey Open-File Report 94-20): Arizona Geological Survey Open-File Report 96-16, 27 p.
- Trevena, A.S., 1979, Studies in sandstone petrology: Origin of the Precambrian Mazatzal Quartzite and provenance of detrital feldspar: Salt Lake City, University of Utah, Ph.D. dissertation, 390 p.
- Trevena, A.S., and Nash, W.P., 1978, Provenance and correlation of some mid-Tertiary (?) eolian sandstone units, New Mexico and Arizona [abs.]: Geological Society of America Abstracts with Programs, v. 10, no. 5, p. 240.
- Tsuji, K.S., 1984, Silver mineralization of the El Tigre mine and volcanic resurgence in the Chiricahua Mountains, Cochise County, Arizona: Tucson, University of Arizona, M.S. thesis, 142 p.
- Tucci, Patrick, 1989, Geophysical methods for water-resources studies in southern and central Arizona, in Symposium on the Application of Geophysics to Engineering and Environmental Problems, Proceedings: Denver, Society of Engineering and Mineral Exploration Geophysicists, p. 368-383 [available for inspection at Arizona Geological Survey, 416 W. Congress, Suite 100, Tucson, Ariz.].
- Tucci, Patrick, and Pool, D.R., 1986, Use of geophysics for geohydrologic studies in the alluvial basins of Arizona, in Anderson, T.W., and Johnson, A.I., eds., Regional aquifer systems of the United States - southwest alluvial basins of Arizona: Bethesda, Md., American Water Resources Association Monograph Series no. 7, p. 37-56.
- Tuck, F.J., 1955, History of mining in Arizona: Arizona Department of Mineral Resources, 40 p.
- Tuck, F.J., 1957, Stories of Arizona copper mines - The big low-grades and the bonanzas: Arizona Department of Mineral Resources, 77 p.

- Tuck, F.J., 1963, History of mining in Arizona (2nd ed.): Arizona Department of Mineral Resources, 47 p.
- Turner, G.L., 1962, The Deming axis, southeastern Arizona, New Mexico and Trans-Pecos Texas, in Weber, R.H., and Peirce, H.W., eds., Guidebook of the Mogollon Rim region, east-central Arizona: New Mexico Geological Society 13th Field Conference Guidebook, p. 59-71.
- Turner, R.M., 1974, Quantitative and historical evidence of vegetation changes along the upper Gila River, Arizona, in Gila River Phreatophyte Project: U.S. Geological Survey Professional Paper 655-H, p. H1-H20, 1 sheet, scale 1:28,500.
- Turner, R.M., 1976, Detection of short-term changes in vegetation of southern Arizona, in Williams, R.S., Jr., and Carter, W.D., eds., ERTS-1, a new window on our planet: U.S. Geological Survey Professional Paper 929, p. 246-248.
- Underground Water Commission, 1953, The underground water resources of Arizona: Phoenix, Ariz., Underground Water Commission, 174 p.
- United States Army Corps of Engineers, Los Angeles District, 1945, Interim report on survey, flood control, Gila River and tributaries above Salt River, Arizona and New Mexico: U.S. Army Corps of Engineers Report.
- United States Atomic Energy Commission, and United States Geological Survey, 1970, Preliminary reconnaissance for uranium in Apache and Cochise Counties, Arizona, 1950 to 1957: U.S. Atomic Energy Commission Report RME-154, 86 p.
- United States Atomic Energy Commission, and United States Geological Survey, 1970, Preliminary reconnaissance for uranium in Gila County, Arizona, 1951 to 1956: U.S. Atomic Energy Commission Report RME-156, 186 p.
- United States Atomic Energy Commission, and United States Geological Survey, 1970, Preliminary reconnaissance for uranium in Graham, Grant, Greenlee, and Maricopa Counties, Arizona [*and New Mexico*], 1950 to 1957: U.S. Atomic Energy Commission Report RME-157, 62 p.
- United States Atomic Energy Commission, and United States Geological Survey, 1970, Preliminary reconnaissance for uranium in Pima and Pinal Counties, Arizona, 1950 to 1957: U.S. Atomic Energy Commission Report RME-159, 100 p.
- United States Bureau of Land Management, n.d., [*Chase Creek placers and Stargo mines, Copper Mountain district, Greenlee County*]: U.S. Bureau of Land Management Mining District Sheet 842 [available for inspection at BLM State Office and Field Offices, filed by Township and Range].
- United States Bureau of Land Management, n.d., [*Copper King, San Jose, and Standard Copper mines, Copper Mountain district, Greenlee County*]: U.S. Bureau of Land Management Mining District Sheet 839 [available for inspection at BLM State Office and Field Offices, filed by Township and Range].
- United States Bureau of Land Management, n.d., [*Shannon mine, Copper Mountain district, Greenlee County*]: U.S. Bureau of Land Management Mining District Sheet 840 [available for inspection at BLM State Office and Field Offices, filed by Township and Range].
- United States Bureau of Land Management, n.d., [*Mammoth and Brunswick mines, Copper Mountain district, Greenlee County*]: U.S. Bureau of Land Management Mining District Sheet 837 [available for inspection at BLM State Office and Field Offices, filed by Township and Range].
- United States Bureau of Land Management, n.d., [*Iolanthe prospect, Copper Mountain district, Greenlee County*]: U.S. Bureau of Land Management Mining District Sheet 838 [available for inspection at BLM State Office and Field Offices, filed by Township and Range].
- United States Bureau of Land Management, n.d., [*Stargo mines, Copper Mountain district, Greenlee County*]: U.S. Bureau of Land Management Mining District Sheet 841 [available for inspection at BLM State Office and Field Offices, filed by Township and Range].
- United States Bureau of Mines, 1943, Verdun Mine, Graham County, Ariz.: U.S. Bureau of Mines War Minerals Report 130, 3 p.
- United States Bureau of Mines, 1944, Sullivan Mine, Cochise County, Ariz.: U.S. Bureau of Mines War Minerals Report 337, 8 p.
- United States Bureau of Mines, 1945, War Minerals Reports nos. 1 to 475 - Commodity and geographic indexes: U.S. Bureau of Mines, 19 p.
- United States Bureau of Reclamation, 1995, Winter cloud seeding potential on the Mogollon Rim, final report, Volume III, Appendix B: Estimation of winter precipitation on the Mogollon Rim with a simple local-scale model, prepared for Arizona Department of Water Resources under IGA-0-AG-30-08290: Denver, U.S. Bureau of Reclamation Report R-95-11, 15 p. [available from the National Technical Information Service, Springfield, VA, 22161, as PB96-106968].

- United States Geological Survey, 1971, 1971 water resources data for Arizona - Part 2. Water quality records: U.S. Geological Survey Water-Resources Data Report, 167 p. [NTIS PB-287 165].
- United States Geological Survey, 1972, 1972 water resources data for Arizona - Part 2. Water quality records: U.S. Geological Survey Water-Resources Data Report, 166 p. [NTIS PB-287 167].
- United States Geological Survey, 1972, Aeromagnetic map of the Morenci-Monticello area, southeastern Arizona and southwestern New Mexico: U.S. Geological Survey Geophysical Investigations Map GP-838, 1 sheet, scale 1:250,000.
- United States Geological Survey, 1973, 1973 water resources data for Arizona - Part 2. Water quality records: U.S. Geological Survey Water-Resources Data Report, 188 p. [NTIS PB-287 169].
- United States Geological Survey, 1974, 1974 water resources data for Arizona - Part 2. Water quality records: U.S. Geological Survey, 192 p. [NTIS PB-287 171].
- United States Geological Survey, 1976, Well and spring information - Concho, St. Johns, and White Mountains areas, Apache and Navajo Counties, Arizona - Basic data compilation: U.S. Geological Survey unpublished data, 52 p. [available for inspection at Arizona Geological Survey, 416 W. Congress, Suite 100, Tucson, Ariz.].
- United States Geological Survey, 1979, Land use and land cover, 1972-74, Mesa, Arizona: U.S. Geological Survey Land Use Series Map L-41, 1 sheet, scale 1:250,000.
- United States Geological Survey, 1979, Aeromagnetic map of the north and west parts of the Silver City 1° by 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Open-File Report 79-1452, 5 sheets, scale 1:62,500.
- United States Geological Survey, 1979, Land use and land cover, 1972-74, Tucson, Arizona: U.S. Geological Survey Land Use Series Map L-43, 1 sheet, scale 1:250,000.
- United States Geological Survey, 1980, Aeromagnetic map of the southern part of the Silver City 1° by 2° quadrangle, Arizona and New Mexico: U.S. Geological Survey Open-File Report 80-1128, 4 sheets, scale 1:62,500.
- University of Arizona, Water Resources Research Center, 1978, Groundwater projections for 11 basins: Arizona Water Resources News Bulletin, News Bulletin 78-3, 4 p.
- Van Horn, W.L., 1957, Late Cenozoic beds in the upper Safford Valley, Graham County, Arizona: Tucson, University of Arizona, M.S. thesis, 108 p., 2 sheets, scale 1:63,360.
- Vermiel, D.E., 1978, Diagenetic history and dolomitization of Tamarora sequence (Mississippian) carbonates of the Pedregosa Basin, southeastern Arizona, southwestern New Mexico, and Northern Sonora and Chihuahua, Mexico: Tempe, Arizona State University, M.S. thesis, 156 p.
- Vogt, K.D., 1980, Soil survey of San Simon area, Arizona, parts of Cochise, Graham, and Greenlee Counties: U.S. Department of Agriculture, Soil Conservation Service, 148 p., 43 sheets, scales 1:24,000 and 1:443,520.
- Vogt, K.D., and Richardson, M.L., 1974, General soil map, Gila County, Arizona, with interpretations for land use planning: U.S. Department of Agriculture, Soil Conservation Service, 45 p., 1 sheet, scale 1:500,000.
- Vuich, J.S., and Moore, R.T., 1977, Bureau studies olivine resources on San Carlos Apache Reservation: Fieldnotes [Arizona Bureau of Mines], v. 7, no. 2, p. 1, 6-10.
- Wahab, N.A., 1972, Analysis of water resources in Safford, Arizona: Tucson, University of Arizona, M.S. thesis, 63 p.
- Wahl, D.E., Jr., 1980, Mid-Tertiary volcanic geology in parts of Greenlee County, Arizona, Grant and Hidalgo Counties, New Mexico: Tempe, Arizona State University, Ph.D. dissertation, 147 p., 2 sheets, scale 1:65,000.
- Walcott, C.D., and Bannon, M., 1885, Deer Creek coal field, White Mountain Indian Reservation, Arizona: U.S. Congress, 48th, 2nd Session, Senate Executive Document 20, p. 2-7.
- Walker, G.W., and Adams, J.W., 1963, Mineralogy, internal structural and textural characteristics, and paragenesis of uranium-bearing veins in the conterminous United States, in Geology of uranium-bearing veins in the conterminous United States: U.S. Geological Survey Professional Paper 455, p. 55-90 [designated U.S. Geological Survey Professional Paper 455-D].
- Walker, R.J., and Richter, D.H., 1987, Petrogenesis of the Ash Peak - Rhyolite Peak eruptive complex, southeast Arizona [abs.]: Geological Society of America Abstracts with Programs, v. 19, no. 7, p. 879.
- Walker, R.J., and Richter, D.H., 1989, Ash Peak - Rhyolite Peak eruptive complex, in Pallister, J.S., comp., Excursion 7A: From silicic calderas to mantle nodules: Cretaceous to Quaternary volcanism, southern Basin and Range province, Arizona and New Mexico, in Chapin, C.E., and Zidek, J., eds., Field excursions to volcanic terranes in the western United States, Volume I: Southern Rocky Mountain region, IAVCEI General Assembly,

- Santa Fe, New Mexico, USA, June 25 - July 1, 1989: New Mexico Bureau of Mines and Mineral Resources Memoir 46, p. 157-160.
- Waller, M.R., 1952, Lake beds in the Chiricahua National Monument: Tulsa, Okla., University of Tulsa, M.S. thesis.
- Wanamaker, B.J., and Evans, Brian, 1989, Mechanical re-equilibration of fluid inclusions in San Carlos olivine by power-law creep: Contributions to Mineralogy and Petrology, v. 102, no. 1, p. 102-111.
- Warskow, W.L., 1971, Remote sensing as a watershed management tool on the Salt-Verde watershed, in Applied Remote Sensing of Earth Resources in Arizona, 2nd ARETS Symposium, Tucson, University of Arizona, November 2-4, 1971, Proceedings: Phoenix, Ariz., Salt River Valley Water Users' Association, p. 100-108 [available for inspection at Arizona Geological Survey, 416 W. Congress, Suite 100, Tucson, Ariz.].
- Watts, K.C., and Hassemer, J.R., 1980, Distribution and abundance of fluorite in stream-sediment concentrates, Silver City 1° X 2° quadrangle, Arizona and New Mexico: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-C, 1 sheet, scale 1:250,000.
- Watts, K.C., and Hassemer, J.R., 1988, Geochemical interpretive and summary maps, Silver City 1° x 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1310-E, 2 sheets, scales 1:250,000 and 1:1,000,000.
- Watts, K.C., Hassemer, J.R., Forn, C.L., and Siems, D.F., 1986, Geochemical maps showing distribution and abundance of tungsten in two fractions of stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-G, 1 sheet, scale 1:250,000.
- Watts, K.C., Hassemer, J.R., Forn, C.L., and Siems, D.F., 1986, Geochemical maps showing distribution and abundance of silver in two fractions of stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-F, 1 sheet, scale 1:250,000.
- Watts, K.C., Hassemer, J.R., Forn, C.L., and Siems, D.F., 1986, Geochemical maps showing distribution and abundance of barium in two fractions of stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-K, 1 sheet, scale 1:250,000.
- Watts, K.C., Hassemer, J.R., Forn, C.L., and Siems, D.F., 1986, Geochemical maps showing distribution and abundance of lead in two fractions of stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-A, 1 sheet, scale 1:250,000.
- Watts, K.C., Hassemer, J.R., Forn, C.L., and Siems, D.F., 1986, Geochemical maps showing distribution and abundance of zinc in two fractions of stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-D, 1 sheet, scale 1:250,000.
- Watts, K.C., Hassemer, J.R., Forn, C.L., and Siems, D.F., 1986, Geochemical maps showing distribution and abundance of copper in two fractions of stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-B, 1 sheet, scale 1:250,000.
- Watts, K.C., Hassemer, J.R., Forn, C.L., and Siems, D.F., 1986, Geochemical maps showing distribution and abundance of bismuth and beryllium in the nonmagnetic fraction of stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-H, 1 sheet, scale 1:250,000.
- Watts, K.C., Hassemer, J.R., Forn, C.L., and Siems, D.F., 1986, Geochemical maps showing distribution and abundance of manganese in two fractions of stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-J, 1 sheet, scale 1:250,000.
- Watts, K.C., Hassemer, J.R., Forn, C.L., and Siems, D.F., 1986, Geochemical maps showing distribution and abundance of molybdenum in two fractions of stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-E, 1 sheet, scale 1:250,000.

- Watts, K.C., Hassemer, J.R., Forn, C.L., and Siems, D.F., 1986, Geochemical maps showing distribution and abundance of tin in two fractions of stream-sediment concentrates, Silver City 1° X 2° quadrangle, New Mexico and Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1183-I, 1 sheet, scale 1:250,000.
- Weist, W.G., 1971, Geology and groundwater system in the Gila River phreatophyte project area, Graham County, Arizona: U.S. Geological Survey Professional Paper 655-D, 22 p.
- Wells, R.C., 1937, Analyses of rocks and minerals from the laboratory of the United States Geological Survey, 1914-36: U.S. Geological Survey Bulletin 878, 134 p.
- Welty, J.W., 1988, Additions to bibliographies for metallic mineral districts in Cochise, Graham, Greenlee, La Paz, Mohave, Pima, Santa Cruz, and Yuma Counties, Arizona: Arizona Geological Survey Open-File Report 88-22, 32 p.
- Welty, J.W., 1989, Additions to bibliographies for metallic mineral districts in Arizona: Arizona Geological Survey Open-File Report 89-09, 25 p.
- Welty, J.W., and Spencer, J.E., 1985, Geology and industrial uses of Arizona's volcanic rocks [*abs.*], in Aggregates to zeolites (AZ), 21st Forum on the Geology of Industrial Minerals, Tucson, Ariz., April 9-12, 1985, Program with Abstracts: Arizona Bureau of Geology and Mineral Technology, p. 18-19.
- Welty, J.W., and Spencer, J.E., 1987, Geology and industrial uses of Arizona's volcanic rocks, in Peirce, H.W., ed., Proceedings of the 21st Forum on the Geology of Industrial Minerals: Arizona Bureau of Geology and Mineral Technology Special Paper 4, p. 18-19.
- Welty, J.W., Spencer, J.E., Allen, G.B., Reynolds, S.J., and Trapp, R.A., 1985, Geology and production of middle Tertiary mineral districts in Arizona: Arizona Bureau of Geology and Mineral Technology Open-File Report 85-01, 88 p.
- Wenrich, K.J., Chenoweth, W.L., Finch, W.I., and Scarborough, R.B., 1989, Uranium in Arizona, in Jenney, J.P., and Reynolds, S.J., eds., Geologic evolution of Arizona: Arizona Geological Society Digest 17, p. 759-794.
- White, D.L., and Foster, Mary, 1982, National Uranium Resource Evaluation, Clifton quadrangle, Arizona and New Mexico: U.S. Department of Energy Report PGJ/F-116(82), 49 p., 17 sheets, scale 1:500,000, 3 microfiche.
- White, N.D., and Anderson, T.W., 1986, Arizona ground-water resources, in National Water Summary, 1984 - Hydrologic events, selected water quality trends, and ground-water resources: U.S. Geological Survey Water-Supply Paper 2275, p. 135-140.
- Wiedeman, F.L., 1957, A reconnaissance of sulfur resources in Wyoming, Colorado, Utah, New Mexico, and Arizona: U.S. Bureau of Mines Information Circular I.C. 7770, 61 p.
- Wilde, D., and Howard, E.L., 1982, Arizona - New Mexico geologic and photogeologic compilation map: Denver, Wilde, Inc., and Terrascan Group, Inc., 1 sheet, scale 1:250,000.
- Wilkins, J., Jr., 1984, The distribution of gold- and silver-bearing deposits in the Basin and Range Province, western United States, in Wilkins, J., Jr., ed., Gold and silver deposits of the Basin and Range Province, western U.S.A.: Arizona Geological Society Digest, v. 15, p. 1-27.
- Willden, Ronald, 1964, Geology of the Christmas quadrangle, Gila and Pinal Counties, Arizona: U.S. Geological Survey Bulletin 1161-E, p. E1-E64, 2 sheets, scales 1:62,500 and 1:250,000.
- Williams, F.E., 1966, Potential pozzolon deposits in Arizona: Tucson, University of Arizona, M.S. thesis, 93 p.
- Williams, G.P., 1978, Hydraulic geometry of river cross sections--theory of minimum variance: U.S. Geological Survey Professional Paper 1029, 47 p.
- Williams, P.T., 1981, Plagioclase zoning profiles of a small pluton in Arizona: Tucson, University of Arizona, M.S. thesis, 46 p.
- Willis, C.F., 1920, Mines of tomorrow no. 10 - The Stargo Mines Co., Inc.: Arizona Mining Journal, v. 4, no. 3, p. 34-35, 51-52.
- Willis, C.F., 1923, Romances of some of Arizona's mines: Arizona Mining Journal, v. 7, no. 11, supp., 16 p.
- Wilshire, H.G., Meyer, C.E., Nakata, J.K., Calk, L.C., Shervais, J.W., Nielson, J.E., and Schwarzman, E.C., 1988, Mafic and ultramafic xenoliths from volcanic rocks of the western United States: U.S. Geological Survey Professional Paper 1443, 179 p.
- Wilshire, H.G., and Shervais, J.W., 1975, Al-augite and Cr-diopside ultramafic xenoliths in basaltic rocks of the western United States: Physics and Chemistry of the Earth, v. 9, p. 83-98.
- Wilson, D.S., and Phillips, D.H., 1982, Utilization of hydrometeorological monitoring systems to enhance reservoir operations during flood emergencies, in International Symposium on Hydrometeorology, Denver, Colorado, June 13-17, 1982, Proceedings: American Water Resources Association, p. 187-191.

- Wilson, E.D., 1927, Arizona gold placers (Second Edition, Revised): Arizona Bureau of Mines Bulletin no. 124, 60 p.
- Wilson, E.D., 1928, Asbestos deposits of Arizona, with an introduction on asbestos minerals by G.M. Butler: Arizona Bureau of Mines Bulletin no. 126, 100 p.
- Wilson, E.D., comp., 1940, Diatomaceous earth: Arizona Bureau of Mines Circular no. 1, 6 p.
- Wilson, E.D., 1940, Pre-Cambrian of Arizona basin ranges, in Pacific Science Congress, Sixth, University of California, Berkeley, Stanford University, and San Francisco, July 24th-August 12, 1939, Proceedings, v. 1: Pacific Science Association, p. 321-330.
- Wilson, E.D., 1950, Fluorspar in Arizona: Arizona Bureau of Mines Circular no. 15, 13 p.
- Wilson, E.D., 1950, Aravaipa district, Chap. V, in Arizona zinc and lead deposits, Part I: Arizona Bureau of Mines Bulletin no. 156, p. 51-63.
- Wilson, E.D., 1962, Geologic cross-sections, Section 8, in Moore, R.T., and Wilson, E.D., Geologic cross-sections of Arizona: Arizona Bureau of Mines, 1 sheet [now available as Arizona Geological Survey Map M-7-3].
- Wilson, E.D., 1965, Guidebook 1 - Highways of Arizona, U.S. Highway 666: Arizona Bureau of Mines Bulletin 174, 68 p. [reprinted 1971, 1982, Arizona Bureau of Geology and Mineral Technology].
- Wilson, E.D., and Butler, G.M., 1930, Manganese ore deposits in Arizona: Arizona Bureau of Mines Bulletin no. 127, 107 p.
- Wilson, E.D., Cunningham, J.B., and Butler, G.M., 1934, Arizona lode gold mines and gold mining: Arizona Bureau of Mines Bulletin no. 137, 261 p.
- Wilson, E.D., Fansett, G.R., Johnson, C.H., Perkins, F.P., and Vorhies, C.T., 1952, Arizona gold placers and placering (Fifth edition, revised): Arizona Bureau of Mines Bulletin no. 160, 124 p.
- Wilson, E.D., Fansett, G.R., Johnson, C.H., and Roseveare, G.H., 1961, Gold placers and placering in Arizona: Arizona Bureau of Mines Bulletin no. 168, 124 p. [reprinted 1981, 1988, Arizona Bureau of Geology and Mineral Technology].
- Wilson, E.D., Fansett, G.R., Johnson, C.H., Smith, M.C., Perkins, F.P., Vorhies, C.T., and Butler, G.M., 1933, Arizona gold placers and placering [Fourth edition, revised]: Arizona Bureau of Mines Bulletin no. 135, 148 p.
- Wilson, E.D., and Moore, R.T., 1958, Geologic map of Graham and Greenlee Counties, Arizona: Arizona Bureau of Mines, 1 sheet, scale 1:375,000 [now available as Arizona Geological Survey Map M-3-4].
- Wilson, E.D., and Moore, R.T., 1959, Structure of Basin and Range province in Arizona, in Heindl, L.A., ed., Southern Arizona Guidebook II, combined with the 2nd annual Arizona Geological Society Digest: Arizona Geological Society, p. 89-105.
- Wilson, E.D., and Moore, R.T., 1959, Geologic map of Pinal County, Arizona: Arizona Bureau of Mines, 1 sheet, scale 1:375,000 [now available as Arizona Geological Survey Map M-3-9].
- Wilson, E.D., Moore, R.T., and O'Haire, R.T., 1960, Geologic map of Navajo and Apache Counties, Arizona: Arizona Bureau of Mines, 1 sheet, scale 1:375,000 [now available as Arizona Geological Survey Map M-3-7].
- Wilson, E.D., Moore, R.T., and Peirce, H.W., 1959, Geologic map of Gila County, Arizona: Arizona Bureau of Mines, 1 sheet, scale 1:375,000 [now available as Arizona Geological Survey Map M-3-3].
- Wilson, E.D., Tenney, J.B., Fansett, G.R., Johnson, C.H., Smith, M.C., Perkins, F.P., Vorhies, C.T., and Butler, G.M., 1932, Arizona gold placers and placering [Third edition, revised]: Arizona Bureau of Mines Bulletin no. 132, 114 p.
- Wilson, J.L., 1995, A tectonic tale of two basins: Late Paleozoic Orogrande and Pedregosa Basins of New Mexico and Chihuahua [abs.]: Geological Society of America Abstracts with Programs, v. 27, no. 6, p. A-73.
- Wilson, J.P., 1995, The mining frontier, in Farrell, M.M., and others, Tearing up the ground with splendid results: Historic mining on the Coronado National Forest: U.S. Department of Agriculture, Forest Service, Southwestern Region, Heritage Resources Management Report no. 15, p. 3-26.
- Wilson, L.G., DeCook, K.J., and Neuman, S.P., 1980, Regional recharge research for southwest alluvial basins - final report, U.S. Geological Survey contract 14-08-0001-18257: Tucson, University of Arizona, Water Resources Research Center, 389 p.
- Wilson, Sid, 1980, Reservoir storage, in Arizona Water Symposium, 23rd and 24th annual, Phoenix, September 27, 1979, and September 24, 1980, Proceedings: Arizona Department of Water Resources Report No. 2, p. 43-45.
- Wilson, T.T., and Kirdar, E., 1970, Use of runoff forecasting in reservoir operations: American Society of Civil Engineers, Proceedings, Journal of the Irrigation and Drainage Division, v. 96 (IR3), p. 299-308.

- Wilt, J.C., 1993, Geochemical patterns of hydrothermal mineral deposits associated with calc-alkalic and alkali-calcic igneous rocks as evaluated with neural networks: University of Arizona Ph.D. dissertation, 721 p.
- Wilt, J.C., 1995, Correspondence of alkalinity and ferric/ferrous ratios of igneous rocks associated with various types of porphyry copper deposits, in Pierce, F.W., and Bolm, J.G., eds., Porphyry copper deposits of the American Cordillera: Arizona Geological Society Digest 20, p. 180-200.
- Witcher, J.C., 1979, Proven, potential, and inferred geothermal resources of Arizona and their heat contents: Arizona Bureau of Geology and Mineral Technology Open-File Report 79-05, 64 p., 1 sheet, scale 1:1,000,000 [also published in Pasadena, California Institute of Technology, Jet Propulsion Laboratory Publication 80-41, p. A-3 to A-74].
- Witcher, J.C., 1979, A preliminary report on the geothermal energy potential of the Safford basin, southeastern Arizona: Arizona Bureau of Geology and Mineral Technology Open-File Report 79-02c, 31 p.
- Witcher, J.C., 1979, A progress report of geothermal investigations in the Clifton area: Arizona Bureau of Geology and Mineral Technology Open-File Report 79-02b, 16 p.
- Witcher, J.C., 1981, Geothermal resource potential of the Safford-San Simon basin, Arizona: Arizona Bureau of Geology and Mineral Technology Open-File Report 81-26, 131 p., 4 sheets, scale 1:250,000.
- Witcher, J.C., 1981, Geothermal energy potential of the lower San Francisco River region, Arizona: Arizona Bureau of Geology and Mineral Technology Open-File Report 81-07, 141 p., 3 sheets, scale 1:250,000.
- Witcher, J.C., 1982, Exploration for geothermal energy in Arizona Basin and Range - A summary of results and interpretation of heat flow and geochemistry studies in Safford basin, Arizona: Arizona Bureau of Geology and Mineral Technology Open-File Report 82-05, 51 p.
- Witcher, J.C., 1982, Geothermal potential of Willcox area, Arizona: Arizona Bureau of Geology and Mineral Technology Open-File Report 82-04, 39 p.
- Witcher, J.C., 1994, Alpine 1/Federal, Final report, Executive summary: Arizona Geological Survey Contributed Report CR-94-D, 20 p.
- Witcher, J.C., Hahman, W.R., and Swanberg, C.A., 1994, Alpine 1/Federal corehole -- Subsurface stratigraphy of the eastern White Mountains, Apache County, Arizona, in Chamberlin, R.M., Kues, B.S., Cather, S.M., Barker, J.M., and McIntosh, W.C., eds., Mogollon Slope, west-central New Mexico and east-central Arizona: New Mexico Geological Society 45th Field Conference Guidebook, p. 233-240.
- Witcher, J.C., Hahman, W.R., and Swanberg, C.A., 1994, Alpine 1/Federal final report - Part 2, temperature gradients, geothermal potential, and geology: Arizona Geological Survey Contributed Report CR-94-F, 127 p.
- Witcher, J.C., Pisto, Larry, Hahman, W.R., and Swanberg, C.A., 1994, Alpine 1/Federal final report - Part 1, drilling report: Arizona Geological Survey Contributed Report CR-94-E, 92 p.
- Witcher, J.C., and Stone, Claudia, 1980, Heat flow and the thermal regime in the Clifton, Arizona area, in Hahman, W.R., Sr., and others, Arizona geothermal energy appraisal studies, final report, June 1978 - March 1980: Arizona Bureau of Geology and Mineral Technology Open-File Report 80-01, p. 117-146.
- Witcher, J.C., and Stone, Claudia, 1980, Heat flow and the thermal regime in the Clifton, Arizona area: Arizona Bureau of Geology and Mineral Technology Open-File Report 80-01a, 28 p.
- Witcher, J.C., Swanberg, C.A., and Hahman, W.R., 1994, Geothermal potential of the Alpine divide area, in Cather, S.M., and others, Second-day road log from Quemado Lake to Mangas Mountains, Omega, Quemado, Tejana Mesa and Red Hill, New Mexico, and Springerville and Alpine, Arizona, in Chamberlin, R.M., and others, eds., Mogollon Slope, west-central New Mexico and east-central Arizona: New Mexico Geological Society 45th Field Conference Guidebook, p. 76, 116-120.
- Witcher, J.C., Swanberg, C.A., and Hahman, W.R., 1994, Thermal regime of Alpine divide and petroleum implications, in Cather, S.M., and others, Second-day road log from Quemado Lake to Mangas Mountains, Omega, Quemado, Tejana Mesa and Red Hill, New Mexico, and Springerville and Alpine, Arizona, in Chamberlin, R.M., and others, eds., Mogollon Slope, west-central New Mexico and east-central Arizona: New Mexico Geological Society 45th Field Conference Guidebook, p. 74-76, 116-120.
- Wohletz, K.H., 1978, The eruptive mechanism of the Peridot Mesa vent, San Carlos, Arizona, in Burt, D.M., and Péwé, T.L., eds., Guidebook to the geology of central Arizona; 74th Cordilleran Section Meeting, Geological Society of America, Arizona State University, Tempe, Arizona: Arizona Bureau of Geology and Mineral Technology Special Paper no. 2, p. 167-171.
- Wohletz, K.H., and Patera, E.S., 1978, Petrology and eruptive history of the Peridot Mesa vent, San Carlos, Arizona [abs.]: Geological Society of America Abstracts with Programs, v. 10, no. 3, p. 154.

- Wohletz, K.H., and Sheridan, M.F., 1983, Hydrovolcanic explosions II. Evolution of basaltic tuff rings and tuff cones: *American Journal of Science*, v. 283, no. 5, p. 385-413.
- Wood, P.A., 1960, Paleontological investigations in the 111 Ranch area: *Arizona Geological Society Digest*, v. 3, p. 140-143.
- Wood, P.A., 1962, Pleistocene fauna from 111 Ranch area, Graham County, Arizona: Tucson, University of Arizona, Ph.D. dissertation, 121 p.
- Woodward, L.A., and DuChene, H.R., 1981, Overthrust belt of southwestern New Mexico: Comparison with Wyoming-Utah overthrust belt: *American Association of Petroleum Geologists Bulletin*, v. 65, no. 4, p. 722-729.
- Worl, R.G., Grifitts, W.R., and Van Alstine, R.E., 1976, Colorado-New Mexico-western Texas-southwestern Arizona, in Shawe, D.R., ed., *Geology and resources of fluorine in the United States: U.S. Geological Survey Professional Paper 933*, p. 48-62.
- World Mining, 1974, Phelps Dodge accelerates Safford underground development: *World Mining*, v. 27, no. 5, p. 76.
- World Mining, 1976, Arizona - 'Don't neglect Safford as major future porphyry copper district': *World Mining*, v. 29, no. 4, p. 139.
- Wright, J.J., 1971, The occurrence of thermal ground-water in the Basin and Range Province of Arizona, in Evans, D.D., ed., *Hydrology and water resources in Arizona and the Southwest*, v. 1: American Water Resources Association, Arizona Section, and Arizona Academy of Science, Hydrology Section, Annual Meeting, Tempe, Ariz., 1971, Proceedings, p. 269-290.
- Wright, R.J., 1949, Uranium possibilities in Arizona, exclusive of the Colorado Plateau: U.S. Atomic Energy Commission Report RMO-530, 13 p.
- Wright, R.J., 1950, Reconnaissance study of certain uranium deposits in Arizona: U.S. Atomic Energy Commission Report RMO-590, 27 p.
- Wright, R.J., 1950, Reconnaissance of certain uranium deposits in Arizona: U.S. Atomic Energy Commission Report RMO-679, 21 p.
- Wrucke, C.T., 1989, The Middle Proterozoic Apache Group, Troy Quartzite, and associated diabase of Arizona, in Jenney, J.P., and Reynolds, S.J., eds., *Geologic evolution of Arizona: Arizona Geological Society Digest 17*, p. 239-258.
- Wrucke, C.T., 1993, The Apache Group, Troy Quartzite, and diabase: Middle Proterozoic rocks of central and southern Arizona, in Link, P.K., ed., *Middle and Late Proterozoic stratified rocks of the western U.S. cordillera, Colorado Plateau, and Basin and Range Province*, Chap. 6, in Reed, J.C., Jr., and others, eds., *Precambrian: Conterminous U.S.: Geological Society of America, The Geology of North America*, v. C-2, p. 517-521, refs. p. 575-595.
- Wrucke, C.T., and Desborough, G.A., 1987, Geology and mineral commodities of the Middle Proterozoic Apache Group, Arizona [*abs.*]: *Geological Society of America Abstracts with Programs*, v. 19, no. 7, p. 899.
- Wrucke, C.T., and Shride, A.F., 1972, Correlation of Precambrian diabase in Arizona and southern California [*abs.*]: *Geological Society of America Abstracts with Programs*, v. 4, no. 3, p. 265-266.
- Wust, S.L., 1986, Regional correlation of extension directions in Cordilleran metamorphic core complexes: *Geology*, v. 14, no. 10, p. 828-830.
- Wynn, J.C., 1981, Complete Bouguer gravity anomaly map of the Silver City 1° x 2° quadrangle, New Mexico-Arizona: U.S. Geological Survey Miscellaneous Investigations Series Map I-1310-A, 1 sheet, scale 1:250,000.
- Wynn, J.C., and Dansereau, D.A., 1979, Preliminary complete Bouguer gravity anomaly map of the Silver City two-degree sheet, New Mexico and Arizona: U.S. Geological Survey Open-File Report 79-0708, 1 sheet, scale 1:250,000.
- Wynn, J.C., and Zonge, K.L., 1975, EM coupling, its intrinsic value, its removal, and the cultural coupling problem: *Geophysics*, v. 40, no. 5, p. 831-850.
- Yarter, W.V., 1981, Geology, geochemistry, alteration, and mass transfer in the Sol prospect, a sub-economic porphyry copper-molybdenum deposit, Safford district, Graham County, Arizona: Tucson, University of Arizona, M.S. thesis, 136 p.
- Zelten, J.E., 1986, Mineral resources of a part of the Dos Cabezas Mountain Wilderness Study Area (AZ-040-065), Cochise County, Arizona: U.S. Bureau of Mines Mineral Land Assessment Open File Report MLA 2-86, 31 p., 1 sheet, scale 1:24,000.
- Zimmerman, A.L., 1971, Arizona floods of September 5 and 6, 1970: U.S. Department of Commerce, National Oceanic and Atmospheric Administration Natural Disaster Survey Report 70-2, 39 p.

- Zindler, Alan, and Jagoutz, Emil, 1988, Mantle cryptology: *Geochimica et Cosmochimica Acta*, v. 52, no. 2, p. 319-333 [Lamont-Doherty Geological Observatory Contribution no. 4216].
- Zirke, R.G., 1950, Fusulinid fauna from the Naco Group in the Chiricahua Mountains near Portal, Cochise County, Arizona: Urbana, University of Illinois, M.S. thesis, 93 p.
- Zoback, M.L., Anderson, R.E., and Thompson, G.A., 1981, Cainozoic evolution of the state of stress and style of tectonism of the Basin and Range province of the western United States: *Royal Society of London, Philosophical Transactions, series A*, v. 300, p. 189-216.